
Baruwa Enterprise Edition Documentation

Release 2.1.2

Andrew Colin Kissa

May 01, 2016

1	What is Baruwa Enterprise Edition	3
1.1	How does it work	3
1.2	Features	4
1.3	Subscriptions	5
1.4	System Requirements	5
1.5	Topologies	5
2	Feature List	11
2.1	System Features	11
2.2	Management and Reporting	11
2.3	High Availability	12
2.4	Antispam, AntiSpam, Malware Protection	12
2.5	Subscriptions	13
2.6	Customer Support	13
3	Obtaining Baruwa Enterprise Edition	15
3.1	Download ISO image	15
3.2	Making an Installation CD/DVD	15
4	Planning for Installation	17
4.1	Required Skills	17
4.2	Hardware Compatibility	17
4.3	Supported Installation Hardware	17
4.4	RAID and Other Disk Devices	18
4.5	Network Firewall	19
4.6	DNS	19
4.7	Hostnames	20
4.8	Clustering	20
4.9	System Profiles	21
5	On Premise Installation	23
5.1	Overview	23
5.2	Boot Menu	23
5.3	Network Configuration	26
5.4	Graphical Mode Installation	28
5.5	Text Mode Installation	33
5.6	Configuration	37
6	Cloud Installation	39
6.1	Overview	39
6.2	Installation	40

6.3	Configuration	42
7	Configuration	43
7.1	StandAlone System	43
7.2	Automated Configuration	43
7.3	Post Configuration	58
8	Cluster Configuration	59
8.1	Backend System	59
8.2	Database System	69
8.3	Search Index System	77
8.4	Message Queue System	83
8.5	Cache System	88
8.6	Web and Mail System	92
8.7	Mail System	112
8.8	Web Interface System	131
9	Advanced configuration	147
9.1	Content Protection	147
9.2	External Authentication	148
9.3	Clustering	149
9.4	Customization	152
9.5	Addons	154
9.6	Additional Anti Virus Engines	155
9.7	Themes	159
9.8	Baruwa API	161
9.9	Email Protection Best Practices	163
10	Administrators guide	165
10.1	Managing Organizations	165
10.2	Managing Domains	169
10.3	Managing Accounts	176
10.4	Managing API Applications	179
10.5	Managing Settings	180
10.6	System Status	195
10.7	Command line Reference	197
10.8	Scheduled commands	200
10.9	Baruwa Backups	201
10.10	Monitoring	202
10.11	Baruwa log files	204
10.12	Languages supported	205
10.13	YAML Import File format	206
10.14	Frequently Asked Questions	213
10.15	Release Notes	217
10.16	Upgrading	221
10.17	Changelog	237
11	User guide	247
11.1	Signing In and Signing Out	247
11.2	Changing Your Password	247
11.3	Personalizing Your Account	248
11.4	Messages	249
11.5	Approved and Banned Sender Lists	253
11.6	Reports	253
11.7	Mail queues	256

11.8	Baruwa Search Tips and Tricks	257
12	Support	259
12.1	Free support	259
12.2	Paid for support	259
13	Previous Documentation	261

Baruwa Enterprise Edition is a fully fledged Mail Security solution, based on best of breed open source software packages. It provides protection from spam, viruses, phishing attempts and malware.

Baruwa Enterprise Edition is a proven email security platform for organizations of any size from small to medium businesses to large service providers, carriers and enterprises.

Baruwa Enterprise Edition works with any standard SMTP server, is highly accurate, scalable, easy to integrate as well as manage.

Automated installation, configuration management tools and an API with several *API Libraries* are provided to ensure the efficient and easy management of the System. You can even craft your own Infrastructure as Code deployment solution using SaltStack and our packaged salt states.

WHAT IS BARUWA ENTERPRISE EDITION

[Baruwa Enterprise Edition](#) is a fully fledged Mail Security solution, based on best of breed open source software packages. It provides protection from spam, viruses, phishing attempts and malware.

[Baruwa Enterprise Edition](#) is a proven email security platform for organizations of any size from small to medium businesses to large service providers, carriers and enterprises.

[Baruwa Enterprise Edition](#) works with any standard SMTP server, is highly accurate, scalable, easy to integrate as well as manage.

[Automated installation, configuration management](#) tools and an [API](#) with several [API Libraries](#) are provided to ensure the efficient and easy management of the System. You can even craft your own [Infrastructure as Code](#) deployment solution using [SaltStack](#) and our packaged [salt states](#).

The management interface is implemented using web 2.0 features (AJAX) where deemed fit. It has full support for i18n, enabling you to translate it into any language of your choosing. It has already been translated into to over 25 languages. Current [Languages supported](#)

Also included is reporting functionality with an easy to use query builder, whose results can be displayed as message lists or graphed as colorful and pretty interactive graphs.

Built in Full text search functionality allows you to find information very fast and easily. Advanced searching options available in leading web search engines are supported.

[Baruwa Enterprise Edition](#) is built on an open source core and runs on a slimmed down and customized Linux OS based on CentOS. All the bloat has been trimmed leaving only an OS dedicated to email security.

[Baruwa Enterprise Edition](#) can be install on [Premise](#) or in the [cloud](#).

1.1 How does it work

It operates as an Email security gateway accepting mail from untrusted sources, running extensive checks on it and then passing the clean mail to the destination. It does not support the hosting of user mailboxes.

For incoming messages, it is configured to accept mail on behalf of your internal mail server run extensive checks on it then forward the clean mail to your internal mail server.

For outgoing messages, your internal mail server can be configured to pass all outbound messages to it for processing before being sent on to the destination. From the internal servers point of view the system is its smart host.

It can operate as a standalone all in one solution or as a cluster of servers sharing database, indexing, storage and message queue servers. The traditional concept of a cluster master is not supported, all the nodes in the cluster have equal status and can be brought into and taken out of the cluster without any special changes.

1.2 Features

- Spam, Virus, Phishing, Malware protection
- Extensive Spam Detection checks
- AJAX support for most operations
- Ultra fast full text search
- Reporting with AJAX enabled query builder
- I18n support, allows use of multiple languages
- Themes/Skins for rebranding
- Signature management / Branding
- Mail queue management and reporting
- Message delivery/relay information
- DKIM management
- Reporting graphs
- Emailed PDF reports
- Audit trails
- Archiving of old message logs
- Multi Tenancy
- IP / network addresses supported in approved/banned list manager
- System status information
- IPv6 Support
- Import and Export of User accounts and Domains
- AD/Exchange integration to auto populate account and group information
- Easy plug-in authentication to external authentication systems
- AD/LDAP, POP3, IMAP, SMTP, RADIUS Authentication support
- REST OAUTH based API
- Tools for housekeeping tasks
- Easy clustering of multiple servers
- Works both with and without Javascript enabled
- No limits on domains and users add as many as your hardware can support.
- Email Address tagging support

A full feature list is available at [Feature List](#)

1.3 Subscriptions

Baruwa Enterprise Edition is available under a PAID subscription, subscriptions can be paid for monthly or annually.

There are NO restrictions or limitations on the number of domains, email addresses and users that you can configure on your systems. You are only limited by the system resources on your hardware. Unlike competing products we do not charge based on the number of domains or users.

Subscription are purchased via the [Baruwa website](#), using PayPal. The order system is automated, as soon as PayPal processes the payment and notifies our system your subscription will be generated and the subscription details emailed to you. This should take no more than 5 minutes. If you do not receive email confirmation of your subscription within 15 minutes please contact *Support*.

1.3.1 Trial Subscriptions

30 day Trial subscriptions can be obtained via the [Baruwa website](#), a valid PayPal account is required to access the Trial subscription. There is no obligation and the Trial can be cancelled at any point within the 30 Days.

Refer to *Why do you require a PayPal account for the 30 day Trial ?* for the reason why a valid PayPal account is required.

1.4 System Requirements

- Intel/AMD 2.0 GHZ+ 64-bit CPU
- Minimum - 2 GB RAM
- 12 GB free disk space for OS
- Additional disk space for Mail and Data storage

Note: NOTE: The amount of resources allocated to system is directly related to the amount of email the system will be processing as well as the number of users connected to the web interface.


1.5 Topologies

Baruwa Enterprise Edition can be configured in various topologies. Standalone which is the default configuration, and works well in small scale environments in larger environments with higher mail volumes and user numbers as well as stricter uptime requirements clustered topologies should be used.

The supported clustered topologies are described below.


1.5.1 Distributed Backend Distributed Frontend

In this topology all the backend components are each installed on standalone systems and the frontend components are also installed on standalone systems. This solution is the recommended for very large environments as it performs better and scales out and in easily.




1.5.2 Distributed Backend Hybrid Frontend

In this topology all the backend components are each installed on standalone systems and the frontend components are combined on to a node. Scaling is achieved by adding additional frontend nodes.




1.5.3 Single Backend Distributed Frontend

In this topology all backend components are installed on a single system and the frontend components are each installed on standalone systems. Scaling is achieved by adding additional frontend nodes.



1.5.4 Single Backend Hybrid Frontend

In this topology all backend components are installed on a single system and the frontend components are combined on to a node. Scaling is achieved by adding additional frontend nodes.



FEATURE LIST

Baruwa Enterprise Edition is a fully featured mail security solution, which is suited to organizations of any size from small to medium businesses to large service providers, carriers and enterprises.

2.1 System Features

- Inbound and Outbound protection
- Multi Tenancy
- SMTP Authentication Support
- Per Domain policies
- IPv6 and IPv4 Address Support
- Mail Queue Management
- Multiple Language Support
- Ultra fast full text search
- Spam, Virus, Phishing, Malware protection
- Extensive Spam Detection checks
- AJAX support for most UI operations
- Themes/Skins for rebranding
- Email Address tagging support
- AD/LDAP, POP3, IMAP, SMTP, RADIUS Authentication support
- Customized Linux based OS

2.2 Management and Reporting

- Themes/Skins for rebranding
- Signature management / Branding
- Mail queue management and reporting
- Message delivery/relay information
- DKIM management

- Reporting graphs
- Reporting with AJAX enabled query builder
- System status information
- External Syslog support
- Audit trails
- Advanced Setup Wizard Utility
- Centralized Quarantine for large scale cluster deployments
- Import and Export of User accounts and Domains
- REST OAUTH based API
- Easy plug-in authentication to external authentication systems

2.3 High Availability

- No Master clustering
- Active-Active clustering
- Shared Quarantine
- Quarantine synchronization
- Node Failure Detection and Notification
- Easy clustering of multiple servers

2.4 Antispam, AntiSpam, Malware Protection

- Baruwa Datafeeds reputation services
- Email Header Inspection
- Spam URI and Real-Time Lists
- URL Filtering
- Local Sender Reputation
- Quarantine with end user reporting and notification
- Approved/Banned Lists at Global, Domain, and User levels
- Bayesian Statistical Analysis
- Rate limiting
- Malware Detection
- Archive Scanning
- Content Protection
- Forged Sender Address Checks
- Anti-Virus with Spam and Malware signatures
- Reverse DNS Checks

- Denial of service protection
- SPF, DKIM, DMARC

2.5 Subscriptions

- Competitive pricing
- Easy to understand pricing structure
- No limitations on number of domains or users

2.6 Customer Support

- Free standard email support as part of subscription
- Responsive and knowledgeable support team
- 24x7 Support packages available
- On device support available
- Design and consulting services
- SLA / System maintenance contacts available.
- Remote monitoring services
- Continuous Research and Development to cope with new threats

OBTAINING BARUWA ENTERPRISE EDITION

Note: If you intend on setting up your Baruwa Enterprise Edition server on a supported cloud platform then you do not have to download the installation media. Information on installing to a cloud server can be found in the *Cloud Installation* section.

If you have a Baruwa Enterprise Edition subscription, you can download ISO image files of the Baruwa Enterprise Edition 6.7.4 installation DVD from the Download Area on the Baruwa website. If you do not have a subscription, you need to purchase one or get a free 30 subscription via the [Baruwa website](#).

3.1 Download ISO image

If you have a subscription, follow these steps to obtain the Baruwa Enterprise Edition 6.7.4 ISO image files:

1. Visit the Download area at <https://downloads.baruwa.com>
2. You will be prompted for a login, enter your Mailing list Login and Password.
3. Click iso, click the 6.7.4 directory then click Baruwa-6.7.4.iso.

After you download an ISO image file of the installation DVD from the Baruwa website, you can:

- Burn it to a physical CD/DVD
- Use it as an ISO image for installation in virtual environments.

3.2 Making an Installation CD/DVD

You can make an installation DVD using the CD or DVD burning software on your computer.

Make sure that your disc burning software is capable of burning discs from image files. Although this is true of most disc burning software, exceptions exist. In particular, note that the disc burning feature built into Windows XP and Windows Vista cannot burn DVDs; and that earlier Windows operating systems did not have any disc burning capability installed by default at all. Therefore, if your computer has a Windows operating system prior to Windows 7 installed on it, you need separate software for this task. Examples of popular disc burning software for Windows that you might already have on your computer include Nero Burning ROM and Roxio Creator.

Most widely used disc burning software for Linux, such as Brasero and K3b has the built-in ability to burn discs from ISO image files.

The exact series of steps that produces a DVD from an ISO image file varies greatly from computer to computer, depending on the operating system and disc burning software installed. Consult your disc burning software's documentation for detailed information on burning DVDs.

PLANNING FOR INSTALLATION

4.1 Required Skills

To install Baruwa Enterprise Edition you need to have basic Linux command line skills such as the ability to login via SSH or console and run commands, interpret command output, check log files etc.

Baruwa Enterprise Edition is RPM based, so you also require working knowledge of Redhat-like specific commands such as `rpm`, `chkconfig`, etc.

If you do not possess the required skills you can purchase installation support and or ongoing maintenance support, contact [Support](#) to do so.

4.2 Hardware Compatibility

Hardware compatibility is particularly important if you have an older system or a system that you built yourself. Baruwa Enterprise Edition 6.7.4 should be compatible with most hardware in systems that were factory built within the last two years.

However, hardware specifications change almost daily, so it is difficult to guarantee that your hardware is 100% compatible.

One consistent requirement is your processor. Baruwa Enterprise Edition 6.7.4 supports, at minimum, all 64-bit implementations of Intel micro-architecture from P6 and onwards and AMD 64-bit micro-architecture from Athlon and onwards.

4.3 Supported Installation Hardware

For installation of Baruwa Enterprise Edition on AMD64 and Intel 64 systems, The following installation targets are supported:

- Hard drives connected by a standard internal interface, such as SCSI, SATA, or SAS
- BIOS/firmware RAID devices
- Fibre Channel Host Bus Adapters and multipath devices are also supported. This need to be done under expert mode and Vendor-provided drivers may be required for certain hardware.

The following virtualization technologies are supported:

- Xen block devices on Intel processors in Xen virtual machines.
- VirtIO block devices on Intel processors in KVM virtual machines.

4.3.1 Minimum and Recommended Hardware

The bare minimum system requirements for all in one system are:

- 4GB RAM
- Multicore Intel/AMD 64-bit CPU
- 12 GB OS
- 10 GB Data

The recommended system requirements for all in one system are:

- 8GB RAM
- Multicore Intel/AMD 64-bit CPU
- 12 GB OS
- 100 GB Data

Note: The amount of resources allocated to system is directly related to the amount of email the system will be processing as well as the number of users connected to the web interface. Please scope your system resources based on the projections of email and web traffic.

4.4 RAID and Other Disk Devices

Baruwa Enterprise Edition 6.7.4 uses mdraid instead of dmraid for installation onto Intel BIOS RAID sets. These sets are detected automatically, and devices with Intel ISW metadata are recognized as mdraid instead of dmraid. Note that the device node names of any such devices under mdraid are different from their device node names under dmraid. Therefore, special precautions are necessary when you migrate systems with Intel BIOS RAID sets.

Local modifications to `/etc/fstab`, `/etc/crypttab` or other configuration files which refer to devices by their device node names will not work in Baruwa Enterprise Edition 6.7.4. Before migrating these files, you must therefore edit them to replace device node paths with device UUIDs instead. You can find the UUIDs of devices with the `blkid` command.

4.4.1 Hardware Raid

RAID, or Redundant Array of Independent Disks, allows a group, or array, of drives to act as a single device. Configure any RAID functions provided by the mainboard of your computer, or attached controller cards, before you begin the installation process. Each active RAID array appears as one drive within Baruwa Enterprise Edition.

4.4.2 Software Raid

You can use the Baruwa Enterprise Edition installation program to create Linux software RAID arrays, where RAID functions are controlled by the operating system rather than dedicated hardware.

In order to configure software raid you need to select the Expert install option at the boot screen.

4.4.3 Disk Space

Before you start the installation process, you must:

- have enough unpartitioned disk space for the installation

- have one or more partitions that may be deleted

The standard partitioning scheme which is generated when the expert mode is not selected is as follows:

Mount point	Size	FS	Comments
/boot/efi	200MB	VFAT	EFI Partition
/boot	500MB	EXT4	BOOT Partition
/	10GB	EXT4	Root Partition
Swap	3GB		Max size 3GB
/var		XFS	Rest of the disk.

If you would like to setup software RAID, LVM or use SAN storage, you should use the expert mode.

4.4.4 Partitioning scheme

Should you choose to run the install in expert mode, please partition the system to provide the bulk of disk space to the /var partition.

It is advisable to have the /var partition on a standalone partition with a file system that does not limit the number of files such as EXT4 and XFS.

Note: There is no need to create a /home partition for this system, as no home directories will be created. The default partition scheme does create a /home partition with the largest allocation, you need to change that by manually partitioning the system.

4.5 Network Firewall

Baruwa Enterprise Edition requires the following ports open to allow for proper functioning.

PORT	PROTOCOL	DIRECTION	DESCRIPTION
25	TCP	INBOUND/OUTBOUND	SMTP TRAFFIC
465	TCP	INBOUND	TLS SMTP TRAFFIC
587	TCP	INBOUND	SMTP SUBMISSION
80	TCP	INBOUND/OUTBOUND	WEB TRAFFIC
443	TCP	INBOUND/OUTBOUND	WEB TRAFFIC
53	TCP/UDP	OUTBOUND	DNS TRAFFIC
123	UDP	OUTBOUND	NTP TRAFFIC
2703	TCP	OUTBOUND	RAZOR TRAFFIC
24441	TCP/UDP	OUTBOUND	PYZOR TRAFFIC
6277	UDP	OUTBOUND	DCC TRAFFIC
873	TCP/UDP	OUTBOUND	UPDATES TRAFFIC
11211	UDP	BETWEEN NODES	CACHE SYNC TRAFFIC
3542	UDP	BETWEEN NODES	CLUSTER TRAFFIC

4.6 DNS

DNS is critical for the operation of any email system, Baruwa Enterprise Edition is no exception.

A local caching server is installed and setup after the configuration has been completed. This local caching server is independent of your other DNS systems and resolves from the root. If your DNS zones are not resolvable externally then this local caching system will not be able to resolve those names. To enable you resolve names that are only

configured locally on your other DNS systems you need to add forward zones for those domains in the `/etc/named.conf` file and restart the service.

Baruwa Enterprise Edition is designed to use this local caching server, any changes to the `/etc/resolv.conf` file to use external DNS servers will be overwritten.

Warning: The use of public DNS servers such as Google, OpenDNS or your ISP's name servers is discouraged as these servers will be blocked/throttled by URIBL and DNSBL servers thus leading to poor performance of your system. Our Datafeeds system only accepts DNS requests from the IP address of the system running Baruwa.

The use of your own DNS infrastructure is no longer supported, do not forward all queries to your own DNS infrastructure only forward requests for your internal zones. Add the internal zones to be forwarded to `/etc/named.local.zones`

Note: After setting up your server ensure that the only entry in `/etc/resolv.conf` points to 127.0.0.1. You also need to make sure that your firewall or ISP is not redirecting DNS queries to their own infrastructure.

4.6.1 Testing DNS

To test that your server is correctly resolving DNS requeries use the following command.

```
host -t txt 2.0.0.127.test.rbl.baruwa.net.
```

You should get the following response if it is working correctly.:

```
2.0.0.127.test.rbl.baruwa.net descriptive text "The DNS checks working correctly"
```

If you do not get the above response after setup then your DNS is not resolving correctly, you need to fix that before putting the system into production.

4.7 Hostnames

When choosing the hostnames for your web and mail services be careful to choose a well established TLD.

It is recommended you not choose the [new GTLDs](#) which were recently introduced. Most of these new GTLD's have a [bad reputation](#) and are constantly blocked by spam filters.

4.8 Clustering

If you would like to setup a cluster system, please review the [Clustering](#) chapter then, review the supported [Topologies](#) and the available [System Profiles](#) and choose which ones to implement prior to starting the installation.

The recommended installation order for the distributed backend is:

1. Database System
2. Search Index System
3. Message Queue System
4. Cache System
5. Nodes

The recommended installation order for the single Backend is:

1. Backend System
2. Nodes

4.9 System Profiles

Baruwa Enterprise Edition can be installed on a standalone server or distributed with various components on different servers.

A distributed setup is required if you want to run a cluster. The available system profiles are described below.

4.9.1 Standalone System

This is the default setup and is used for non clustered setups. All the components are installed on one server. Choose this option if you only want to run one server.

4.9.2 Backend System

This setup installs all the backend components on to one server, the backend components that are installed are:

- Database Server
- Message Queue Server
- Search Index Server
- Cache Server

This profile is used in the *Single Backend Distributed Frontend* and *Single Backend Hybrid Frontend* topologies.

4.9.3 Web and Mail System

This is a frontend system it provides the mail and web interfaces, mail is delivered to the server and at the same time it serves as the web interface for both administration as well as end user access. This system requires a backend system or distributed backend systems. You can have several of these nodes scaling up or down as demand grows or drops.

This profile is used in the *Distributed Backend Hybrid Frontend* and *Single Backend Hybrid Frontend* topologies.

4.9.4 Mail System

This is a front-end system that is dedicated to processing mail, it does not provide a web interface for administration as well as user access. You setup this kind of system if you want dedicated servers processing mail only. You can have several of these nodes scaling up or down as demand grows or drops.

This profile is used in the *Distributed Backend Distributed Frontend* and *Single Backend Distributed Frontend* topologies.

4.9.5 Web Interface System

This is a front-end system that is dedicated to providing web interface access for administration as well as user access. You setup this kind of system if you want dedicated servers providing only web access. You can have several of these nodes scaling up or down as demand grows or drops.

This profile is used in the *Distributed Backend Distributed Frontend* and *Single Backend Distributed Frontend* topologies.

4.9.6 Search Index System

This is a backend server in a distributed system, it provides the backend indexing functionality. You setup this profile if you want a dedicated server providing search indexing.

This profile is used in the *Distributed Backend Distributed Frontend* and *Distributed Backend Hybrid Frontend* topologies.

4.9.7 Database System

This is a backend server in a distributed system, it provides the backend database functionality. You setup this profile if you want a dedicated server providing database functionality.

This profile is used in the *Distributed Backend Distributed Frontend* and *Distributed Backend Hybrid Frontend* topologies.

4.9.8 Message Queue System

This is a backend server in a distributed system, it provides the message queue functionality. You setup this profile if you want a dedicated server providing message queue functionality.

This profile is used in the *Distributed Backend Distributed Frontend* and *Distributed Backend Hybrid Frontend* topologies.

4.9.9 Cache System

This is a backend server in a distributed system, it provides the cache functionality. You setup this profile if you want a dedicated server providing cache functionality.

This profile is used in the *Distributed Backend Distributed Frontend* and *Distributed Backend Hybrid Frontend* topologies.

4.9.10 Expert installation

This profile is for users would would like to setup the system by themselves, only use this if you know what you are doing.

ON PREMISE INSTALLATION

Note: This section describes a new on premise installation, if you are upgrading from an older version please refer to the *Upgrading* section. If you would like to install to a cloud provider then refer to the *Cloud Installation* section.

5.1 Overview

To install Baruwa Enterprise Edition from a DVD, place the DVD in your DVD drive and boot your system from the DVD.


The installation program then probes your system and attempts to identify your DVD drive. It starts by looking for an IDE (also known as an ATAPI) DVD drive.

If your DVD drive is not detected, and it is a SCSI DVD, the installation program prompts you to choose a SCSI driver. Choose the driver that most closely resembles your adapter. You may specify options for the driver if necessary; however, most drivers detect your SCSI adapter automatically.

If the DVD drive is found and the driver loaded, the installer will present you with the option to perform a media check on the DVD. This will take some time, and you may opt to skip over this step. However, if you later encounter problems with the installer, you should reboot and perform the media check before calling for support. From the media check dialog, continue to the next stage of the installation process.

5.2 Boot Menu

The boot media displays a graphical boot menu with several options. If no key is hit within 60 seconds, the default boot option runs. To choose the default, either wait for the timer to run out or hit Enter on the keyboard. To select a different option than the default, use the arrow keys on your keyboard, and hit Enter when the correct option is highlighted. If you want to customize the boot options for a particular option, press the Tab key. To access the boot: prompt at which you can specify custom boot options, press the Esc key and then hit Enter.



The following boot menu options are available, these options are install profiles you need to select specific profile you would like to install. The default profile is Standalone which installs the full Baruwa Enterprise Edition system to a single server.

- Standalone System
- Backend System
- Web and Mail System
- Mail System
- Web Interface System
- Search Index System
- Database System
- Message Queue System
- Cache System
- Expert installation

The install profiles are described in detail at *System Profiles*

Warning: Make sure you choose the correct profile in the boot menu.

5.2.1 Additional Boot Options

While it is easiest to boot using a DVD and perform a graphical installation, sometimes there are installation scenarios where booting in a different manner may be needed. This section discusses additional boot options available for Baruwa Enterprise Edition.

To perform a text mode installation, select the install profile and press the Tab key then append `text` to the existing line.

ISO images have an SHA256 checksum embedded in them. To test the checksum integrity of an ISO image, select the install profile and press the Tab key then append `mediacheck` to the existing line.

If you need to perform the installation in serial mode, select the install profile and press the Tab key then append `console=<device>` to the existing line.



5.2.2 Verifying Media

The DVD offers an option to verify the integrity of the media. Recording errors sometimes occur while producing DVD media. An error in the data for package chosen in the installation program can cause the installation to abort. To minimize the chances of data errors affecting the installation, verify the media before installing.

If the verification succeeds, the installation process proceeds normally. If the process fails, create a new DVD using the ISO image you downloaded earlier.

5.3 Network Configuration

If your system has more than one network device, the installer presents you with a list of all available devices and prompts you to select one to use during installation. If your system only has a single network device, the installer automatically selects it and does not present this dialog.


Welcome to Baruwa for x86_64



<Tab>/<Alt-Tab> between elements ; <Space> selects ; <F12> next screen

If you are not sure which device in the list corresponds to which physical socket on the system, select a device in the list then press the Identify button. The Identify NIC dialog appears.

Welcome to Baruwa for x86_64



<Tab>/<Alt-Tab> between elements ; <Space> selects ; <F12> next screen

The sockets of most network devices feature an activity light (also called a link light) — an LED that flashes to indicate

that data is flowing through the socket. The installer can flash the activity light of the network device that you selected in the Networking Device dialog for up to 30 seconds. Enter the number of seconds that you require, then press OK. When the installer finishes flashing the light, it returns you to the Networking Device dialog.

When you select a network device, the installer prompts you to choose how to configure TCP/IP.

5.3.1 Dynamic IP configuration (DHCP)

The installer uses DHCP running on the network to supply the network configuration automatically. Ensure that you DHCP server assigns a static IP address to the server and does not provide DNS information that overwrites the local settings.


If your DHCP server is unable to assign static addresses or cannot be configured to not modify DNS settings then use Manual configuration instead.

5.3.2 Manual configuration


The installer prompts you to enter the network configuration manually, including the IP address for this system, the netmask, the gateway address, and the DNS address.

The installer supports the IPv4 and IPv6 protocols. However, if you configure an interface to use both IPv4 and IPv6, the IPv4 connection must succeed or the interface will not work, even if the IPv6 connection succeeds.

Welcome to Baruwa for x86_64



The installer prompts you to provide the details in the Manual TCP/IP Configuration dialog:



Enter the details for your network, then press OK.

You can now proceed to either *Graphical Mode Installation* or *Text Mode Installation*

5.4 Graphical Mode Installation

5.4.1 Initializing the Hard Disk

If no readable partition tables are found on existing hard disks, the installation program asks to initialize the hard disk. This operation makes any existing data on the hard disk unreadable. If your system has a brand new hard disk with no operating system installed, or you have removed all partitions on the hard disk, click *Yes*, discard any data.

The installation program presents you with a separate dialog for each disk on which it cannot read a valid partition table.

Check the Apply my choice to all devices with undetected partitions or filesystems checkbox to apply the same answer to all devices.




5.4.2 Time Zone Configuration

Set your time zone by selecting the city closest to your computer's physical location. Click on the map to zoom in to a particular geographical region of the world.

Specify a time zone even if you plan to use NTP (Network Time Protocol) to maintain the accuracy of the system clock.

From here there are two ways for you to select your time zone:

- Using your mouse, click on the interactive map to select a specific city (represented by a yellow dot). A red X appears indicating your selection.
- You can also scroll through the list at the bottom of the screen to select your time zone. Using your mouse, click on a location to highlight your selection.




Select System clock uses UTC. The system clock is a piece of hardware on your computer system. Baruwa Enterprise Edition uses the timezone setting to determine the offset between the local time and UTC on the system clock. This behaviour is standard for systems that use UNIX, Linux, and similar operating systems.

Click Next to proceed.

5.4.3 Set the Root Password

Setting up a root account and password is one of the most important steps during your installation. The root account is used to install packages, upgrade packages, and perform most system maintenance. Logging in as root gives you complete control over your system.



The installation program prompts you to set a root password for your system. You cannot proceed to the next stage of the installation process without entering a root password.


The root password must be at least six characters long; the password you type is not echoed to the screen. You must enter the password twice; if the two passwords do not match, the installation program asks you to enter them again.

You should make the root password something you can remember, but not something that is easy for someone else to guess. Your name, your phone number, qwerty, password, root, 123456, and anteater are all examples of bad passwords. Good passwords mix numerals with upper and lower case letters and do not contain dictionary words: Aard387vark or 420BmttNT, for example. Remember that the password is case-sensitive. If you write down your password, keep it in a secure place. However, it is recommended that you do not write down this or any password you create.


5.4.4 Installing Packages

At this point there is nothing left for you to do until all the packages have been installed. How quickly this happens depends on the profile you have selected and your computer's speed.

Baruwa Enterprise Edition reports the installation progress on the screen as it writes the selected packages to your system.



For your reference, a complete log of your installation can be found in `/root/install.log` once you reboot your system. After installation completes, select Reboot to restart your computer. Baruwa Enterprise Edition ejects any loaded discs before the computer reboots.



5.4.5 Installation Complete

Congratulations! Your Baruwa Enterprise Edition installation is now complete!

The installation program prompts you to prepare your system for reboot. Remember to remove any installation media if it is not ejected automatically upon reboot.

After your computer's normal power-up sequence has completed, Baruwa Enterprise Edition loads and starts.


5.5 Text Mode Installation

To install in text mode you need to modify the boot options as described in *Additional Boot Options*

5.5.1 Initializing the Hard Disk

If no readable partition tables are found on existing hard disks, the installation program asks to initialize the hard disk. This operation makes any existing data on the hard disk unreadable. If your system has a brand new hard disk with no operating system installed, or you have removed all partitions on the hard disk, click `Re-initialize drive`.


The installation program presents you with a separate dialog for each disk on which it cannot read a valid partition table. Click the `Ignore all` button or `Re-initialize all` button to apply the same answer to all devices.



5.5.2 Time Zone Configuration

Set your time zone by selecting the city closest to your computer's physical location.

Specify a time zone even if you plan to use NTP (Network Time Protocol) to maintain the accuracy of the system clock.




Select System clock uses UTC. The system clock is a piece of hardware on your computer system. Baruwa Enterprise Edition uses the timezone setting to determine the offset between the local time and UTC on the system clock. This

behaviour is standard for systems that use UNIX, Linux, and similar operating systems.

5.5.3 Set the Root Password

Setting up a root account and password is one of the most important steps during your installation. The root account is used to install packages, upgrade packages, and perform most system maintenance. Logging in as root gives you complete control over your system.

```
Welcome to Baruwa for x86_64
```



The installation program prompts you to set a root password for your system. You cannot proceed to the next stage of the installation process without entering a root password.


The root password must be at least six characters long; the password you type is not echoed to the screen. You must enter the password twice; if the two passwords do not match, the installation program asks you to enter them again.

You should make the root password something you can remember, but not something that is easy for someone else to guess. Your name, your phone number, qwerty, password, root, 123456, and ant eater are all examples of bad passwords. Good passwords mix numerals with upper and lower case letters and do not contain dictionary words: Aard387vark or 420BMttNT, for example. Remember that the password is case-sensitive. If you write down your password, keep it in a secure place. However, it is recommended that you do not write down this or any password you create.


5.5.4 Installing Packages

At this point there is nothing left for you to do until all the packages have been installed. How quickly this happens depends on the profile you have selected and your computer's speed.

Baruwa Enterprise Edition reports the installation progress on the screen as it writes the selected packages to your system.



For your reference, a complete log of your installation can be found in /root/install.log once you reboot your system. After installation completes, select Reboot to restart your computer. Baruwa Enterprise Edition ejects any loaded discs before the computer reboots.



5.6 Configuration

After the VPS has rebooted, you should login and run *baruwa-setup* to complete configuration. Refer to the *Configuration* section for details.

CLOUD INSTALLATION

Note: This section describes installation on a cloud server, if you would like to install on premise, refer to the *On Premise Installation* section.

6.1 Overview

Baruwa Enterprise Edition can be installed on a cloud server. At the moment the following cloud providers are supported.

- [Rimuhosting](#)
- [DigitalOcean](#)
- [Linode](#)

The cloud installation system is based on [Vagrant](#). You need to have vagrant installed on your local system to be able to provision a Baruwa Enterprise Edition system to one of these cloud providers. Vagrant provides installers for all major operating systems. Please refer to their site to download the installer for your operating system.

Of course you will need to create an account with your preferred cloud provider and sign up for an API key.

You also require the Vagrant plugin for the cloud provider that you want to use installed.

6.1.1 Rimuhosting

To install the Rimuhosting Vagrant plugin, run:

```
vagrant plugin install vagrant-rimu
```

6.1.2 DigitalOcean

To install the DigitalOcean Vagrant plugin, run:

```
vagrant plugin install vagrant-digitalocean
```

6.1.3 Linode

To install the Linode Vagrant plugin, run:

```
vagrant plugin install vagrant-linode
```

6.2 Installation

Once you have downloaded and installed Vagrant and the plugin you need to clone the Baruwa Enterprise Edition Vagrant files to your system:

```
git clone https://github.com/akissa/baruwa-vagrant.git
```

The above command should create a *baruwa-vagrant* directory, you need to change into that directory to issue the commands that follow.:

```
cd baruwa-vagrant
```

Configuration is by use of environment variables. You should export the variable to the environment to set them.

6.2.1 Rimuhosting

The following variables are required.

- RIMUHOSTING_APIKEY - The Rimuhosting API Key
- RIMUHOSTING_HOSTNAME - The hostname for your VPS
- BARUWA_ACTIVATION_KEY - The Baruwa Enterprise Edition Activation Key

The following variables are optional.

- RIMUHOSTING_DISK1 - defaults to 20GB
- RIMUHOSTING_REGION - defaults to DCDALLAS, the Dallas DC
- RIMUHOSTING_SIZE - defaults to 4GB

Additional variables are available and you can review those in the plugin documentation at <https://github.com/akissa/vagrant-rimu>

Generate an SSH key pair for use by the plugin.:

```
ssh-keygen -t rsa -b 4096 -f ~/.ssh/rimuhosting_rsa
```

After generating the ssh key pair, you should run the following command to setup the VPS.:

```
export RIMUHOSTING_APIKEY="rimuhosting apikey"  
export RIMUHOSTING_HOSTNAME="fqdn hostname"  
export BARUWA_ACTIVATION_KEY="key"  
vagrant up --provider=rimu
```

After the VPS has been setup you can login and proceed with configuration.:

```
vagrant ssh
```

6.2.2 DigitalOcean

The following variables are required.

- DIGITAL_OCEAN_TOKEN - The API token

- `BARUWA_ACTIVATION_KEY` - The Baruwa Enterprise Edition Activation Key

The following variables are optional.

- `DIGITAL_OCEAN_HOSTNAME` - defaults to `baruwa.home.topdog-software.com`
- `DIGITAL_OCEAN_REGION` - defaults to Frankfurt 1
- `DIGITAL_OCEAN_SIZE` - defaults to 4GB

Additional variables are available and you can review those in the plugin documentation at <https://github.com/smdahlen/vagrant-digitalocean>

Generate an SSH key pair for use by the plugin.:

```
ssh-keygen -t rsa -b 4096 -f ~/.ssh/digital_ocean_rsa
```

After generating the ssh key pair, you should run the following command to setup the VPS.:

```
export DIGITAL_OCEAN_TOKEN="digitalocean token"
export BARUWA_ACTIVATION_KEY="key"
vagrant up --provider=digital_ocean
```

After the VPS has been setup you can login and proceed with configuration.:

```
vagrant ssh
```

6.2.3 Linode

The following variables are required.

- `LINODE_TOKEN` - The Linode API Token
- `BARUWA_ACTIVATION_KEY` - The Baruwa Enterprise Edition Activation Key

The following variables are optional.

- `LINODE_REGION` - defaults to frankfurt
- `LINODE_SIZE` - defaults to 4096
- `LINODE_LABEL` - defaults to `baruwa-enterprise-edition-vagrant`

Additional variables are available and you can review those in the plugin documentation at <https://github.com/displague/vagrant-linode>

Generate an SSH key pair for use by the plugin.:

```
ssh-keygen -t rsa -b 4096 -f ~/.ssh/linode_rsa
```

After generating the ssh key pair, you should run the following command to setup the VPS.:

```
export LINODE_TOKEN="linode token"
export BARUWA_ACTIVATION_KEY="key"
vagrant up --provider=linode
```

After the VPS has been setup you can login and proceed with configuration.:

```
vagrant ssh
```

6.3 Configuration

After the VPS has been setup and converted you can now run *baruwa-setup* to complete configuration. Refer to the *Configuration* section for details

CONFIGURATION

The configuration, update and management of Baruwa Enterprise Edition systems has been simplified and fully automated using the `baruwa-setup` utility.

The page describes the configuration of the default standalone system if you are installing a distributed cluster system please refer to *Cluster Configuration*

7.1 StandAlone System

This is the default setup and is used for non clustered setups. All the components are installed on one server. Choose this option if you only want to run one server.

7.2 Automated Configuration

Baruwa Enterprise Edition $\geq 2.0.7$ uses an automated wizard based utility called `baruwa-setup` to configure, update and manage the system. This utility collects configuration information from the user, performs any required software updates and then configures the system based on the profile selected and the configuration data collected. This simplifies the whole setup and management process so the user does not have to edit any configuration files.

A pass phrase is required to secure the authentication information that is collected.

Make sure you choose a strong pass phrase which is easy for you to remember but difficult to guess for others, a long sentence describing a personal experience is a good pass phrase.

To start the configuration process login to the server with the username `root` and the password you set during installation.

Then issue the `baruwa-setup` command at the command prompt:

```
baruwa-setup
```


The program will ask you to set a passphrase, enter the passphrase and press enter re-enter the same passphrase again to confirm. If the passphrase is accepted the System settings screen below will be displayed.

Warning: Do not loose this passphrase, there is no way to recover it. A reinstallation will be required if you loose the passphrase.

7.2.1 System Settings

This screen configures the basic system settings. The description of the options is as follows:


Option	Description
System Type	Set this to Standalone
FQDN Hostname	This is the Fully qualified domain name This cannot be set to localhost
IP Address	The system IP address usually detected
Activation Key	Baruwa Enterprise Edition Activation Key
Timezone	The system timezone, detected from the system configuration.
Enable clustering	Do not check this
Enable Monitoring	Check this to enable the NRPE service



7.2.2 Scanner Settings

This screen sets the email scanner settings, The description of the options is as follows:


Option	Description
Organization name	Enter a short identifying name for your organisation this is used to make the X-Baruwa headers unique for your organisation Multiple servers within one site should use an identical value here. It must not contain any spaces.
Organization full name	Enter the full name of your organisation, this is used in the signature placed at the bottom of report messages sent by Baruwa. It can include pretty much any text you like. You can make the result span several lines by including “n” sequences in the text. These will be replaced by line-breaks.
Use Shared Quarantine	Check this to enable <i>Shared quarantine</i>
Store clean mail	Check this if you want to store messages not tagged as SPAM, Use this option only if it is legal in your country



7.2.3 Management Settings

This screen sets the management account settings, The description of the options is as follows:


Option	Description
Username	Administrator username
Password	Administrator password, Only strong passwords will be accepted use a service such as passwordsgenerator.net to generate strong passwords
Confirm Password	Renter the Administrator password
Email Address	Administrator email address



7.2.4 Management Web Settings

This screen sets the management web interface settings, The description of the options is as follows:


Option	Description
Web Hostname	The hostname to be used to access the web interface
Web Aliases	Alternative hostnames to use to access the web interface. Use a space to separate multiple entries
Load Balancer IP's	Proxy-Protocol load balancers, space separated IP Address list
Enable Syslog Logging	Turns on Web logging to syslog



7.2.5 Management Web Additional Settings

This screen sets the additional management web interface settings, The description of the options is as follows:


Option	Description
Quarantine URL	This is default host url used in quarantine report links, is overridden by domain settings.
Media URL	This can allow you to host media on a CDN or media host, leave as default to serve of the same system.
Custom Name	This will replace all occurrences of Baruwa in the web interface as well.
Custom URL	This creates links to your product page within the web interface and email reports that are sent out.



7.2.6 Management Other Settings

This screen sets other management settings, The description of the options is as follows:


Option	Description
Reports Email	The email address used to send out email reports
Send Reports At	The hour at which to send reports, this is localized to the users location based on their timezone setting
Enable Backups	Enables or disabled the backup system [<i>Baruwa Backups</i>]
Enable Memcache	Enables or disables the Memcached cache system, when disabled the builtin cache system will be used. The builtin cache system is more efficient on standalone systems
Enable SNMP Agent	Enables the SNMP Agent which makes the system status available via SNMP. This option is ineffective if monitoring has not been enabled.



7.2.7 Search Index Settings

This screen sets search index settings, The description of the options is as follows:


Option	Description
Enable wildcard indexing	Enables Sphinx wildcard indexing, Setting this to true will generate very large index files.



7.2.8 MTA Settings

This screen sets mta settings, The description of the options is as follows:


Option	Description
Mail Hostname	The mail server hostname
Message Size Limit	The max message size to accept
DKIM Selector	Sets the DKIM selector name, used to configure DKIM signing.
Load Balancer IP's	Proxy-Protocol load balancers, space separated IP Address list
Enable DKIM	Enable DKIM functionality
Log Load Balancer Connections	Log Load Balancer connections to the MTA log



7.2.9 MTA Additional Settings

This screen sets MTA additional settings, The description of the options is as follows:


Option	Description
Enable Syslog Logging	Turns on MTA logging to syslog
Enable Subject Blocklist	Enable the blocking by subject functionality
Enable Anonymizer	Enable the Anonymizer functionality
Enable Global Signatures	Enable Global Signatures
Enable SPF Checks	Enable SPF checking functionality
Enable Reputation Protection	Enables functionality to block abusive outbound SMTP requests
Enable RBLs	Select the SMTP time DNSBL's to enable
Enable Reply-To Checks	Enable Empty Reply-To Checks



7.2.10 Anti Virus Settings

This screen sets anti virus settings, The description of the options is as follows:


Option	Description
Enable Sane Signatures	ClamAV Unofficial Sane signatures to enable



7.2.11 Message Sniffer Settings

This screen sets message sniffer settings, The description of the options is as follows:

Option	Description
License ID	Message Sniffer License ID This is emailed to you when you purchase a subscription
Authentication ID	Message Sniffer Authentication ID This is emailed to you when you purchase a subscription



7.2.12 SSL/TLS Settings

The Baruwa web interface MUST run over SSL/TLS, other services such as SMTP AUTH only work over SSL/TLS as well. So you need to either purchase a valid SSL certificate or have `baruwa-setup` automatically generate one non recognised SSL certificate for you. If you do not have a CA issued certificate and do not intend on purchasing one then leave the `I have a CA issued Certificate` unchecked.

The certificate that `baruwa-setup` generates will cover the web hostname, web aliases, cluster members and the mail hostname. This means that you should copy this certificate to other cluster hosts that you specified and select `I have a CA issued Certificate` on those hosts when you set them up instead of generating new certificates for them.

Note: We have partnered with the SSLShop to bring you discounted SSL certificate pricing. RapidSSL CA signed certificates can be purchased at discounted pricing using the Discount coupon “BARUWA” from <http://www.sslshop.co.za>

If you have a SSL certificate that is issued by a recognised CA and would like Baruwa to use it, install it prior to running `baruwa-setup`. Please NOTE that you need certificates that cover the web hostname and aliases, and the mail hostname. Please check `I have a CA issued Certificate`.

The preferred location to install certificates and keys on the server is under `/etc/pki`. You need to create a directory structure under that and store your certificate under it.

The following example creates a baruwa directory under `/etc/pki` and stores the certificates and keys there:


```
mkdir -p /etc/pki/baruwa/{certs,private}
```

Create the following files

- `/etc/pki/baruwa/certs/baruwa.pem` with the contents of your SSL certificate
- `/etc/pki/baruwa/private/baruwa.key` with the contents of your SSL private key


You need to create additional certificate pairs if your web hostname and mail hostname are not the same.

If you have a wildcard certificate with all your names being subdomains of that domain to which the certificate is issued then you can simply create one pair.




If you left I have a CA issued Certificate unchecked you will be presented with the following screen. You need to fill in the details which are used to create a CA from which the certificate will be issued. The description of the options is as follows:

Option	Description
Organization	OpenSSL CA Name
Email Address	OpenSSL email address
Country	OpenSSL country code
Province	OpenSSL province
City	OpenSSL city




If you checked I have a CA issued Certificate you will be presented with the following screen, you need to specify the locations of your certificates and keys. The description of the options is as follows:

Option	Description
Web Certificate	The location of the web certificate file in PEM format
Web Private Key	The location of the web private key file in PEM format
Mail Certificate	The location of the mail certificate file in PEM format
Mail Private Key	The location of the mail private key file in PEM format




7.2.13 Setup Running

At this point there is nothing left for you to do until the setup is complete. The program will update the screen with status information as well as logging it to `/var/log/messages`. If an error occurs the error information will be displayed until you press the enter button and the program will exit.



7.2.14 Setup Complete

When the setup is complete the following screen will be displayed simply press enter and the program will exit



To ensure that all the settings are correctly applied `reboot` the server from the command line using the command:

```
reboot
```

7.3 Post Configuration

Now that the installation and setup are complete, you need to finalize the setup by *Adding a Scanning Node*, *Adding an Organization*, *Adding a Domain* and *Adding an Account*. This is done through the management web interface.

The exact sequence to follow is:

- Add the Node
- Add an Organization
- Add a Domain Administrator for the organization
- Edit the Organization and assign Domain Administrator to the organization
- Add a Domain to the Organization
- Add a delivery server for the Domain
- Add any user accounts to the Domain if not using external authentication

Review the *DNS*, *Administrators guide*, *Email Protection Best Practices* and *Advanced configuration* sections for other configuration and setup options available.

CLUSTER CONFIGURATION

In a cluster configuration each system has to be configured based on its system type. The available system types are described in *System Profiles*. Please refer to *Clustering* for a more in depth description.

The types are documented below.

8.1 Backend System

This setup installs all the backend components on to one server, the backend components that are installed are:

- Database Server
- Message Queue Server
- Search Index Server
- Cache Server

This profile is used in the *Single Backend Distributed Frontend* and *Single Backend Hybrid Frontend* topologies.

8.1.1 Automated Configuration

Baruwa Enterprise Edition \geq 2.0.7 uses an automated wizard based utility called `baruwa-setup` to configure, update and manage the system. This utility collects configuration information from the user, performs any required software updates and then configures the system based on the profile selected and the configuration data collected. This simplifies the whole setup and management process so the user does not have to edit any configuration files.

A pass phrase is required to secure the authentication information that is collected.

Make sure you choose a strong pass phrase which is easy for you to remember but difficult to guess for others, a long sentence describing a personal experience is a good pass phrase.

To start the configuration process login to the server with the username `root` and the password you set during installation.

Then issue the `baruwa-setup` command at the command prompt:

```
baruwa-setup
```


The program will ask you to set a passphrase, enter the passphrase and press enter re-enter the same passphrase again to confirm. If the passphrase is accepted the System settings screen below will be displayed.

Warning: Do not loose this passphrase, there is no way to recover it. A reinstallation will be required if you loose the passphrase.

System Settings

This screen configures the basic system settings. The description of the options is as follows:


Option	Description
System Type	Set this to Backend
FQDN Hostname	This is the Fully qualified domain name This cannot be set to localhost
IP Address	The system IP address usually detected
Activation Key	Baruwa Enterprise Edition Activation Key
Timezone	The system timezone, detected from the system configuration.
Enable clustering	Do not check this
Enable Monitoring	Check this to enable the NRPE service



Database Settings

This screen sets database settings, The description of the options is as follows:


Option	Description
Host	The database server IP Address
Port	The database port
Admin Password	The database admin user password, Only strong passwords that do not contain the symbols ' , " , @ , \$, # and : will be accepted.
Confirm Admin Password	Confirm the database admin user password



Database Management User Settings

This screen sets database management user settings, The description of the options is as follows:


Option	Description
Management DB Name	The name of the management database
Management User	The management database username
Management User Password	The management database user password, Only strong passwords that do not contain the symbols ' , ", @, #, \$ and : will be accepted.
Confirm Management User Pass	Confirm the management database user password



Database Bayes User Settings

This screen sets database bayes user settings, The description of the options is as follows:


Option	Description
Bayes User	The bayes database username
Bayes User Password	The bayes database user password, Only strong passwords that do not contain the symbols ' , " , @ , # , \$ and : will be accepted.
Confirm Bayes User Password	Confirm the bayes database user password



Database Search User Settings

This screen sets database search user settings, The description of the options is as follows:


Option	Description
Search User	The search database username
Search User Password	The search database user password, Only strong passwords that do not contain the symbols ' , " , @ , # , \$ and : will be accepted.
Confirm Search User Password	Confirm the search database user password



Message Queue Settings

This screen sets message queue settings, The description of the options is as follows:


Option	Description
Host	The message queue server IP address
Port	The message queue server port
Username	The message queue server username
Password	The message queue server password
Confirm Password	Confirm the message queue server password



Search Index Settings

This screen sets search index settings, The description of the options is as follows:


Option	Description
Database Host	Database server IP address
Database Port	Database server Port - leave as default
Database Name	Database name
Enable wildcard indexing	Enables Sphinx wildcard indexing, Setting this to true will generate very large index files.



Admin Settings


This screen sets admin settings, The description of the options is as follows:

Option	Description
Email Address	This email address will receive system notifications from the host, it is aliased to the root account
Encrypt all Backend Traffic	This will encrypt all traffic between the front end and back end systems. You should turn this on if the connections between your front end and back end are over insecure networks and you do not have VPN connections setup. Detailed information on this feature can be found in the release notes at <i>Backend Traffic Encryption</i>
Enable SNMP Agent	Enables the SNMP Agent which makes the system status available via SNMP. This option is ineffective if monitoring has not been enabled.
Enable Backups	Enables or disabled the backup system [<i>Baruwa Backups</i>]
Enable Memcache	Enables or disables the Memcached cache server




Setup Running

At this point there is nothing left for you to do until the setup is complete. The program will update the screen with status information as well as logging it to `/var/log/messages`. If an error occurs the error information will be displayed until you press the enter button and the program will exit.



Setup Complete

When the setup is complete the following screen will be displayed simply press enter and the program will exit



To ensure that all the settings are correctly applied `reboot` the server from the command line using the command:

```
reboot
```

8.2 Database System

This is a backend server in a distributed system, it provides the backend database functionality. You setup this profile if you want a dedicated server providing database functionality.

This profile is used in the *Distributed Backend Distributed Frontend* and *Distributed Backend Hybrid Frontend* topologies.

8.2.1 Automated Configuration

Baruwa Enterprise Edition \geq 2.0.7 uses an automated wizard based utility called `baruwa-setup` to configure, update and manage the system. This utility collects configuration information from the user, performs any required software updates and then configures the system based on the profile selected and the configuration data collected. This simplifies the whole setup and management process so the user does not have to edit any configuration files.

A pass phrase is required to secure the authentication information that is collected.

Make sure you choose a strong pass phrase which is easy for you to remember but difficult to guess for others, a long sentence describing a personal experience is a good pass phrase.

To start the configuration process login to the server with the username `root` and the password you set during installation.

Then issue the `baruwa-setup` command at the command prompt:

```
baruwa-setup
```


The program will ask you to set a passphrase, enter the passphrase and press enter re-enter the same passphrase again to confirm. If the passphrase is accepted the System settings screen below will be displayed.

Warning: Do not loose this passphrase, there is no way to recover it. A reinstallation will be required if you loose the passphrase.

System Settings

This screen configures the basic system settings. The description of the options is as follows:


Option	Description
System Type	Set this to Database
FQDN Hostname	This is the Fully qualified domain name This cannot be set to localhost
IP Address	The system IP address usually detected
Activation Key	Baruwa Enterprise Edition Activation Key
Timezone	The system timezone, detected from the system configuration.
Enable clustering	Do not check this
Enable Monitoring	Check this to enable the NRPE service



Database Settings

This screen sets database settings, The description of the options is as follows:


Option	Description
Host	The database server IP Address
Port	The database port
Admin Password	The database admin user password, Only strong passwords that do not contain the symbols ', ", @, \$, # and : will be accepted.
Confirm Admin Password	Confirm the database admin user password



Database Management User Settings

This screen sets database management user settings, The description of the options is as follows:


Option	Description
Management DB Name	The name of the management database
Management User	The management database username
Management User Password	The management database user password, Only strong passwords that do not contain the symbols ' , ", @, #, \$ and : will be accepted.
Confirm Management User Pass	Confirm the management database user password



Database Bayes User Settings

This screen sets database bayes user settings, The description of the options is as follows:


Option	Description
Bayes User	The bayes database username
Bayes User Password	The bayes database user password, Only strong passwords that do not contain the symbols ' , " , @ , # , \$ and : will be accepted.
Confirm Bayes User Password	Confirm the bayes database user password



Database Search User Settings

This screen sets database search user settings, The description of the options is as follows:


Option	Description
Search User	The search database username
Search User Password	The search database user password, Only strong passwords that do not contain the symbols ' , " , @ , # , \$ and : will be accepted.
Confirm Search User Password	Confirm the search database user password



Admin Settings


This screen sets admin settings, The description of the options is as follows:

Option	Description
Email Address	This email address will receive system notifications from the host, it is aliased to the root account
Encrypt all Backend Traffic	This will encrypt all traffic between the front end and back end systems. You should turn this on if the connections between your front end and back end are over insecure networks and you do not have VPN connections setup. Detailed information on this feature can be found in the release notes at <i>Backend Traffic Encryption</i>
Enable SNMP Agent	Enables the SNMP Agent which makes the system status available via SNMP. This option is ineffective if monitoring has not been enabled.
Enable Backups	Enables or disabled the backup system [<i>Baruwa Backups</i>]




Setup Running

At this point there is nothing left for you to do until the setup is complete. The program will update the screen with status information as well as logging it to `/var/log/messages`. If an error occurs the error information will be displayed until you press the enter button and the program will exit.



Setup Complete

When the setup is complete the following screen will be displayed simply press enter and the program will exit



To ensure that all the settings are correctly applied `reboot` the server from the command line using the command:

```
reboot
```

8.3 Search Index System

This is a backend server in a distributed system, it provides the backend indexing functionality. You setup this profile if you want a dedicated server providing search indexing.

This profile is used in the *Distributed Backend Distributed Frontend* and *Distributed Backend Hybrid Frontend* topologies.

8.3.1 Automated Configuration

Baruwa Enterprise Edition \geq 2.0.7 uses an automated wizard based utility called `baruwa-setup` to configure, update and manage the system. This utility collects configuration information from the user, performs any required software updates and then configures the system based on the profile selected and the configuration data collected. This simplifies the whole setup and management process so the user does not have to edit any configuration files.

A pass phrase is required to secure the authentication information that is collected.

Make sure you choose a strong pass phrase which is easy for you to remember but difficult to guess for others, a long sentence describing a personal experience is a good pass phrase.

To start the configuration process login to the server with the username `root` and the password you set during installation.

Then issue the `baruwa-setup` command at the command prompt:

```
baruwa-setup
```


The program will ask you to set a passphrase, enter the passphrase and press enter re-enter the same passphrase again to confirm. If the passphrase is accepted the System settings screen below will be displayed.

Warning: Do not loose this passphrase, there is no way to recover it. A reinstallation will be required if you loose the passphrase.

System Settings

This screen configures the basic system settings. The description of the options is as follows:


Option	Description
System Type	Set this to Search Index
FQDN Hostname	This is the Fully qualified domain name This cannot be set to localhost
IP Address	The system IP address usually detected
Activation Key	Baruwa Enterprise Edition Activation Key
Timezone	The system timezone, detected from the system configuration.
Enable clustering	Do not check this
Enable Monitoring	Check this to enable the NRPE service



Database Search User Settings

This screen sets database search user settings, The description of the options is as follows:


Option	Description
Search User	The search database username
Search User Password	The search database user password, Only strong passwords that do not contain the symbols ' , " , @ , # , \$ and : will be accepted.
Confirm Search User Password	Confirm the search database user password



Search Index Settings

The screen sets search index settings, The description of the options is as follows:


Option	Description
Database Host	Database server IP address
Database Port	Database server Port - leave as default
Database Name	Database name
Enable wildcard indexing	Enables Sphinx wildcard indexing, Setting this to true will generate very large index files.



Admin Settings


This screen sets admin settings, The description of the options is as follows:

Option	Description
Email Address	This email address will receive system notifications from the host, it is aliased to the root account
Encrypt all Backend Traffic	This will encrypt all traffic between the front end and back end systems. You should turn this on if the connections between your front end and back end are over insecure networks and you do not have VPN connections setup. Detailed information on this feature can be found in the release notes at <i>Backend Traffic Encryption</i>
Enable SNMP Agent	Enables the SNMP Agent which makes the system status available via SNMP. This option is ineffective if monitoring has not been enabled.
Enable Backups	Enables or disabled the backup system [<i>Baruwa Backups</i>]




Setup Running

At this point there is nothing left for you to do until the setup is complete. The program will update the screen with status information as well as logging it to `/var/log/messages`. If an error occurs the error information will be displayed until you press the enter button and the program will exit.



Setup Complete

When the setup is complete the following screen will be displayed simply press enter and the program will exit



To ensure that all the settings are correctly applied `reboot` the server from the command line using the command:

```
reboot
```

8.4 Message Queue System

This is a backend server in a distributed system, it provides the message queue functionality. You setup this profile if you want a dedicated server providing message queue functionality.

This profile is used in the *Distributed Backend Distributed Frontend* and *Distributed Backend Hybrid Frontend* topologies.

8.4.1 Automated Configuration

Baruwa Enterprise Edition \geq 2.0.7 uses an automated wizard based utility called `baruwa-setup` to configure, update and manage the system. This utility collects configuration information from the user, performs any required software updates and then configures the system based on the profile selected and the configuration data collected. This simplifies the whole setup and management process so the user does not have to edit any configuration files.

A pass phrase is required to secure the authentication information that is collected.

Make sure you choose a strong pass phrase which is easy for you to remember but difficult to guess for others, a long sentence describing a personal experience is a good pass phrase.

To start the configuration process login to the server with the username `root` and the password you set during installation.

Then issue the `baruwa-setup` command at the command prompt:

```
baruwa-setup
```


The program will ask you to set a passphrase, enter the passphrase and press enter re-enter the same passphrase again to confirm. If the passphrase is accepted the System settings screen below will be displayed.

Warning: Do not loose this passphrase, there is no way to recover it. A reinstallation will be required if you loose the passphrase.

System Settings

This screen configures the basic system settings. The description of the options is as follows:


Option	Description
System Type	Set this to Message Queue
FQDN Hostname	This is the Fully qualified domain name This cannot be set to localhost
IP Address	The system IP address usually detected
Activation Key	Baruwa Enterprise Edition Activation Key
Timezone	The system timezone, detected from the system configuration.
Enable clustering	Do not check this
Enable Monitoring	Check this to enable the NRPE service



Message Queue Settings

This screen sets message queue settings, The description of the options is as follows:


Option	Description
Host	The message queue server IP address
Port	The message queue server port
Username	The message queue server username
Password	The message queue server password
Confirm Password	Confirm the message queue server password



Admin Settings


This screen sets admin settings, The description of the options is as follows:

Option	Description
Email Address	This email address will receive system notifications from the host, it is aliased to the root account
Encrypt all Backend Traffic	This will encrypt all traffic between the front end and back end systems. You should turn this on if the connections between your front end and back end are over insecure networks and you do not have VPN connections setup. Detailed information on this feature can be found in the release notes at <i>Backend Traffic Encryption</i>
Enable SNMP Agent	Enables the SNMP Agent which makes the system status available via SNMP. This option is ineffective if monitoring has not been enabled.
Enable Backups	Enables or disabled the backup system [<i>Baruwa Backups</i>]




Setup Running

At this point there is nothing left for you to do until the setup is complete. The program will update the screen with status information as well as logging it to `/var/log/messages`. If an error occurs the error information will be displayed until you press the enter button and the program will exit.



Setup Complete

When the setup is complete the following screen will be displayed simply press enter and the program will exit



To ensure that all the settings are correctly applied `reboot` the server from the command line using the command:

```
reboot
```

8.5 Cache System

This is a backend server in a distributed system, it provides the cache functionality. You setup this profile if you want a dedicated server providing cache functionality.

This profile is used in the *Distributed Backend Distributed Frontend* and *Distributed Backend Hybrid Frontend* topologies.

8.5.1 Automated Configuration

Baruwa Enterprise Edition \geq 2.0.7 uses an automated wizard based utility called `baruwa-setup` to configure, update and manage the system. This utility collects configuration information from the user, performs any required software updates and then configures the system based on the profile selected and the configuration data collected. This simplifies the whole setup and management process so the user does not have to edit any configuration files.

A pass phrase is required to secure the authentication information that is collected.

Make sure you choose a strong pass phrase which is easy for you to remember but difficult to guess for others, a long sentence describing a personal experience is a good pass phrase.

To start the configuration process login to the server with the username `root` and the password you set during installation.

Then issue the `baruwa-setup` command at the command prompt:

```
baruwa-setup
```


The program will ask you to set a passphrase, enter the passphrase and press enter re-enter the same passphrase again to confirm. If the passphrase is accepted the System settings screen below will be displayed.

Warning: Do not loose this passphrase, there is no way to recover it. A reinstallation will be required if you loose the passphrase.

System Settings

This screen configures the basic system settings. The description of the options is as follows:


Option	Description
System Type	Set this to Cache
FQDN Hostname	This is the Fully qualified domain name This cannot be set to localhost
IP Address	The system IP address usually detected
Activation Key	Baruwa Enterprise Edition Activation Key
Timezone	The system timezone, detected from the system configuration.
Enable clustering	Do not check this
Enable Monitoring	Check this to enable the NRPE service



Admin Settings


This screen sets admin settings, The description of the options is as follows:

Option	Description
Email Address	This email address will receive system notifications from the host, it is aliased to the root account
Encrypt all Backend Traffic	This will encrypt all traffic between the front end and back end systems. You should turn this on if the connections between your front end and back end are over insecure networks and you do not have VPN connections setup. Detailed information on this feature can be found in the release notes at <i>Backend Traffic Encryption</i>
Enable SNMP Agent	Enables the SNMP Agent which makes the system status available via SNMP. This option is ineffective if monitoring has not been enabled.
Enable Backups	Enables or disabled the backup system [<i>Baruwa Backups</i>]




Setup Running

At this point there is nothing left for you to do until the setup is complete. The program will update the screen with status information as well as logging it to `/var/log/messages`. If an error occurs the error information will be displayed until you press the enter button and the program will exit.



Setup Complete

When the setup is complete the following screen will be displayed simply press enter and the program will exit



To ensure that all the settings are correctly applied `reboot` the server from the command line using the command:

```
reboot
```

8.6 Web and Mail System

This is a frontend system it provides the mail and web interfaces, mail is delivered to the server and at the same time it serves as the web interface for both administration as well as end user access. This system requires a backend system or distributed backend systems. You can have several of these nodes scaling up or down as demand grows or drops.

This profile is used in the *Distributed Backend Hybrid Frontend* and *Single Backend Hybrid Frontend* topologies.

8.6.1 Automated Configuration

Baruwa Enterprise Edition \geq 2.0.7 uses an automated wizard based utility called `baruwa-setup` to configure, update and manage the system. This utility collects configuration information from the user, performs any required software updates and then configures the system based on the profile selected and the configuration data collected. This simplifies the whole setup and management process so the user does not have to edit any configuration files.

A pass phrase is required to secure the authentication information that is collected.

Make sure you choose a strong pass phrase which is easy for you to remember but difficult to guess for others, a long sentence describing a personal experience is a good pass phrase.

To start the configuration process login to the server with the username `root` and the password you set during installation.

Then issue the `baruwa-setup` command at the command prompt:

```
baruwa-setup
```


The program will ask you to set a passphrase, enter the passphrase and press enter re-enter the same passphrase again to confirm. If the passphrase is accepted the System settings screen below will be displayed.

Warning: Do not loose this passphrase, there is no way to recover it. A reinstallation will be required if you loose the passphrase.

System Settings

This screen configures the basic system settings. The description of the options is as follows:


Option	Description
System Type	Set this to Web and Mail
FQDN Hostname	This is the Fully qualified domain name This cannot be set to localhost
IP Address	The system IP address usually detected
Activation Key	Baruwa Enterprise Edition Activation Key
Timezone	The system timezone, detected from the system configuration.
Enable clustering	Check this
Enable Monitoring	Check this to enable the NRPE service



Cluster Settings

This screen configures the cluster settings. The description of the options is as follows:


Option	Description
Cluster ID	An integer number unique to each node
Cluster Peer Hostname's	A space separated list of this nodes peers
Cluster Peer IP's	A space separated list of this nodes peers
Cluster Session Secret	This is used to encrypt session information a long password string over 35 characters, the same value should be used on all the cluster members. You can use a service such as passwordsgenerator.net to generate it



Scanner Settings

This screen sets the email scanner settings, The description of the options is as follows:


Option	Description
Organization name	Enter a short identifying name for your organisation this is used to make the X-Baruwa headers unique for your organisation Multiple servers within one site should use an identical value here. It must not contain any spaces.
Organization full name	Enter the full name of your organisation, this is used in the signature placed at the bottom of report messages sent by Baruwa. It can include pretty much any text you like. You can make the result span several lines by including “n” sequences in the text. These will be replaced by line-breaks.
Use Shared Quarantine	Check this to enable <i>Shared quarantine</i>
Store clean mail	Check this if you want to store messages not tagged as SPAM, Use this option only if it is legal in your country



Management Settings

This screen sets the management account settings, The description of the options is as follows:


Option	Description
Username	Administrator username
Password	Administrator password, Only strong passwords will be accepted use a service such as passwordsgenerator.net to generate strong passwords
Confirm Password	Renter the Administrator password
Email Address	Administrator email address



Management Web Settings

This screen sets the management web interface settings, The description of the options is as follows:


Option	Description
Web Hostname	The hostname to be used to access the web interface
Web Aliases	Alternative hostnames to use to access the web interface. Use a space to separate multiple entries
Load Balancer IP's	Proxy-Protocol load balancers, space separated IP Address list
Enable Syslog Logging	Turns on Web logging to syslog



Management Other Settings

This screen sets other management settings, The description of the options is as follows:


Option	Description
Reports Email	The email address used to send out email reports
Send Reports At	The hour at which to send reports, this is localized to the users location based on their timezone setting
Enable Backups	Enables or disabled the backup system [<i>Baruwa Backups</i>]
Enable Memcache	Enables or disables the Memcached cache system, when disabled the builtin cache system will be used. The builtin cache system is more efficient on standalone systems
MemCache Host	The IP Address of the MemCache server
Encrypt all Backend Traffic	This will encrypt all traffic between the front end and back end systems. You should turn this on if the connections between your front end and back end are over insecure networks and you do not have VPN connections setup. Detailed information on this feature can be found in the release notes at <i>Backend Traffic Encryption</i>
Enable SNMP Agent	Enables the SNMP Agent which makes the system status available via SNMP. This option is ineffective if monitoring has not been enabled.



Database Settings

This screen sets database settings, The description of the options is as follows:


Option	Description
Host	The database server IP Address
Port	The database port
Admin Password	The database admin user password, Only strong passwords that do not contain the symbols ' , " , @ , \$, # and : will be accepted.
Confirm Admin Password	Confirm the database admin user password



Database Management User Settings

This screen sets database management user settings, The description of the options is as follows:


Option	Description
Management DB Name	The name of the management database
Management User	The management database username
Management User Password	The management database user password, Only strong passwords that do not contain the symbols ' , ", @, #, \$ and : will be accepted.
Confirm Management User Pass	Confirm the management database user password



Database Bayes User Settings

This screen sets database bayes user settings, The description of the options is as follows:


Option	Description
Bayes User	The bayes database username
Bayes User Password	The bayes database user password, Only strong passwords that do not contain the symbols ' , " , @ , # , \$ and : will be accepted.
Confirm Bayes User Password	Confirm the bayes database user password



Message Queue Settings

This screen sets message queue settings, The description of the options is as follows:


Option	Description
Host	The message queue server IP address
Port	The message queue server port
Username	The message queue server username
Password	The message queue server password
Confirm Password	Confirm the message queue server password



Search Index Settings

This screen sets search index settings, The description of the options is as follows:


Option	Description
Host	Indexing server IP address



MTA Settings

This screen sets mta settings, The description of the options is as follows:


Option	Description
Mail Hostname	The mail server hostname
Message Size Limit	The max message size to accept
DKIM Selector	Sets the DKIM selector name, used to configure DKIM signing.
Load Balancer IP's	Proxy-Protocol load balancers, space separated IP Address list
Enable DKIM	Enable DKIM functionality
Log Load Balancer Connections	Log Load Balancer connections to the MTA log



MTA Additional Settings

This screen sets MTA additional settings, The description of the options is as follows:

Option	Description
Enable Syslog Logging	Turns on MTA logging to syslog
Enable Subject Blocklist	Enable the blocking by subject functionality
Enable Anonymizer	Enable the Anonymizer functionality
Enable Global Signatures	Enable Global Signatures
Enable SPF Checks	Enable SPF checking functionality
Enable Reputation Protection	Enables functionality to block abusive outbound SMTP requests
Enable RBLs	Select the SMTP time DNSBL's to enable
Enable Reply-To Checks	Enable Empty Reply-To Checks



Anti Virus Settings

This screen sets anti virus settings, The description of the options is as follows:


Option	Description
Enable Sane Signatures	ClamAV Unofficial Sane signatures to enable



Message Sniffer Settings

This screen sets message sniffer settings, The description of the options is as follows:

Option	Description
License ID	Message Sniffer License ID This is emailed to you when you purchase a subscription
Authentication ID	Message Sniffer Authentication ID This is emailed to you when you purchase a subscription



SSL/TLS Settings

The Baruwa web interface MUST ran over SSL/TLS, other services such as SMTP AUTH only work over SSL/TLS as well. So you need to either purchase a valid SSL certificate or have `baruwa-setup` automatically generate one non recognised SSL certificate for you. If you do not have a CA issued certificate and do not intend on purchasing one then leave the `I have a CA issued Certificate` unchecked.

The certificate that `baruwa-setup` generates will cover the web hostname, web aliases, cluster members and the mail hostname. This means that you should copy this certificate to other cluster hosts that you specified and select `I have a CA issued Certificate` on those hosts when you set them up instead of generating new certificates for them.

Note: We have partnered with the SSLShop to bring you discounted SSL certificate pricing. RapidSSL CA signed certificates can be purchased at discounted pricing using the Discount coupon "BARUWA" from <http://www.sslshop.co.za>

If you have a SSL certificate that is issued by a recognised CA and would like Baruwa to use it, install it prior to running `baruwa-setup`. Please NOTE that you need certificates that cover the web hostname and aliases, and the mail hostname. Please check `I have a CA issued Certificate`.

The preferred location to install certificates and keys on the server is under `/etc/pki`. You need to create a directory structure under that and store your certificate under it.

The following example creates a baruwa directory under `/etc/pki` and stores the certificates and keys there:


```
mkdir -p /etc/pki/baruwa/{certs,private}
```

Create the following files

- `/etc/pki/baruwa/certs/baruwa.pem` with the contents of your SSL certificate
- `/etc/pki/baruwa/private/baruwa.key` with the contents of your SSL private key


You need to create additional certificate pairs if your web hostname and mail hostname are not the same.

If you have a wildcard certificate with all your names being subdomains of that domain to which the certificate is issued then you can simply create one pair.




If you left `I have a CA issued Certificate` unchecked you will be presented with the following screen. You need to fill in the details which are used to create a CA from which the certificate will be issued. The description of the options is as follows:

Option	Description
Organization	OpenSSL CA Name
Email Address	OpenSSL email address
Country	OpenSSL country code
Province	OpenSSL province
City	OpenSSL city




If you checked I have a CA issued Certificate you will be presented with the following screen, you need to specify the locations of your certificates and keys. The description of the options is as follows:

Option	Description
Web Certificate	The location of the web certificate file in PEM format
Web Private Key	The location of the web private key file in PEM format
Mail Certificate	The location of the mail certificate file in PEM format
Mail Private Key	The location of the mail private key file in PEM format




Setup Running

At this point there is nothing left for you to do until the setup is complete. The program will update the screen with status information as well as logging it to `/var/log/messages`. If an error occurs the error information will be displayed until you press the enter button and the program will exit.



Setup Complete

When the setup is complete the following screen will be displayed simply press enter and the program will exit



To ensure that all the settings are correctly applied `reboot` the server from the command line using the command:

```
reboot
```

8.6.2 Post Configuration

Now that the installation and setup are complete, you need to finalize the setup by *Adding a Scanning Node*, *Adding an Organization*, *Adding a Domain* and *Adding an Account*. This is done through the management web interface.

The exact sequence to follow is:

- Add the Node
- Add an Organization
- Add a Domain Administrator for the organization
- Edit the Organization and assign Domain Administrator to the organization
- Add a Domain to the Organization
- Add a delivery server for the Domain
- Add any user accounts to the Domain if not using external authentication

Review the *DNS*, *Administrators guide*, *Email Protection Best Practices* and *Advanced configuration* sections for other configuration and setup options available.

8.7 Mail System

This is a front-end system that is dedicated to processing mail, it does not provide a web interface for administration as well as user access. You setup this kind of system if you want dedicated servers processing mail only. You can have several of these nodes scaling up or down as demand grows or drops.

This profile is used in the *Distributed Backend Distributed Frontend* and *Single Backend Distributed Frontend* topologies.

8.7.1 Automated Configuration

Baruwa Enterprise Edition >= 2.0.7 uses an automated wizard based utility called `baruwa-setup` to configure, update and manage the system. This utility collects configuration information from the user, performs any required software updates and then configures the system based on the profile selected and the configuration data collected. This simplifies the whole setup and management process so the user does not have to edit any configuration files.

A pass phrase is required to secure the authentication information that is collected.

Make sure you choose a strong pass phrase which is easy for you to remember but difficult to guess for others, a long sentence describing a personal experience is a good pass phrase.

To start the configuration process login to the server with the username `root` and the password you set during installation.

Then issue the `baruwa-setup` command at the command prompt:

```
baruwa-setup
```


The program will ask you to set a passphrase, enter the passphrase and press enter re-enter the same passphrase again to confirm. If the passphrase is accepted the System settings screen below will be displayed.

Warning: Do not loose this passphrase, there is no way to recover it. A reinstallation will be required if you loose the passphrase.

System Settings

This screen configures the basic system settings. The description of the options is as follows:


Option	Description
System Type	Set this to Mail
FQDN Hostname	This is the Fully qualified domain name This cannot be set to localhost
IP Address	The system IP address usually detected
Activation Key	Baruwa Enterprise Edition Activation Key
Timezone	The system timezone, detected from the system configuration.
Enable clustering	Check this
Enable Monitoring	Check this to enable the NRPE service



Cluster Settings

This screen configures the cluster settings. The description of the options is as follows:


Option	Description
Cluster ID	An integer number unique to each node
Cluster Peer Hostname's	A space separated list of this nodes peers
Cluster Peer IP's	A space separated list of this nodes peers



Scanner Settings

This screen sets the email scanner settings, The description of the options is as follows:


Option	Description
Organization name	Enter a short identifying name for your organisation this is used to make the X-Baruwa headers unique for your organisation Multiple servers within one site should use an identical value here. It must not contain any spaces.
Organization full name	Enter the full name of your organisation, this is used in the signature placed at the bottom of report messages sent by Baruwa. It can include pretty much any text you like. You can make the result span several lines by including “n” sequences in the text. These will be replaced by line-breaks.
Use Shared Quarantine	Check this to enable <i>Shared quarantine</i>
Store clean mail	Check this if you want to store messages not tagged as SPAM, Use this option only if it is legal in your country



Management Web Additional Settings

This screen sets the additional management web interface settings, The description of the options is as follows:


Option	Description
Quarantine URL	This is default host url used in quarantine report links, is overridden by domain settings.
Media URL	This can allow you to host media on a CDN or media host, leave as default to serve of the same system.
Custom Name	This will replace all occurrences of Baruwa in the web interface as well.
Custom URL	This creates links to your product page within the web interface and email reports that are sent out.



Management Other Settings

This screen sets other management settings, The description of the options is as follows:


Option	Description
Reports Email	The email address used to send out email reports
Send Reports At	The hour at which to send reports, this is localized to the users location based on their timezone setting
Enable Backups	Enables or disabled the backup system [<i>Baruwa Backups</i>]
Enable Memcache	Enables or disables the Memcached cache system, when disabled the builtin cache system will be used. The builtin cache system is more efficient on standalone systems
MemCache Host	The IP Address of the MemCache server
Encrypt all Backend Traffic	This will encrypt all traffic between the front end and back end systems. You should turn this on if the connections between your front end and back end are over insecure networks and you do not have VPN connections setup. Detailed information on this feature can be found in the release notes at <i>Backend Traffic Encryption</i>
Enable SNMP Agent	Enables the SNMP Agent which makes the system status available via SNMP. This option is ineffective if monitoring has not been enabled.



Database Settings

This screen sets database settings, The description of the options is as follows:


Option	Description
Host	The database server IP Address
Port	The database port
Admin Password	The database admin user password, Only strong passwords that do not contain the symbols ' , " , @ , \$, # and : will be accepted.
Confirm Admin Password	Confirm the database admin user password



Database Management User Settings

This screen sets database management user settings, The description of the options is as follows:


Option	Description
Management DB Name	The name of the management database
Management User	The management database username
Management User Password	The management database user password, Only strong passwords that do not contain the symbols ' , " , @ , # , \$ and : will be accepted.
Confirm Management User Pass	Confirm the management database user password



Database Bayes User Settings

This screen sets database bayes user settings, The description of the options is as follows:


Option	Description
Bayes User	The bayes database username
Bayes User Password	The bayes database user password, Only strong passwords that do not contain the symbols ' , " , @ , # , \$ and : will be accepted.
Confirm Bayes User Password	Confirm the bayes database user password



Message Queue Settings

This screen sets message queue settings, The description of the options is as follows:


Option	Description
Host	The message queue server IP address
Port	The message queue server port
Username	The message queue server username
Password	The message queue server password
Confirm Password	Confirm the message queue server password



Search Index Settings

This screen sets search index settings, The description of the options is as follows:


Option	Description
Host	Indexing server IP address



MTA Settings

This screen sets mta settings, The description of the options is as follows:


Option	Description
Mail Hostname	The mail server hostname
Message Size Limit	The max message size to accept
DKIM Selector	Sets the DKIM selector name, used to configure DKIM signing.
Load Balancer IP's	Proxy-Protocol load balancers, space separated IP Address list
Enable DKIM	Enable DKIM functionality
Log Load Balancer Connections	Log Load Balancer connections to the MTA log



MTA Additional Settings

This screen sets MTA additional settings, The description of the options is as follows:


Option	Description
Enable Syslog Logging	Turns on MTA logging to syslog
Enable Subject Blocklist	Enable the blocking by subject functionality
Enable Anonymizer	Enable the Anonymizer functionality
Enable Global Signatures	Enable Global Signatures
Enable SPF Checks	Enable SPF checking functionality
Enable Reputation Protection	Enables functionality to block abusive outbound SMTP requests
Enable RBLs	Select the SMTP time DNSBL's to enable
Enable Reply-To Checks	Enable Empty Reply-To Checks



Anti Virus Settings

This screen sets anti virus settings, The description of the options is as follows:


Option	Description
Enable Sane Signatures	ClamAV Unofficial Sane signatures to enable



Message Sniffer Settings

This screen sets message sniffer settings, The description of the options is as follows:

Option	Description
License ID	Message Sniffer License ID This is emailed to you when you purchase a subscription
Authentication ID	Message Sniffer Authentication ID This is emailed to you when you purchase a subscription



SSL/TLS Settings

The Baruwa web interface MUST ran over SSL/TLS, other services such as SMTP AUTH only work over SSL/TLS as well. So you need to either purchase a valid SSL certificate or have `baruwa-setup` automatically generate one non recognised SSL certificate for you. If you do not have a CA issued certificate and do not intend on purchasing one the leave the I have a CA issued Certificate unchecked.

The certificate that `baruwa-setup` generates will cover the web hostname, web aliases, cluster members and the mail hostname. This means that you should copy this certificate to other cluster hosts that you specified and select I have a CA issued Certificate on those hosts when you set them up instead of generating new certificates for them.

Note: We have partnered with the SSLShop to bring you discounted SSL certificate pricing. RapidSSL CA signed certificates can be purchased at discounted pricing using the Discount coupon “BARUWA” from <http://www.sslshop.co.za>

If you have a SSL certificate that is issued by a recognised CA and would like Baruwa to use it, install it prior to running `baruwa-setup`. Please NOTE that you need certificates that cover the web hostname and aliases, and the mail hostname. Please check `I have a CA issued Certificate`.

The preferred location to install certificates and keys on the server is under `/etc/pki`. You need to create a directory structure under that and store your certificate under it.

The following example creates a baruwa directory under `/etc/pki` and stores the certificates and keys there:


```
mkdir -p /etc/pki/baruwa/{certs,private}
```

Create the following files

- `/etc/pki/baruwa/certs/baruwa.pem` with the contents of your SSL certificate
- `/etc/pki/baruwa/private/baruwa.key` with the contents of your SSL private key


You need to create additional certificate pairs if your web hostname and mail hostname are not the same.

If you have a wildcard certificate with all your names being subdomains of that domain to which the certificate is issued then you can simply create one pair.




If you left `I have a CA issued Certificate` unchecked you will be presented with the following screen. You need to fill in the details which are used to create a CA from which the certificate will be issued. The description of the options is as follows:

Option	Description
Organization	OpenSSL CA Name
Email Address	OpenSSL email address
Country	OpenSSL country code
Province	OpenSSL province
City	OpenSSL city



If you checked I have a CA issued Certificate you will be presented with the following screen, you need to specify the locations of your certificate and key. The description of the options is as follows:


Option	Description
Mail Certificate	The location of the mail certificate file in PEM format
Mail Private Key	The location of the mail private key file in PEM format



Admin Settings


This screen sets admin settings, The description of the options is as follows:

Option	Description
Email Address	This email address will receive system notifications from the host, it is aliased to the root account




Setup Running

At this point there is nothing left for you to do until the setup is complete. The program will update the screen with status information as well as logging it to `/var/log/messages`. If an error occurs the error information will be displayed until you press the enter button and the program will exit.



Setup Complete

When the setup is complete the following screen will be displayed simply press enter and the program will exit



To ensure that all the settings are correctly applied `reboot` the server from the command line using the command:

```
reboot
```

8.8 Web Interface System

This is a front-end system that is dedicated to providing web interface access for administration as well as user access. You setup this kind of system if you want dedicated servers providing only web access. You can have several of these nodes scaling up or down as demand grows or drops.

This profile is used in the *Distributed Backend Distributed Frontend* and *Single Backend Distributed Frontend* topologies.

8.8.1 Automated Configuration

Baruwa Enterprise Edition $\geq 2.0.7$ uses an automated wizard based utility called `baruwa-setup` to configure, update and manage the system. This utility collects configuration information from the user, performs any required software updates and then configures the system based on the profile selected and the configuration data collected. This simplifies the whole setup and management process so the user does not have to edit any configuration files.

A pass phrase is required to secure the authentication information that is collected.

Make sure you choose a strong pass phrase which is easy for you to remember but difficult to guess for others, a long sentence describing a personal experience is a good pass phrase.

To start the configuration process login to the server with the username `root` and the password you set during installation.

Then issue the `baruwa-setup` command at the command prompt:

```
baruwa-setup
```


The program will ask you to set a passphrase, enter the passphrase and press enter re-enter the same passphrase again to confirm. If the passphrase is accepted the System settings screen below will be displayed.

Warning: Do not loose this passphrase, there is no way to recover it. A reinstallation will be required if you loose the passphrase.

System Settings

This screen configures the basic system settings. The description of the options is as follows:


Option	Description
System Type	Set this to Web Interface
FQDN Hostname	This is the Fully qualified domain name This cannot be set to localhost
IP Address	The system IP address usually detected
Activation Key	Baruwa Enterprise Edition Activation Key
Timezone	The system timezone, detected from the system configuration.
Enable clustering	Check this
Enable Monitoring	Check this to enable the NRPE service



Cluster Settings

This screen configures the cluster settings. The description of the options is as follows:


Option	Description
Cluster ID	An integer number unique to each node
Cluster Peer Hostname's	A space separated list of this nodes peers
Cluster Peer IP's	A space separated list of this nodes peers
Cluster Session Secret	This is used to encrypt session information a long password string over 35 characters, the same value should be used on all the cluster members. You can use a service such as passwordsgenerator.net to generate it
Use Shared Quarantine	Check this to enable <i>Shared quarantine</i>



Management Settings

This screen sets the management account settings, The description of the options is as follows:


Option	Description
Username	Administrator username
Password	Administrator password, Only strong passwords will be accepted use a service such as passwordsgenerator.net to generate strong passwords
Confirm Password	Renter the Administrator password
Email Address	Administrator email address



Management Web Settings

This screen sets the management web interface settings, The description of the options is as follows:


Option	Description
Web Hostname	The hostname to be used to access the web interface
Web Aliases	Alternative hostnames to use to access the web interface. Use a space to separate multiple entries
Load Balancer IP's	Proxy-Protocol load balancers, space separated IP Address list
Enable Syslog Logging	Turns on Web logging to syslog



Management Web Additional Settings

This screen sets the additional management web interface settings, The description of the options is as follows:


Option	Description
Quarantine URL	This is default host url used in quarantine report links, is overridden by domain settings.
Media URL	This can allow you to host media on a CDN or media host, leave as default to serve of the same system.
Custom Name	This will replace all occurrences of Baruwa in the web interface as well.
Custom URL	This creates links to your product page within the web interface and email reports that are sent out.



Management Other Settings

This screen sets other management settings, The description of the options is as follows:


Option	Description
Reports Email	The email address used to send out email reports
Send Reports At	The hour at which to send reports, this is localized to the users location based on their timezone setting
Enable Backups	Enables or disabled the backup system [<i>Baruwa Backups</i>]
Enable Memcache	Enables or disables the Memcached cache system, when disabled the builtin cache system will be used. The builtin cache system is more efficient on standalone systems
MemCache Host	The IP Address of the MemCache server
Encrypt all Backend Traffic	This will encrypt all traffic between the front end and back end systems. You should turn this on if the connections between your front end and back end are over insecure networks and you do not have VPN connections setup. Detailed information on this feature can be found in the release notes at <i>Backend Traffic Encryption</i>
Enable SNMP Agent	Enables the SNMP Agent which makes the system status available via SNMP. This option is ineffective if monitoring has not been enabled.



Database Settings

This screen sets database settings, The description of the options is as follows:


Option	Description
Host	The database server IP Address
Port	The database port
Admin Password	The database admin user password, Only strong passwords that do not contain the symbols ' , " , @ , \$, # and : will be accepted.
Confirm Admin Password	Confirm the database admin user password



Database Management User Settings

This screen sets database management user settings, The description of the options is as follows:


Option	Description
Management DB Name	The name of the management database
Management User	The management database username
Management User Password	The management database user password, Only strong passwords that do not contain the symbols ' , " , @ , # , \$ and : will be accepted.
Confirm Management User Pass	Confirm the management database user password



Message Queue Settings

This screen sets message queue settings, The description of the options is as follows:


Option	Description
Host	The message queue server IP address
Port	The message queue server port
Username	The message queue server username
Password	The message queue server password
Confirm Password	Confirm the message queue server password



Search Index Settings

This screen sets search index settings, The description of the options is as follows:

Option	Description
Host	Indexing server IP address



SSL/TLS Settings

The Baruwa web interface **MUST** run over SSL/TLS, other services such as SMTP AUTH only work over SSL/TLS as well. So you need to either purchase a valid SSL certificate or have `baruwa-setup` automatically generate one non recognised SSL certificate for you. If you do not have a CA issued certificate and do not intend on purchasing one the leave the `I have a CA issued Certificate` unchecked.

The certificate that `baruwa-setup` generates will cover the web hostname, web aliases, cluster members and the mail hostname. This means that you should copy this certificate to other cluster hosts that you specified and select `I have a CA issued Certificate` on those hosts when you set them up instead of generating new certificates for them.

Note: We have partnered with the SSLShop to bring you discounted SSL certificate pricing. RapidSSL CA signed certificates can be purchased at discounted pricing using the Discount coupon “BARUWA” from <http://www.sslshop.co.za>

If you have a SSL certificate that is issued by a recognised CA and would like Baruwa to use it, install it prior to running `baruwa-setup`. Please **NOTE** that you need certificates that cover the web hostname and aliases, and the mail hostname. Please check `I have a CA issued Certificate`.

The preferred location to install certificates and keys on the server is under `/etc/pki`. You need to create a directory structure under that and store your certificate under it.

The following example creates a `baruwa` directory under `/etc/pki` and stores the certificates and keys there:


```
mkdir -p /etc/pki/baruwa/{certs,private}
```

Create the following files

- `/etc/pki/baruwa/certs/baruwa.pem` with the contents of your SSL certificate
- `/etc/pki/baruwa/private/baruwa.key` with the contents of your SSL private key


You need to create additional certificate pairs if your web hostname and mail hostname are not the same.

If you have a wildcard certificate with all your names being subdomains of that domain to which the certificate is issued then you can simply create one pair.




If you left I have a CA issued Certificate unchecked you will be presented with the following screen. You need to fill in the details which are used to create a CA from which the certificate will be issued. The description of the options is as follows:

Option	Description
Organization	OpenSSL CA Name
Email Address	OpenSSL email address
Country	OpenSSL country code
Province	OpenSSL province
City	OpenSSL city




If you checked I have a CA issued Certificate you will be presented with the following screen, you need to specify the locations of your certificate and key. The description of the options is as follows:

Option	Description
Web Certificate	The location of the web certificate file in PEM format
Web Private Key	The location of the web private key file in PEM format




Setup Running

At this point there is nothing left for you to do until the setup is complete. The program will update the screen with status information as well as logging it to `/var/log/messages`. If an error occurs the error information will be displayed until you press the enter button and the program will exit.



Setup Complete

When the setup is complete the following screen will be displayed simply press enter and the program will exit



To ensure that all the settings are correctly applied `reboot` the server from the command line using the command:

```
reboot
```

8.8.2 Post Configuration

Now that the installation and setup are complete, you need to finalize the setup by *Adding a Scanning Node*, *Adding an Organization*, *Adding a Domain* and *Adding an Account*. This is done through the management web interface.

The exact sequence to follow is:

- Add the Node
- Add an Organization
- Add a Domain Administrator for the organization
- Edit the Organization and assign Domain Administrator to the organization
- Add a Domain to the Organization
- Add a delivery server for the Domain
- Add any user accounts to the Domain if not using external authentication

Review the *DNS*, *Administrators guide*, *Email Protection Best Practices* and *Advanced configuration* sections for other configuration and setup options available.

ADVANCED CONFIGURATION

9.1 Content Protection

9.1.1 Introduction

Content Protection in Baruwa is used to manage the types of email attachments that users are allowed to send and receive. It can be deployed to prevent malicious attachments from entering an organizations network or to prevent internal users for sending out organization data out of the organization network via email.

Baruwa allows you to perform certain actions based on the type or name of attachments attached to an email message that is being processed by it.

The actions that can be performed are:

- Allow - Allows the message through
- Deny - Denies the message
- Deny and Delete - Deletes the attachment from the message
- Email to addresses - Redirects the email to the specified addresses
- Rename - Renames the attachment to name.disarmed
- Rename To - Renames the attachment to the specified extension

The Rename and Rename To options are not available for archive attachments.

Baruwa uses policies to select messages to perform the above actions. Baruwa ships with default policies that usually work well with most setups. However in some cases users may want to customize or create their own specific policies.

9.1.2 Policy Types

There are four(4) types of policies used by Baruwa:

- Archive File Name Policies - These are used to match the name of files inside archive attachments such as ZIP and TAR archives
- Archive Mime Policies - These are used to match the file type of files inside archive attachments such as ZIP and TAR archives. You can use this to identify files which have been renamed to a different extension so as to by pass filename checks. So attackers may rename executable files to different extensions to bypass checks this policy will be able to identify such files.
- File Name Policies - These are used to match files by name such as .doc
- File Mime Policies - These are used to match files by type such as executable

Policies contain rules, Rules are the actual statements used to match files. For a policy to be usable it should contain atleast one(1) enabled rule.

9.1.3 Creating Policies

Baruwa provides two options for creating policies:

- Clone - The policy is cloned from the built in policy. If you simply want to disable a few rules from the default policy, this is the best option to use. After cloning you can disable the rules you wish to disable then assign the policy.
- Create - This creates a blank policy to which you add rules.

After a policy has been created and customized, it is available to assign as either a global policy or as a domain policy. Global policies are the default policies that are applied to all messages that do not have a more specific domain policy. Domain policies only apply to messages addressed to or from the specific domain to which the policy is applied.

9.1.4 Policy Rules

Policy Rules are made up of the following parts:

- Action - Described above
- Expression - This is a regular expression used to match such as `\.ico$`
- Description - This is the message that will be logged and appear in warning messages that the email senders receive.
- Options - This part is used only by the `Email To` and `Rename To` actions. For the `Email To` action it contains a list of comma separated email addresses. For the `Rename To` actions it contains the rename to pattern.
- Enabled - This enables or disables a rule.

9.1.5 Configuration

The content protection system is configured using the Settings menu of the web interface. The instructions are available via [Content Protection](#)

9.2 External Authentication

Baruwa can be configured to authenticate to external authentication systems using authentication mechanisms such as LDAP, RADIUS, IMAP, POP3, SMTP, OAUTH. This is useful in cases where you have hundreds of users and cannot manually create all of them. The Baruwa user account will be automatically created the first time the user successfully authenticates to the external authentication system.

With LDAP authentication the users groups and email aliases will also be automatically added to the users Baruwa profile allowing them access to their aliased and group emails within Baruwa.

9.2.1 Supported Mechanisms

The following mechanisms are supported and can be fully configured via the web interface.

- LDAP

- RADIUS
- IMAP
- POP3
- SMTP

9.2.2 Configuration

Authentication mechanisms are setup on a per domain basis. The process is documented in the Domain management section of the admin guide under *Authentication Settings*

9.2.3 Planned Mechanisms

Future support is planned for the following

- YUBIKEY
- OAUTH

9.3 Clustering

9.3.1 Functionality available

Baruwa is capable of running in a cluster.

Full Baruwa functionality is available from any member within a Baruwa cluster and all cluster members have equal status. This allows you to provide round robin access either using *Load Balancers* or *DNS configuration*. This makes the running of a cluster totally transparent to the end users.

Cluster wide as well as node status information is visible via *Global status* and *Scanner node status*

9.3.2 Requirements

High quality network links are required between the front end and backend systems in a cluster. Memcached in particular will not tolerate flaky network connections, resulting in the web interface generating errors.

Baruwa stores client session information in Memcached, so all the nodes in the cluster should be configured to use the same Memcached server.

All nodes should be configured to either use a clustered MQ broker or use the same MQ broker as the other nodes. The nodes should be aware of the other nodes queues to enable them to submit tasks to those queues.

All the nodes with in a cluster should be configured to write to a single database and index data to a single or distributed sphinx server.

The full requirements are:

- Shared Memcached server
- Shared PostgreSQL server
- Shared MQ broker or clustered broker
- Shared Sphinx server or distributed sphinx servers

The recommended setup is to have Memcached, PostgreSQL, RabbitMQ, Sphinx running on a separate server. This called the *Distributed Backend Distributed Frontend* topology.

Note: If installed using the correct *System Profiles* the correct ports will be open on the host firewall. You may however wish to make the firewall more restrictive by allowing only your cluster machines to connect to the ports.

The firewall on the server hosting the above shared services needs to be configured to allow the following connections from the cluster nodes.

- TCP 9312, 9306 - Sphinx
- TCP 5432 - PostgreSQL or 6432 Pgouncer
- TCP 4369 - RabbitMQ EPMD
- TCP 11211 - Memcached
- TCP 1027 - Quarantine synchronization

9.3.3 Security considerations

If clustered systems are communicating over insecure networks it is highly recommended you either setup a VPN backend network or use the `Encrypt all backend traffic` option which is available since BaruwaOS version 6.4.4.

The `Strongswan` and `OpenVPN` packages are available in the repo to allow you to setup `IPSEC` and `SSL VPN`'s respectively.

Refer to the *Backend Traffic Encryption* section for more on the `Encrypt all backend traffic` option.

9.3.4 Shared quarantine

Since version 2.1.0 Baruwa now has built in shared quarantine synchronization without a shared storage system. Quarantined messages are now synchronized between all the cluster nodes. This eliminates the need for a shared filesystem as was previously required. Because messages are synchronized between the cluster members any of the cluster members can process requests to release, learn delete quarantined messages. Users are able to access messages even when the specific host that processed the message via SMTP is not accessible.

Note: Note this is a technology preview and at the moment could have performance degradation issues in mail high volume environments.

When you select `use shared quarantine in baruwa-setup`, built in synchronization is automatically enabled, if you wish to use a shared filesystem on Baruwa versions $\geq 2.1.0$ you need to override the built in synchronization by creating the file `/etc/baruwa/sync.disable`. You can do that by running the following command:

```
touch /etc/baruwa/sync.disable
```

In order for the cluster hosts to be able to locate each other you need to add them as nodes under `Settings` and provide the correct IP address. The cluster nodes perform synchronization on port `TCP 1027`. If some of your cluster nodes are behind a port forwarded firewall, you need to forward port `1027` to the actual cluster node. If you have multiple nodes behind the same firewall you should use different ports to portforward to `1027` on each internal server. You then need to modify the scanning node under `settings` and set the port to the port you have configured for this specific server on the firewall.

Since version 2.0.1 Baruwa supports shared quarantines using shared storage subsystems like NFS, GlusterFS, OCFS, etc. With a shared quarantine, message operations are still possible regardless of non availability of the node that processed the message. To use a shared quarantine with a shared storage system you need to:

- Mount the quarantine directory `/var/spool/MailScanner/quarantine` to the shared file subsystem
- Check the `Use Shared Quarantine` checkbox of the `Scanner Setting` screen of `baruwa-setup`
- Set a unique `Cluster id` for each node in the `Cluster Settings` screen of `baruwa-setup`

9.3.5 Limitations

Host specific quarantines

Note: This limitation is not present when using a shared quarantine.

Quarantines are node specific, so messages quarantined on a failed node will not be accessible until the node is restored.

Management traffic

Given that the primary function of the Baruwa System is processing of email, full high availability is limited to the mail processing function.

In event of backend server connectivity or functionality failure, email processing will NOT be disrupted and will continue functioning normally.

The management interface how ever will be unaccessible in event of backend server connectivity or functionality failure.

When the backend server connectivity or functionality is restored, resynchronization of the system will take place and the management interface will return to normal functionality.

9.3.6 Load Balancers

Baruwa Enterprise Edition can be setup to use load balancers that support the [Proxy-protocol](#), the most popular being Haproxy.

To use Baruwa Enterprise Edition SMTP servers with these load balancers you need to specify the load balancer IP addresses in the `Load Balancer IP's` field on the `MTA Settings` screen in `baruwa-setup`

A sample configuration for haproxy with both HTTP and SMTP being load balanced is below.

```
global
    log 127.0.0.1    local0
    log 127.0.0.1    local1 notice
    maxconn 4096
    chroot /var/lib/haproxy
    user haproxy
    group haproxy
    daemon

defaults
    log         global
    mode        http
    option      httplog
    option      dontlognull
    option      redispatch
    retries    3
    maxconn    2000
```

```
    timeout connect      5000
    timeout client      50000
    timeout server      50000

listen http :80
    mode tcp
    option tcplog
    balance roundrobin
    server web1 192.168.1.20:80 check send-proxy
    server web2 192.168.1.23:80 check send-proxy

listen https :443
    mode tcp
    option tcplog
    balance roundrobin
    server web1 192.168.1.20:443 check send-proxy
    server web2 192.168.1.23:443 check send-proxy

listen smtp :25
    mode tcp
    no option http-server-close
    option tcplog
    timeout server 1m
    timeout connect 5s
    balance roundrobin
    server smtp1 192.168.1.22:25 send-proxy
    server smtp2 192.168.1.24:25 send-proxy
```

9.4 Customization

Baruwa Enterprise Edition configuration is done via a configuration management system, this means that manual changes to files are overwritten by the configuration management system.

In some cases end users would like to make local customizations which should not be overwritten. This section provides information on the supported customization mechanisms within Baruwa.

9.4.1 Configuration system customization

From BaruwaOS version 6.7.3, the entire configuration management system can be customized with local changes that are not overwritten when the system is upgraded or `baruwa-setup` is run.

Configuration system customization is supported by the salt configuration engine not the puppet configuration engine. The salt configuration engine is the default engine in BaruwaOS versions $\geq 6.7.3$.

To customize a configuration module make a copy of the module from `/srv/baruwa/salt/base` into `/srv/baruwa/salt/custom`. You can then make changes to the module within the `/srv/baruwa/salt/custom` directory. This changes will override the default configuration module.

Please note that you will be responsible for syncing any changes made to the upstream module to your own custom module when ever the upstream module is updated.

9.4.2 MTA Customization

The MTA configuration provides a number of hooks to allow the user to merge their own configuration into the running configuration managed by the configuration management system.

The following hooks are available.

Config file name	Purpose
/etc/exim/custom-lists.post	Add lists to lists section
/etc/exim/custom-vars.post	Add additional config options
/etc/exim/custom-acl_check_auth.pre	Add ACL's before the acl_check_auth ACL
/etc/exim/custom-acl_check_auth.post	Add ACL's after the acl_check_auth ACL
/etc/exim/custom-acl_check_quit.pre	Add ACL's before the acl_check_quit ACL
/etc/exim/custom-acl_check_quit.post	Add ACL's after the acl_check_quit ACL
/etc/exim/custom-acl_check_notquit.pre	Add ACL's before the acl_check_notquit ACL
/etc/exim/custom-acl_check_notquit.post	Add ACL's after the acl_check_notquit ACL
/etc/exim/custom-acl_check_mail.pre	Add ACL's before the acl_check_mail ACL
/etc/exim/custom-acl_check_mail.post	Add ACL's after the acl_check_mail ACL
/etc/exim/custom-acl_check_rcpt.pre	Add ACL's before the acl_check_rcpt ACL
/etc/exim/custom-acl_check_rcpt-rbls	Add RBL ACL's before the builtin RBL ACL's in the acl_check_rcpt ACL
/etc/exim/custom-acl_check_rcpt.post	Add ACL's after the acl_check_rcpt ACL
/etc/exim/custom-acl_check_data.pre	Add ACL's before the acl_check_data ACL
/etc/exim/custom-acl_check_data.post	Add ACL's after the acl_check_data ACL
/etc/exim/custom-acl_check_mime.pre	Add ACL's before the acl_check_mime ACL
/etc/exim/custom-acl_check_mime.post	Add ACL's after the acl_check_mime ACL
/etc/exim/custom-acl_check_connect.pre	Add ACL's before the acl_check_connect ACL
/etc/exim/custom-acl_check_connect.post	Add ACL's after the acl_check_connect ACL
/etc/exim/custom-acl_check_helo.pre	Add ACL's before the acl_check_helo ACL
/etc/exim/custom-acl_check_helo.post	Add ACL's after the acl_check_helo ACL
/etc/exim/custom-acl_check_dkim.pre	Add ACL's before the acl_check_dkim ACL
/etc/exim/custom-acl_check_dkim.post	Add ACL's after the acl_check_dkim ACL
/etc/exim/custom-routers.pre	Add routers before the default routers
/etc/exim/custom-routers-post-split.pre	Add routers before the split router
/etc/exim/custom-routers.post	Add routers after the default routers
/etc/exim/custom-transport.pre	Add transports before the default transports
/etc/exim/custom-transport.post	Add transports after the default transports
/etc/exim/custom-routers-out.pre	Add Outbound routers before the default routers
/etc/exim/custom-routers-out.post	Add Outbound routers after the default routers
/etc/exim/custom-transport-out.pre	Add Outbound transports before the default transports
/etc/exim/custom-transport-out.post	Add Outbound transports after the default transports

9.4.3 Scanner Customization

The Mail Scanning system configuration can be overridden by creating .local settings files in /etc/MailScanner/baruwa/rules. The following configuration files can be customized using the filename.local system.

Settings Filename	Purpose
approved.senders.rules	Approved senders ruleset
archives.filename.rules	Archives filenames ruleset
archives.filetype.rules	Archives filetype ruleset
Continued on next page	

Table 9.2 – continued from previous page

banned.senders.rules	Banned senders ruleset
deletedcontentmessage.rules	Deleted content message ruleset
deletedfilenamemessage.rules	Deleted filename message ruleset
deletedsizemessage.rules	Deleted message size message ruleset
deletedvirusmessage.rules	Deleted virus message ruleset
disinfectedreport.rules	Disinfected report ruleset
filename.rules	Blocked filename ruleset
filetype.rules	Blocked filetype ruleset
highspam.actions.rules	Definate spam actions ruleset
highspam.score.rules	Definate spam score ruleset
html.sigs.rules	HTML signature ruleset
inlinespamwarning.rules	Inline SPAM warning html message ruleset
inlinewarninghtml.rules	Inline SPAM warning text message ruleset
inlinewarningtxt.rules	Inline warning text message ruleset
languages.rules	Languages ruleset
message.size.rules	Message size ruleset
recipientspamreport.rules	Spam report ruleset
rejectionreport.rules	Rejection report ruleset
sendercontentreport.rules	Content protection report ruleset
sendererrorreport.rules	Sender Error report ruleset
senderfilenamereport.rules	Sender filename report ruleset
sendersizereport.rules	Sender message size report ruleset
senderspamrblreport.rules	Sender RBL blocked report ruleset
senderspamreport.rules	Sender SPAM blocked report ruleset
senderspamsareport.rules	Sender SPAM report ruleset
sendervirusreport.rules	Sender Virus Blocked report ruleset
sig.imgs.names.rules	Signature image names ruleset
sig.imgs.rules	Signature images ruleset
sign.clean.msgs.rules	Sign clean messages ruleset
spam.actions.rules	Possible spam actions ruleset
spam.checks.rules	Spam checks ruleset
spam.score.rules	Spam score ruleset
storedcontentmessage.rules	Stored content message ruleset
storedfilenamemessage.rules	Stored filename message ruleset
storedsizemessage.rules	Stored size message ruleset
storedvirusmessage.rules	Stored virus message ruleset
text.sigs.rules	Text signature ruleset
virus.checks.rules	Virus checks ruleset

9.5 Addons

9.5.1 Message Sniffer

The Message Sniffer software is designed to be installed on an email server or filtering appliance. Message Sniffer is driven by a professionally managed rulebase, available via subscription, that is continuously monitored and updated by intelligent machines and highly trained analysts. This teamwork between synthetic intelligence and extraordinary people reduces your administrative workload to a minimum and allows SNF to respond quickly (within minutes) to new threats while also predicting future hazards so they can be blocked before they arrive. Details on Message Sniffer can be found on their website at <http://www.armresearch.com/Products/aboutSNF.jsp>

Baruwa Enterprise Editions integrates with the Message Sniffer software.

Purchase

Message Sniffer subscriptions are available for purchase from us at discounted list prices. To purchase a Message Sniffer subscription please contact us.

Installation

The automated install system is capable of installing and configuring Message Sniffer software. In order to install Message Sniffer using the automated system, you need to contact us to purchase a subscription we will email you an AUTHENTICATION ID as well as a LICENSE ID.

You should then run the `baruwa-setup` utility and set the Authentication ID and the License ID in the Message Sniffer Settings screen and check the Enable Message Sniffer checkbox. The utility will setup your system to use Message Sniffer.

To install manually [Not recommended], you need to install the software by running the following command:

```
yum install spamassassin-plugin-snf snf snf-server -y
```

You then need to edit the following files and set the license id and authentication id.

- `/etc/snf-server/identity.xml`
- `/etc/sysconfig/snf-server`

After which you need to restart the server:

```
service snf-server restart
```

9.6 Additional Anti Virus Engines

By default Baruwa Enterprise Editions runs the ClamAV Anti Virus engine at SMTP time. You can on a per domain basis change this behaviour to have Anti Virus checks run after you have accepted the message.

You can also ran additional Anti Virus Engines both at SMTP time within the MTA process and after accepting the message from within the scanner process.

The recommended approach is to ran Anti-Virus checks at SMTP time and reject the messages straight away.

The following Anti Virus Engines are supported.

Name	SMTP Time Scanning	POST SMTP Time Scanning
<i>ClamAV</i>	Yes	Yes
<i>Sophos</i>	Yes	Yes
<i>F-Secure</i>	Yes	Yes
<i>ESET</i>	No	Yes
<i>F-PROT</i>	No	Yes

9.6.1 Installation and Configuration

ClamAV

ClamAV is part of the base install and is configured to run by default at SMTP time. If you want to perform scanning POST SMTP time then you need to select the Clamav Daemon under virus checks in the MailScanner settings section of the interface.

Sophos

To install Sophos, download the Antivirus for Linux package from the Sophos website. The software is free to download and use.

You need an additional 1GB of RAM to ran the Sophos Anti-Virus Engine.

Copy the tar file to the `/usr/local/src` directory on your server.

Follow the following steps to install and configure the software.

- Extract the files from the tar file.:

```
tar xvf sav-linux-free-9.tgz
```

- Run the setup script:

```
./sophos-av/install.sh
```

- The script will prompt you for information as follows.:

```
Press <return> to display Licence. Then press <spc> to scroll forward.
```

Press enter, until you get to the bottom of the License text.:

```
Do you accept the licence? Yes (Y)/No (N) [N]
```

Type Y if you want to accept the license or N if not. If you enter N then the script will exit.:

```
Where do you want to install Sophos Anti-Virus? [/opt/sophos-av]
```

Leave at the default and press enter.:

```
Do you want to enable on-access scanning? Yes (Y)/No (N) [Y]
```

Type N and press enter.:

```
Which type of auto-updating do you want? From Sophos (s)/From own server (o)/None (n) [s]
```

Press enter.:

```
Do you wish to install the Free (f) or Supported (s) version of SAV for Linux? [s]
```

Type s if you want the supported version or f for the free version.:

```
Do you need a proxy to access Sophos updates? Yes (Y)/No (N) [N]
```

Press enter.

The script will perform the installation and setup. If all goes well you should get the following message:

```
Starting Sophos Anti-Virus daemon: [ OK ]  
Installation completed.
```

- At this point you are now ready to configure the software. To do so run the following:

```
/opt/sophos-av/bin/savconfig UINotifier false
/opt/sophos-av/bin/savconfig EmailNotifier false
/opt/sophos-av/bin/savconfig EnableOnStart false
/opt/sophos-av/bin/savconfig UIttyNotification false
/opt/sophos-av/bin/savconfig SendThreatEmail false
/opt/sophos-av/bin/savconfig UpdatePeriodMinutes 30
/opt/sophos-av/bin/savconfig EmailDemandSummaryIfThreat false
/opt/sophos-av/bin/savupdate
/opt/sophos-av/bin/savdctl --daemon disable
service sav-protect restart
```

- Create a wrapper script for SMTP Time scanning:

```
cat > /usr/local/bin/sav-scan << 'EOF'
#!/bin/bash
#
# Wrap the savscan
/opt/sophos-av/bin/savscan -nb -sc -f -all -rec -ss -archive -loopback --no-follow-symlinks --no
exit 0
EOF
```

- Make the wrapper script executable:

```
chmod +x /usr/local/bin/sav-scan
```

- Add a custom MTA configuration override for SMTP Time scanning (Skip if you want to scan after SMTP time):

```
cat >> /etc/exim/custom-acl_check_data.post << 'EOF'
  drop      set acl_m_av_scanner = cmdline:/usr/local/bin/sav-scan %s: found in file: '(.)'
    malware      = *
    condition     = ${if and {{eq ${lookup{$sender_host_address}cdb{SAVDB}{0}{1}}}{1}}{eq ${
    message       = The message was rejected due to security policies - INFO_URL#nvi
    log_message   = This message matched anti-virus signature [${malware_name}]
EOF
```

- Restart mailscanner for the above configuration to take effect:

```
service mailscanner restart
```

- To enable POST SMTP Time Scanning, select the Sophos under virus checks in the MailScanner settings section of the interface.

F-Secure

To install F-Secure, download the Linux Server Security package from the F-Secure website. This commercial software so you need to purchase a license. If you do not have a license the software will work in evaluation mode for 30 days after which it will cease to function correctly.

You need an additional 1GB of RAM to ran the F-Secure Anti-Virus Engine.

Copy the tar file to the `/usr/local/src` directory on your server.

Follow the following steps to install and configure the software.

- Extract the files from the tar file.:

```
tar xzvf fsfs-11.00.79-rtm.tar.gz
```

- F-Secure does not provide 64-bit packages so you need to install 32-bit compat packages:

```
yum install glibc.i686 libstdc++.i686
```

- Run the setup script:

```
./fsls-11.00.79-rtm/fsls-11.00.79-rtm --command-line-only --auto standalone lang=en noremotewui
```

- Edit the `/etc/opt/f-secure/fssp/fssp.conf` configuration file and make the following changes:

```
odsFileScanInsideMIME 1
odsFilePrimaryActionOnInfection 1
odsFileSecondaryActionOnInfection 2
odsAskQuestions 0
odsFollowSymlinks 1
daemonLogfileEnabled 1
daemonSocketMode 0660
socketpathGroup exim
```

- Install the `fsavd` init script:

```
cp /opt/f-secure/fssp/etc/fsavd /etc/init.d/
chmod +x /etc/init.d/fsavd
chkconfig --add fsavd
```

- Start the `fsavd` service:

```
service fsavd start
```

- Add a custom MTA configuration override for SMTP Time scanning (Skip if you want to scan after SMTP time):

```
cat >> /etc/exim/custom-acl_check_data.post << 'EOF'
drop      set acl_m_av_scanner = fsecure:/tmp/.fsav-0
          malware             = *
          condition           = ${if and {{eq ${lookup{$sender_host_address}cdb{SAVDB}{0}{1}}}{1}}{eq ${}}
          message              = The message was rejected due to security policies - INFO_URL#nvi
          log_message          = This message matched anti-virus signature [$malware_name]
EOF
```

- Restart mailscanner for the above configuration to take effect:

```
service mailscanner restart
```

- To enable POST SMTP Time Scanning, select the F-Secure under virus checks in the MailScanner settings section of the interface.

ESET

To install ESET, download the ESET for Linux package from the ESET website. This commercial software so you need to purchase a license.

You need an additional 512Mb of RAM to ran the Sophos Anti-Virus Engine.

- ESET does not provide 64-bit packages so you need to install 32-bit compat packages:

```
yum install glibc.i686 libstdc++.i686
```

- Install the ESET rpm package.
- To enable POST SMTP Time Scanning, select the ESET under virus checks in the MailScanner settings section of the interface.

F-PROT

There is a package available for F-PROT with in our repository. This commercial software so you need to purchase a license.

- To install the package run:

```
yum install f-prot
```

- To enable POST SMTP Time Scanning, select the `F-prot Daemon 6` under virus checks in the MailScanner settings section of the interface.

9.7 Themes

Themes, also known as skins, in the Baruwa Enterprise Edition are a combination of Mako Template, CSS and JS files that control the appearance of the Baruwa Web interface as well as reports and emails sent out by the system.

The theme system allows you to easily change the appearance of Baruwa, for example, to use the logo and colors of your company or institution.

There are two kinds of themes:

- `Default theme`
- `Hostname/Domain linked themes`

A `Default theme` can be used to override the built-in appearance for all hosts and domains on a server. A `Default theme` must be named `default` and only one default theme can be configured on a server.

`Hostname/Domain Themes` are linked to the hostname used to access the Baruwa server and the domain user accounts belong to, which means that you can virtual host various brands on the same server with different appearance and product name for each.

Using themes ensures that the changes you make survive upgrades as opposed to changes made to the built-in template and asset files shipped with Baruwa which get overwritten during an upgrade.

9.7.1 What can be customized

- Logos
- Web interface
- Emails
- Reports
- Product name
- Product url

9.7.2 Guidelines

Themes **MUST** retain the copyright notice at the bottom. The copyright notice should not be obscured or hidden. Failure to comply with the rebranding guidelines will lead to termination of your subscription.

If you would like to fully rebrand the interface please [purchase](#) a rebranding license.

Note: Themes that remove the copyright notices without a rebranding license will not render.

9.7.3 Configuration

The default configuration assumes that themes are stored under the following directory `/usr/share/baruwa/themes` with the following directory structure:

```
/templates/default/  
/templates/<hostname>/  
/templates/<domainname>/  
/assets/default/  
/assets/<hostname>/  
/assets/<domainname>/
```

Themes are configured by:

- Pointing the web server configuration for assets to the `default` and `site's` asset directory
- Setting the `baruwa.themes.base` to the directory containing the themes
- Setting the `baruwa.custom.name` to the custom product name
- Setting the `baruwa.custom.url` to the custom product web url

9.7.4 Creating a simple theme

To start off, you simply copy the built-in templates and assets into the a theme directory for the hostname you would like to customize for.

I will be using the hostname `spamfighter.example.com`:

```
BARUWA_PATH=$(python -c "from distutils.sysconfig import get_python_lib; print get_python_lib(1)")  
mkdir -p /usr/share/baruwa/themes/assets/spamfighter.example.com/  
mkdir -p /usr/share/baruwa/themes/templates/spamfighter.example.com/  
cp -a $BARUWA_PATH/baruwa/templates/* /usr/share/baruwa/themes/templates/spamfighter.example.com/  
cp -a $BARUWA_PATH/baruwa/public/* /usr/share/baruwa/themes/assets/spamfighter.example.com/
```

You can now modify the changes to the templates under `/usr/share/baruwa/themes/templates/spamfighter.example.com` and the CSS, JS and image files under `/usr/share/baruwa/themes/assets/spamfighter.example.com/`

In order to brand other non web interfaces such as email you need to link the themes to the domain name you want to brand.

For example to theme the domain name `example.com`:

```
ln -s /usr/share/baruwa/themes/assets/spamfighter.example.com \  
/usr/share/baruwa/themes/assets/example.com  
ln -s /usr/share/baruwa/themes/templates/spamfighter.example.com \  
/usr/share/baruwa/themes/templates/example.com
```

9.7.5 Default theme

A default theme allows you to customize all the domains on your system using one theme. To create a default theme, simply create templates and assets directories named `default`:

```
BARUWA_PATH=$(python -c "from distutils.sysconfig import get_python_lib; print get_python_lib(1)")
mkdir -p /usr/share/baruwa/themes/assets/default
mkdir -p /usr/share/baruwa/themes/templates/default
cp -a $BARUWA_PATH/baruwa/templates/* /usr/share/baruwa/themes/templates/default/
cp -a $BARUWA_PATH/baruwa/public/* /usr/share/baruwa/themes/assets/default/
```

You can now modify the changes to the templates under `/usr/share/baruwa/themes/templates/default/` and the CSS, JS and image files under `/usr/share/baruwa/themes/assets/default/`

9.7.6 Creating themes from scratch

It is possible to totally redesign the Baruwa interface using a theme, this requires an understanding of the data being sent into the template files by Baruwa as well as the Mako Template language.

We do provide theme customization services, contact us via the contact details on the baruwa.com website.

9.7.7 Emails and Reports

Emails and Reports sent to non admin users will automatically use themes.

9.8 Baruwa API


The Baruwa API allows you to manage a Baruwa Server in a programmatic way using conventional HTTP requests. The endpoints are intuitive and powerful, allowing you to easily make calls to retrieve information or to execute actions. The Baruwa API is organized around REST and uses OAUTH 2.0 authentication. It is therefore possible to use off-the-shelf HTTP clients in any programming language.

Most of the functionality that you are familiar with in the Baruwa web interface is also available through the API, allowing you to script the complex actions that your situation requires.

9.8.1 How Baruwa uses OAuth 2.0

OAuth is an industry-standard open standard for authorization used by many companies to provide secure access to protected resources. The Baruwa API uses the OAuth 2.0 protocol to authorize requests.

Here is an overview of how the OAuth 2.0 auth flow works:



Application registration

Register your application by logging into the Baruwa web interface, and by going to the API & Applications menu under the user account.

When you create a new application, Baruwa generates a set of OAuth keys for the application (the keys consist of a `client_id` and `client_secret`).

Access token requests

You then obtain an access token for your application by sending a request to the `/api/v1/oauth/token` endpoint. You need to authenticate your access token request with your application credentials obtained as described above.

The Baruwa server, acting as the authorization server, verifies your application credentials and returns `Bearer` and `Refresh` access tokens.

API request authentication

When you make the API calls, make request by adding the access token in the `Authorization` header using the following syntax:

```
Authorization: {tokenType} {accessToken}
```

Example:

```
Authorization: Bearer XXXXXX...XXXXX9X2
```

9.8.2 Documentation

The Baruwa API documentation is available [online](#).

9.8.3 API Libraries

Python

Available through pip:

```
pip install BaruwaAPI
```

If your system doesn't have pip, you can also use easy_install:

```
easy_install BaruwaAPI
```

The source code is in the [Github BaruwaAPI repo](#) and the package is available on [PyPI](#)

Ruby

Available as a gem:

```
gem install baruwa
```

If you use bundler, add the following line:

```
gem 'baruwa'
```

The source code is in the [Github baruwa-ruby repo](#) and the package is available on [rubygems.org](#)

Perl

Available as a cpan package:

```
cpan Net::BaruwaAPI
```

The source code is in the [Github Net-BaruwaAPI repo](#) and the package is available on [cpan](#)

Under development

The following languages are currently under development.

- Go

9.9 Email Protection Best Practices

In addition to installing and configuring Baruwa Enterprise Edition systems for your email protection you need to implement some email best practices.

Implementing these best practices will ensure, improved email performance and security.

9.9.1 Reverse DNS

The [reverse DNS resolution](#) (rDNS) maps an IP address to a hostname. Most email servers are configured to reject any email that doesn't have a valid rDNS.

You need to configure the rDNS record for your external IP address to match the mail hostname you have configured for your Baruwa servers.

9.9.2 SPF

Sender Policy Framework (SPF) is an email validation system, it is designed to detect and prevent against email spoofing.

By creating an SPF record for your domains, systems that receive email purported to be from your domain are able to verify if the system sending the email is indeed authorized to send email using that domain name.

SPF needs to be configured in each domain's Public DNS zone. The SPF syntax is documented on the [openspf website](#). You can use the [easySPF](#) or [mailradar](#) generation tools to create your SPF records.

Various online tools exist to test SPF records you can use your favorite search engine to locate one.

9.9.3 DKIM

DomainKeys Identified Mail (DKIM) is an email authentication system, it is also designed to detect and prevent against email spoofing.

DKIM allows the receiver to check that an email claimed to come from a specific domain was indeed authorized by the owner of that domain which is done using cryptographic authentication.

DKIM keys need to be generated for each domain for which you are relaying email through the Baruwa server on your Baruwa server, and the public key needs to be added to the domain's public DNS zone.

Various online tools exist to test DKIM records you can use your favorite search engine to locate one.

9.9.4 DMARC

Domain-based Message Authentication, Reporting & Conformance, is an email validation system designed to detect and prevent against email spoofing.

DMARC is built on top of two existing mechanisms, Sender Policy Framework (SPF) and DomainKeys Identified Mail (DKIM).

DMARC needs to be configured in each domain's public DNS zone. Various tools exist to help you generate DMARC records, use your favorite search engine to locate one.

Various online tools exist to test DKIM records you can use your favorite search engine to locate one.

ADMINISTRATORS GUIDE

10.1 Managing Organizations

Note: Organizations can be managed via the [API](#) as well.

Organizations enable easy management of large number of domains, Administrators are assigned to Organizations and can manage all the domains with in the organization.

You can create smaller organizations out of bigger organizations and add specific domains from a bigger organization to allow delegation of domain management.

10.1.1 Adding an Organization

Organizations can be added by either importing them using a YAML file, via the [API](#) or by adding them using the Add Organization form.

To add an Organization by import refer to [Importing Organizations](#). To add an Organization via the API refer to the API documentation.

1. Mouse over or Click Organizations
2. Click Add Organization
3. Enter the name in Organization name
4. Select domain in Domains list if they already exist
5. Select admins from Admins list if they already exist
6. Click the Add organization Button

10.1.2 Updating an Organization

1. Click Organizations
2. Select organization > Click Edit
3. Make changes
4. Click the Update organization Button

10.1.3 Deleting an Organization

1. Click `Organizations`
2. Select `organization` > Click `Delete`
3. Check `Delete Organization domains` if you want to delete domains belonging to the organization.
4. Click the `Delete organization Button`

10.1.4 Search for an Organization

If you have a large number of organizations you can search for an organization by name.

1. Click `Organizations`
2. Enter the organization name in the search box
3. Click the `Search Button`

10.1.5 List all domains that belong to an organization

To find all domains that belong to a specific organization.

1. Click `Organizations`
2. Select `organization` > Click `List domains`

10.1.6 List all accounts that belong to an organization

To find all accounts that belong to a specific organization.

1. Click `Organizations`
2. Select `organization` > Click `List accounts`

10.1.7 Add a new domain to an organization

1. Click `Organizations`
2. Select `organization` > Click `Add domain`
3. Enter the domain details
4. Click `Add domain`

10.1.8 Importing Organizations

Full organizations with their admins and domains as well as other settings can be imported. To import organizations.

1. Click `Organizations`
2. Select `organization` > Click `Import Organizations`
3. Browse for the YAML file by clicking `Browse` next to the `YAML file` field
4. Click the `Import Button`

10.1.9 Exporting Organizations

You can export all the organizations on a system. To export organizations.

1. Click `Organizations`
2. Click `Export Organizations`
3. Click `Download the YAML file`
4. Save the file to your computer

10.1.10 Import domains in to an organization

Domains can be imported using a YAML formatted file. To import domains in to an organization.

1. Click `Organizations`
2. Select `organization` > Click `Import domains`
3. Browse for the YAML file by clicking `Browse` next to the `YAML file` field
4. Click the `Import Button`

10.1.11 Export an Organization's user accounts

You can export all the user accounts with in an organization.

1. Click `Organizations`
2. Click the organization name
3. Click `Export accounts`
4. Click `Download the YAML file`
5. Save the file to your computer

10.1.12 View Organization details

To view the details of an organization such as number of domains, admins, relay settings

1. Click `Organizations`
2. Click the organization name

10.1.13 Add Outbound SMTP relay settings

Relaying of outbound mail is authenticated on a per organization basis, to enable an organization to send outbound mail through Baruwa you need to add relay settings.

Two kinds of outbound relaying are supported.

- IP address
- SMTP AUTH

You can also set spam check thresholds and actions to outbound SMTP relays that have an IP address, this allows you to manage spam on outbound email. The spam thresholds and actions work the same way they do for domains and users but will in this case apply to email originating from the specified IP address.

Add Outbound SMTP IP Address settings

This allows the specific IP address to send outbound mail through Baruwa.

1. Click `Organizations`
2. Click the organization name
3. Click `Add relay setting`
4. Enter the IP address in the `Hostname` field
5. Ensure the `Enabled` checkbox is checked
6. Enter a description in the `Description` field
7. You can change the `Number of messages per 15 minutes` if the default is not high enough for you
8. Enter `Probable spam score` and `Definite spam score` values if you do not want to use the defaults
9. Select the `What to do with probable spam` and `What to do with definite spam actions`
10. Click `Add settings`

Update Outbound SMTP IP Address settings

1. Click `Organizations`
2. Click the organization name
3. Select the `Relay Host` in the list at the bottom and click the edit icon
4. Make the required changes
5. Click `Update settings`

Delete Outbound SMTP IP Address settings

1. Click `Organizations`
2. Click the organization name
3. Select the `Relay Host` in the list at the bottom and click the delete icon
4. Click `Delete settings`

Add Outbound SMTP AUTH settings

This allows any client that supplies these credentials to send outbound mail through Baruwa.

1. Click `Organizations`
2. Click the organization name
3. Click `Add relay setting`
4. Ensure the `Enabled` checkbox is checked
5. Enter the username in the `SMTP-AUTH username` field
6. Enter the password in the `SMTP-AUTH password` field
7. Reenter the password in the `Retype Password` field

8. Enter a description in the `Description` field
9. You can change the `Number of messages per 15 minutes` if the default is not high enough for you
10. Click `Add settings`

Update Outbound SMTP AUTH settings

1. Click `Organizations`
2. Click the organization name
3. Select the SMTP AUTH item in the list at the bottom and click the edit icon
4. Make the required changes
5. Click `Update settings`

Delete Outbound SMTP AUTH settings

1. Click `Organizations`
2. Click the organization name
3. Select the SMTP AUTH item in the list at the bottom and click the delete icon
4. Click `Delete settings`

10.2 Managing Domains

Note: Domains can be managed via the [API](#) as well.

10.2.1 Adding a Domain

Domains can be added by either importing them using a YAML file, via the [API](#) or by adding them using the `Add domain` form.

To add a domain by import refer to *[Import domains in to an organization](#)*. To add a domain via the API refer to the [API](#) documentation.

To add a domain using the `Add domain` form,

1. Mouse over or Click `Domains`
2. Click `Add a domain`
3. Enter the domain details
4. Click the `Add domain` Button

10.2.2 Updating a Domain

1. Click `Domains`
2. Select the domain > Click `Edit` under actions
3. Update the details you want to change

4. Click the Update Domain Button

10.2.3 Deleting a Domain

1. Click Domains
2. Select the domain > Click the Domain name
3. Click Delete domain
4. Click the Delete Domain Button

10.2.4 Exporting Domains

Domains can be exported to CSV, To export domains.

1. Click Domains
2. Click Export Domains
3. Click Download the csv file
4. Save the CSV file to your computer

10.2.5 Domain Settings

Each domain has a range of additional settings that you can configure. These include *Delivery Servers, Authentication Settings, Alias Domains, DKIM, Signatures*

Delivery Servers

Delivery servers are the actual mail servers hosting the email accounts where messages processed by Baruwa need to be delivered.

Multiple servers per domain are supported and they can be configured to either load balance or fail over.

In load balance mode mail is sent to the group of servers in a round robin manner while in fail over mail is sent to the first in the list and only to the others if the first is not available.

Adding a delivery server

1. Click Domains
2. Select the domain > Click the actions settings icon
3. Click Add delivery server
4. Enter server IP address or Hostname in the Server address field
5. Select the protocol in the Protocol drop down
6. Change the port in the Port field if your mail server does not use port 25
7. Ensure the Enabled checkbox is checked
8. Click the Add server button

Editing a delivery server

1. Click Domains
2. Select the domain > Click the Domain name
3. Scroll to the bottom
4. Select the delivery server > Click Edit
5. Make changes
6. Click the Update server button

Deleting a delivery server

1. Click Domains
2. Select the domain > Click the Domain name
3. Scroll to the bottom under Delivery Servers
4. Select the delivery server > Click Delete
5. Click the Delete server button

Authentication Settings

Authentication settings allow users within a domain be be authenticated to an external authentication system.

This can be used for centralized user management and to allow users to use existing authentication credentials instead of creating duplicate accounts on the Baruwa system.

The supported external authentication mechanisms include:

- AD/LDAP
- SMTP
- POP3
- IMAP
- RADIUS

The following mechanisms are planned but have not been implemented yet:

- YUBIKEY
- OAUTH

The AD/LDAP mechanism allows for the user details in the directory to be automatically updated to the Baruwa account created for them. These details include:

- First name
- Last name
- Primary Email Address
- Alias Email Addresses

Adding Authentication Settings

1. Click `Domains`
2. Select the domain > Click the actions `settings` icon
3. Click `Add Authentication settings`
4. Enter server IP address or Hostname in the `Server address` field
5. Select the Authentication protocol in the `Protocol` drop down
6. Enter the port in the `Port` field
7. Ensure the `Enabled` checkbox is checked
8. Check the `Split address` checkbox if the username does not contain the domain part
9. Enter a username map template if your usernames require translation e.g Webmin creates usernames like `domainowner.username` the template would be `domainowner.%(user)s` For available variables see *Username map template variables*
10. Click the `Add` button

The AD/LDAP and RADIUS mechanisms require additional settings which can be added by *Adding AD/LDAP Authentication additional settings* and *Adding RADIUS Authentication additional settings*.

Username map template variables

Username map templates allow you to map Baruwa logins to complex user naming schemes such as those used by web hosting control panels for `virtual accounts`.

The following variables are available to your username map template:

- `%(user)s` - replaced by user part of the login
- `%(domain)s` - replaced by the domain part of the login

Adding AD/LDAP Authentication additional settings

AD/LDAP authentication requires the following additional setting.

- `Base DN` - The LDAP Directory Base DN
- `Username attribute` - The username attribute, defaults to `uid`
- `Email attribute` - The email attribute, defaults to `mail`
- `Bind DN` - The BIND DN if Directory does not allow anonymous binds
- `Bind password` - The BIND password
- `Use TLS` - Use a TLS connection
- `Search for UserDN` - Find the UserDN then Bind to that
- `Auth Search Filter` - Filter used to find the UserDN, *LDAP Search Filter Variables* are supported
- `Auth Search Scope` - Search Scope, defaults to `subtree`
- `Email Search Filter` - Filter used to find email addresses, *LDAP Search Filter Variables* are supported
- `Email Search Scope` - Search Scope, defaults to `subtree`

To Add AD/LDAP Authentication additional settings:

1. Click `Domains`
2. Select the domain > Click the `Domain` name
3. Scroll to the bottom under `Authentication Servers`
4. Select the `LDAP Authentication server` > Click `Settings`
5. Enter the required settings
6. Click the `Save settings` button

LDAP Search Filter Variables

The following variables are available for use in your LDAP search filters.

- `%n` - login (`user@domain`)
- `%u` - user (user part of the login)
- `%d` - domain (domain part of the login)
- `%D` - domainDN (domain DN)

Variable	Auth Search Filter	Email Search Filter
<code>%n</code>	Available	Not Available
<code>%u</code>	Available	Available
<code>%d</code>	Available	Available
<code>%D</code>	Available	Not Available

Adding RADIUS Authentication additional settings

The RADIUS protocol requires a shared secret between the client and the server, the additional settings allows you to configure this.

To Add RADIUS Authentication additional settings:

1. Click `Domains`
2. Select the domain > Click the `Domain` name
3. Scroll to the bottom under `Authentication Servers`
4. Select the `RADIUS Authentication server` > Click `Settings`
5. Enter the shared secret in the `Radius secret` field
6. Click the `Save settings` button

Alias Domains

Some organisations have email addressed to the same account using different domain names, Alias domains allow users access to all their messages regardless of the domain name under a single login.

By adding an alias to a domain name, Baruwa will accept and process email for that domain alias as well. This simplifies configuration in cases where an organisation owns multiple domains for example `example.com`, `example.net` and `example.org`. You can add `example.com` as a domain and then add the others as domain aliases of `example.com`.

Adding an Alias Domain

1. Click Domains
2. Select the domain > Click the actions settings icon
3. Click Add Alias Domain
4. Enter Alias domain name in the Domain alias name field
5. Ensure the Enabled checkbox is checked
6. Click the Add button

DKIM

DomainKeys Identified Mail (DKIM) is a method for associating a domain name to an email message, thereby allowing a person, role, or organization to claim some responsibility for the message. The association is set up by means of a digital signature which can be validated by recipients. [Wikipedia](#)

Baruwa allows you to manage the digital signatures within the interfaces and signs any outbound messages for which DKIM is enabled.

Generate DKIM Keys

To generate DKIM keys for a domain,

1. Click Domains
2. Select the domain > Click the actions settings icon
3. Click DKIM > Generate DKIM keys
4. Select DNS record and add to you DNS zone

Enable DKIM signing

1. Make sure your have followed the steps in *Generate DKIM Keys*
2. Click Domains
3. Select the domain > Click the actions settings icon
4. Click DKIM > Enable/Disable DKIM signing
5. Ensure the Enabled checkbox is checked
6. Click the Submit button

Regenerate DKIM keys

1. Click Domains
2. Select the domain > Click the actions settings icon
3. Click DKIM > Regenerate DKIM keys
4. Select DNS record and update your DNS zone

Signatures

Baruwa can manage email signatures / disclaimers that are added to messages that are sent outbound through it. Both HTML and Text signatures are supported. HTML signatures can contain a single embedded image.

Adding Signatures/Disclaimers

1. Click Domains
2. Select the domain > Click the actions settings icon
3. Click Signatures > Add signature
4. Select Signature type from the drop down
5. Enter signature content
6. Ensure the Enabled checkbox is checked
7. Click the Add signature button

Importing Accounts

Accounts can be imported into a domain using a YAML file.

1. Click Domains
2. Select the domain > Click the actions settings icon
3. Click Import accounts
4. Browse for the YAML file by clicking Browse next to the YAML file field
5. Click the Import Button

Exporting Accounts

Accounts can be exported from a domain to a YAML file.

1. Click Domains
2. Select the domain > Click the actions settings icon
3. Click Export accounts
4. Click Download the YAML file
5. Save the file to your computer

Rulesets

Note: Domain specific rule sets are not implemented yet.

10.2.6 Searching for Domains

If you have a large number of domains you can search for a domain by name.

1. Click `Domains`
2. Enter the `Domains` name in the search box
3. Click the `Search Button`

10.2.7 Bulk domain management

To enable, disable or delete multiple domains:

1. Click `Domains`
2. Use the checkbox to select the domains
3. Select `enable` or `disable` or `delete` at the top
4. Click the `Submit button`

10.3 Managing Accounts

Note: Accounts can be managed via the [API](#) as well.

10.3.1 Adding an Account

Accounts can be added by either importing them using a YAML file, via the [API](#) or by adding them using the `Add Account` form.

To add an Account by import refer to *Importing Accounts*. To add a Account using the `Add Account` form:

1. Mouse over or Click `Accounts`
2. Click `Add Account`
3. Enter the Account details
4. Click the `Create Account button`

10.3.2 Updating an Account

1. Click `Accounts`
2. Select the account > Click `Edit` under actions
3. Update the details you want to change
4. Click the `Update account button`

10.3.3 Deleting an Account

1. Click `Accounts`
2. Select the Account > Click the `Account` name
3. Click `Delete` account
4. Click the `Delete Account` button

10.3.4 Exporting Accounts

Accounts can be exported to CSV, To export accounts.

1. Click `Accounts`
2. Click `Export Accounts`
3. Click `Download the csv file`
4. Save the CSV file to your computer

10.3.5 Search for Accounts

If you have a large number of accounts you can search for an account or accounts by name.

1. Click `Accounts`
2. Enter the `Accounts` name in the search box
3. Click the `Search` Button

10.3.6 Add alias address

Alias addresses enable a user to view emails addressed to other addresses that belong to them apart from their primary email address.

`Address tags` are supported. The `+` and `-` separators are supported. It is possible to add addresses such as `username-*@domain.com` and `username+*@domain.com`. That will match `username-work@domain.com` and `username+work@domain.com`.

To add an Alias address.

1. Click `Accounts`
2. Select the Account > Click the `Username`
3. Click then `Add alias address` menu option
4. Enter `Email Address`
5. Check the `Enabled` checkbox
6. Click the `Create` button

10.3.7 Update alias address

1. Click `Accounts`
2. Select the Account > Click the Username
3. Find the alias address under `Alias Addresses`
4. Click the `Edit` icon
5. Update the `Email Address`
6. Check or uncheck the `Enabled` checkbox
7. Click the `Update` button

10.3.8 Delete alias address

1. Click `Accounts`
2. Select the Account > Click the Username
3. Find the alias address under `Alias Addresses`
4. Click the `Delete` icon
5. Click the `Delete` button

10.3.9 Add account signatures

Baruwa can manage email signatures / disclaimers that are added to messages that are sent outbound through it. Both HTML and Text signatures are supported. HTML signatures support a single embedded image.

Account specific signatures/disclaimers can be setup.

1. Click `Accounts`
2. Select the Account > Click the Username
3. Click `Add signature`
4. Select `Signature` type from the drop down
5. Enter signature content
6. Ensure the `Enabled` checkbox is checked
7. Click the `Add signature` button

10.3.10 Changing an Account password

Domain administrator and normal user account passwords can be changed using the web interface, administrator accounts can only be changed using the command line.

To change an account password:

1. Click `Accounts`
2. Select the Account > Click the Username
3. Click `Change password`
4. Enter the password in the `New Password` field

5. Reenter the password in the `Retype Password` field
6. Click the `Change password` button

10.3.11 Bulk account management

To enable, disable or delete multiple accounts:

1. Click `Accounts`
2. Use the checkbox to select the accounts
3. Select `enable` or `disable` or `delete` at the top
4. Click the `Submit` button

10.4 Managing API Applications

API applications are used to setup credentials for API client applications, to see how this works refer to *How Baruwa uses OAuth 2.0*

API applications are only available on Administrator and Domain Administrator accounts.

10.4.1 Adding an Application

To add an Application:

1. Click `Accounts`
2. Select the user account or search for it and click it.
3. Click the `Apps & API` sub menu.
4. Click the `Register new Application` link.
5. Fill in the Application details and select the scopes required.
6. Click `Create`.
7. The application details will be displayed.

10.4.2 Updating an Application

To update an existing application.

1. Click `Accounts`
2. Select the user account or search for it and click it.
3. Click the `Apps & API` sub menu.
4. Find the application in the list and click the `Edit` link under actions
5. Make the required changes.
6. Click `Update`.
7. The application details will be displayed.

10.4.3 Deleting an Application

To delete an existing application.

1. Click `Accounts`
2. Select the user account or search for it and click it.
3. Click the `Apps & API` sub menu.
4. Find the application in the list and click the `Edit` link under actions
5. Click `Delete`.
6. You will be returned to the `Apps & API` page.

10.5 Managing Settings

10.5.1 Scanning Nodes

In order to manage the scanner settings as well as get status information on your Baruwa servers you need to add them as scanning nodes.

Adding a Scanning Node

Note: Only add systems of `Standalone`, `Web and Mail System` and `Mail System profile`.

To add a scanning node, you:

1. Mouse over or Click `Settings`
2. Click `Add scanning node`
3. Enter the `Hostname` in the `Hostname` field
4. Enter the `IP address` [only on clustered setups]
5. Change the port if using different port [only on clustered setups]
6. Ensure the `Enabled` checkbox is checked
7. Click the `Add node` button

Update a Scanning Node

1. Click `Settings`
2. Select the `Scanning Node` in the list and click the edit icon
3. Make the required changes
4. Click the `Update node` button

Delete a Scanning Node

1. Click `Settings`
2. Select the Scanning Node in the list and click the delete icon
3. Click the `Delete node` button

Customize Node scanner settings

You can customize scanner settings for a specific node.

1. Click `Settings`
2. Select the scanning node > Click settings under actions
3. Make the changes
4. Click the `Save settings` button

Customize the Global scanner settings

These settings apply to all scanners that are managed from within this interface.

1. Mouse over or Click `Settings`
2. Click `MailScanner settings`
3. Make the changes
4. Click the `Save settings` button

10.5.2 Content Protection

Content Protection in Baruwa is used to manage the types of email attachments that users are allowed to send and receive. A full description is available at [Content Protection](#)

Viewing the System Default Policy

Baruwa ships default policies which are used if none is configured by the user. To view the rules in these policies:

1. Mouse over or Click `Settings`
2. Click `Content Protection`
3. Click the `Policy Type` (`Archive File Policies`, `Archive Mime Policies`, `File Policies`, `Mime Policies`)
4. Click `System Default`

Cloning a Policy

Cloning a policy creates a new policy populated with rules from the default system policy shipped with Baruwa. This is the preferred method of creating policies where you simply would like to keep the majority of the rules but disable a few rules.

1. Mouse over or Click `Settings`

2. Click Content Protection
3. Click the Policy Type (Archive File Policies, Archive Mime Policies, File Policies, Mime Policies)
4. Click Create Policy
5. Enter the Policy Name, it is better to simply edit the name part of the supplied name
6. Click the Clone Policy button

Creating a Policy

This will add a blank policy without any rules in it, you will have to add rules to the policy after it has been created.

1. Mouse over or Click Settings
2. Click Content Protection
3. Click the Policy Type (Archive File Policies, Archive Mime Policies, File Policies, Mime Policies)
4. Click Create Policy
5. Enter the Policy Name, it is better to simply edit the name part of the supplied name
6. Click the Create Policy button

Edit a Policy

This allows you to enable a policy after you have added rules or to update the name of the policy/disable a policy.

1. Mouse over or Click Settings
2. Click Content Protection
3. Click the Policy Type (Archive File Policies, Archive Mime Policies, File Policies, Mime Policies)
4. Find the Policy in the list displayed, Click the edit icon.
5. Make the changes
6. Click the Update Policy button

Delete a Policy

This will delete the policy along with all the rules as well as update the global and domain settings which were using this policy.

1. Mouse over or Click Settings
2. Click Content Protection
3. Click the Policy Type (Archive File Policies, Archive Mime Policies, File Policies, Mime Policies)
4. Find the Policy in the list displayed, Click the delete icon.
5. Click the Delete Policy button

View Policy Rules

To view the rules within a policy:

1. Mouse over or Click Settings
2. Click Content Protection
3. Click the Policy Type (Archive File Policies, Archive Mime Policies, File Policies, Mime Policies)
4. Find the Policy in the list displayed, Click the name

Reorder Policy Rules

Baruwa matches rules on a first hit basis so in some cases you will need to change the ordering of your rules. To do so:

1. Mouse over or Click Settings
2. Click Content Protection
3. Click the Policy Type (Archive File Policies, Archive Mime Policies, File Policies, Mime Policies)
4. Find the Policy in the list displayed, Click the name
5. Use the up and down arrows to move the rule up or down.

Add a Rule

To add a rule to a policy you:

1. Mouse over or Click Settings
2. Click Content Protection
3. Click the Policy Type (Archive File Policies, Archive Mime Policies, File Policies, Mime Policies)
4. Find the Policy in the list displayed, Click the name.
5. Click the Add rule option
6. File in the form
7. Click the Create Rule button

Edit a Rule

To edit a rule to a policy you:

1. Mouse over or Click Settings
2. Click Content Protection
3. Click the Policy Type (Archive File Policies, Archive Mime Policies, File Policies, Mime Policies)
4. Find the Policy in the list displayed, Click the name
5. Find the rule in the list displayed, Click the edit icon

6. Make the changes
7. Click the Update Rule button

Delete a Rule

To delete a rule to a policy you:

1. Mouse over or Click Settings
2. Click Content Protection
3. Click the Policy Type (Archive File Policies, Archive Mime Policies, File Policies, Mime Policies)
4. Find the Policy in the list displayed, Click the name
5. Find the rule in the list displayed, Click the delete icon
6. Make the changes
7. Click the Delete Rule button

Set Global Policies

To set Global Policies you:

1. Mouse over or Click Settings
2. Click Content Protection
3. Click Set Global Policies
4. Select the Policies
5. Click the Save button

Set Domain Policies

To set domain specific policies you:

1. Click Domains
2. Select the domain > Click the actions settings icon
3. Click Content Protection
4. Select the Policies
5. Click the Save button

10.5.3 MTA Settings

MTA Settings in Baruwa are used to Manage the following lists

- Empty Reply Checks Exemptions
- Subject Block List
- Anti-Virus Checks Exemptions
- System Signature Exemptions

- Ratelimit Exemptions
- TLS/SSL Exemptions
- Anonymizer List
- DKIM Checks Exemptions
- DNSBL Checks Exemptions
- SPF Checks Exemptions

Empty Reply Checks Exemptions List

The Empty Reply Checks Exemptions list is used to exempt an IP/Network address or range from Empty Reply Checks, Empty Reply checks block email messages that have an empty Reply-To: header set.

Adding to the Empty Reply Checks Exemptions list

To add an IP address you want to by pass the checks you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click Empty Reply Checks Exemptions
4. Click Add Setting
5. Enter the IP address in the Address field
6. Check the Enabled checkbox
7. Click the Create Setting button

Updating an Empty Reply Checks Exemptions list item

To edit an address in the Empty Reply Checks Exemptions list you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click Empty Reply Checks Exemptions
4. Find the item in the list
5. Click the Edit icon in the Actions column
6. Make the changes
7. Click the Update Setting button

Deleting an entry from the Reply Checks Exemptions list

To delete an address in the Empty Reply Checks Exemptions list you:

1. Mouse over or Click Settings
2. Click MTA Settings

3. Click `Empty Reply Checks Exemptions`
4. Find the item in the list
5. Click the `Delete` icon in the `Actions` column
6. Click the `Delete Setting` button

Subject Block List

The `Subject Block` list is used to reject obvious spam based on the subject at SMTP time. Regular expressions can be used in the form of `^\Nregex\N$`, e.g `^\N.*viagra.*\N` will match `'viagra'`, `'vlagra'`, `'v-i-a-g-r-a'`, etc.

Adding to the Subject Block List

To add a Subject you want to block, you:

1. Mouse over or Click `Settings`
2. Click `MTA Settings`
3. Click `Subject Block List`
4. Click `Add Setting`
5. Enter the Subject in the `Address` field
6. Check the `Enabled` checkbox
7. Click the `Create Setting` button

Updating a Subject Block List item

To edit a subject in the `Subject Block List` you:

1. Mouse over or Click `Settings`
2. Click `MTA Settings`
3. Click `Subject Block List`
4. Find the item in the list
5. Click the `Edit` icon in the `Actions` column
6. Make the changes
7. Click the `Update Setting` button

Deleting an entry from the Subject Block List

To delete a subject in the `Subject Block` list you:

1. Mouse over or Click `Settings`
2. Click `MTA Settings`
3. Click `Subject Block List`
4. Find the item in the list

5. Click the Delete icon in the Actions column
6. Click the Delete Setting button

Anti-Virus Checks Exemptions List

The Anti-Virus Checks Exemptions list is used to exempt IP/Network Addresses or range from Anti-Virus checks, only use this for hosts you trust with your life.

Adding to the Anti-Virus Checks Exemptions List

To add an entry, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click Anti-Virus Checks Exemptions
4. Click Add Setting
5. Enter the IP Address in the Address field
6. Check the Enabled checkbox
7. Click the Create Setting button

Updating a Anti-Virus Checks Exemptions List entry

To edit an entry in the Anti-Virus Checks Exemptions list, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click Anti-Virus Checks Exemptions
4. Find the item in the list
5. Click the Edit icon in the Actions column
6. Make the changes
7. Click the Update Setting button

Deleting an entry from the Anti-Virus Checks Exemptions List

To delete an entry in the Anti-Virus Checks Exemptions list, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click Subject Block List
4. Find the item in the list
5. Click the Delete icon in the Actions column
6. Click the Delete Setting button

System Signature Exemptions List

The `System Signature Exemptions` list is used to exempt Domains from global signature additions.

Adding to the System Signature Exemptions List

To add an entry, you:

1. Mouse over or Click `Settings`
2. Click `MTA Settings`
3. Click `System Signature Exemptions`
4. Click `Add Setting`
5. Enter the `Domain` name in the `Address` field
6. Check the `Enabled` checkbox
7. Click the `Create Setting` button

Updating a System Signature Exemptions List entry

To edit an entry in the `System Signature Exemptions` list, you:

1. Mouse over or Click `Settings`
2. Click `MTA Settings`
3. Click `System Signature Exemptions`
4. Find the item in the list
5. Click the `Edit` icon in the `Actions` column
6. Make the changes
7. Click the `Update Setting` button

Deleting an entry from the System Signature Exemptions List

To delete an entry in the `System Signature Exemptions` list, you:

1. Mouse over or Click `Settings`
2. Click `MTA Settings`
3. Click `Subject Block List`
4. Find the item in the list
5. Click the `Delete` icon in the `Actions` column
6. Click the `Delete Setting` button

Ratelimit Exemptions List

The `Ratelimit Exemptions` list is used to exempt IP/Network Addresses or range from rate limiting.

Adding to the Ratelimit Exemptions List

To add an entry, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click Ratelimit Exemptions
4. Click Add Setting
5. Enter the IP Address in the Address field
6. Check the Enabled checkbox
7. Click the Create Setting button

Updating a Ratelimit Exemptions List entry

To edit an entry in the Ratelimit Exemptions list, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click Ratelimit Exemptions
4. Find the item in the list
5. Click the Edit icon in the Actions column
6. Make the changes
7. Click the Update Setting button

Deleting an entry from the Ratelimit Exemptions List

To delete an entry in the Ratelimit Exemptions list, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click Ratelimit Exemptions
4. Find the item in the list
5. Click the Delete icon in the Actions column
6. Click the Delete Setting button

TLS/SSL Exemptions List

The TLS/SSL Exemptions list is used to exempt IP Addresses from the requirement to use TLS/SSL. This list is used both inbound and outbound.

Adding to the TLS/SSL Exemptions List

To add an entry, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click TLS/SSL Exemptions
4. Click Add Setting
5. Enter the IP Address in the Address field
6. Check the Enabled checkbox
7. Click the Create Setting button

Updating a TLS/SSL Exemptions List entry

To edit an entry in the TLS/SSL Exemptions list, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click TLS/SSL Exemptions
4. Find the item in the list
5. Click the Edit icon in the Actions column
6. Make the changes
7. Click the Update Setting button

Deleting an entry from the TLS/SSL Exemptions List

To delete an entry in the TLS/SSL Exemptions list, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click TLS/SSL Exemptions
4. Find the item in the list
5. Click the Delete icon in the Actions column
6. Click the Delete Setting button

Anonymizer List

The Anonymizer List is for domains whose email messages you would like to anonymize by removing the Received headers.

Adding to the Anonymizer List

To add an entry, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click Anonymizer List
4. Click Add Setting
5. Enter the IP Address in the Address field
6. Check the Enabled checkbox
7. Click the Create Setting button

Updating a Anonymizer List entry

To edit an entry in the Anonymizer List, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click Anonymizer List
4. Find the item in the list
5. Click the Edit icon in the Actions column
6. Make the changes
7. Click the Update Setting button

Deleting an entry from the Anonymizer List

To delete an entry in the Anonymizer List, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click Anonymizer List
4. Find the item in the list
5. Click the Delete icon in the Actions column
6. Click the Delete Setting button

DKIM Checks Exemptions List

The DKIM Checks Exemptions List is for IP/Network addresses or range you want to exempt from DKIM verification checks.

Adding to the DKIM Checks Exemptions List

To add an entry, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click DKIM Checks Exemptions
4. Click Add Setting
5. Enter the IP Address in the Address field
6. Check the Enabled checkbox
7. Click the Create Setting button

Updating a DKIM Checks Exemptions List entry

To edit an entry in the DKIM Checks Exemptions list, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click DKIM Checks Exemptions
4. Find the item in the list
5. Click the Edit icon in the Actions column
6. Make the changes
7. Click the Update Setting button

Deleting an entry from the DKIM Checks Exemptions List

To delete an entry in the DKIM Checks Exemptions list, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click DKIM Checks Exemptions
4. Find the item in the list
5. Click the Delete icon in the Actions column
6. Click the Delete Setting button

DNSBL Checks Exemptions List

The DNSBL Checks Exemptions List is for IP/Network addresses or range you want to exempt from DNSBL/RBL checks.

Adding to the DNSBL Checks Exemptions List

To add an entry, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click DNSBL Checks Exemptions
4. Click Add Setting
5. Enter the IP Address in the Address field
6. Check the Enabled checkbox
7. Click the Create Setting button

Updating a DNSBL Checks Exemptions List entry

To edit an entry in the DNSBL Checks Exemptions list, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click DKIM Checks Exemptions
4. Find the item in the list
5. Click the Edit icon in the Actions column
6. Make the changes
7. Click the Update Setting button

Deleting an entry from the DNSBL Checks Exemptions List

To delete an entry in the DNSBL Checks Exemptions list, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click DNSBL Checks Exemptions
4. Find the item in the list
5. Click the Delete icon in the Actions column
6. Click the Delete Setting button

SPF Checks Exemptions List

The SPF Checks Exemptions List is for Domain names you want to exempt from SPF checks.

Adding to the SPF Checks Exemptions List

To add an entry, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click SPF Checks Exemptions
4. Click Add Setting
5. Enter the Domain name in the Address field
6. Check the Enabled checkbox
7. Click the Create Setting button

Updating a SPF Checks Exemptions List entry

To edit an entry in the SPF Checks Exemptions list, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click SPF Checks Exemptions
4. Find the item in the list
5. Click the Edit icon in the Actions column
6. Make the changes
7. Click the Update Setting button

Deleting an entry from the SPF Checks Exemptions List

To delete an entry in the SPF Checks Exemptions list, you:

1. Mouse over or Click Settings
2. Click MTA Settings
3. Click SPF Checks Exemptions
4. Find the item in the list
5. Click the Delete icon in the Actions column
6. Click the Delete Setting button

10.5.4 Local Scores

Local scores override the default system spam scores.

Adding a local score

Local scores can be added via two routes.

1. From the message detail page
2. From the list under Local Scores

To add via the message detail page:

1. Click Rule name
2. Enter the Local Score
3. Click the Update Local Score Button

To add via the Local Scores list:

1. Mouse over or Click Settings
2. Click Local scores
3. Find the Rule in the list
4. Click the Edit icon under the Actions column
5. Enter the Local Score
6. Click the Update Local Score Button

Updating a local score

Follow the same steps as Adding a local score.

Deleting a local score

Follow the same steps as Adding a local score. Set the local score to 0

10.6 System Status

System status gives you a dash board view of your Baruwa system or cluster.

The following information is provided:

- Global status
- Scanner node status
- Mail Queues
- Audit logs

10.6.1 Global status

The global status dashboard gives you the status information for the whole of your Baruwa system/cluster at a glance.

Day's processed message totals

- Number of messages processed
- Number of messages found to be clean
- Number of messages found to be High scoring spam
- Number of messages found to be Low scoring spam
- Number of messages found to be Virus infected
- Number of messages found to be Policy blocked
- Number of messages in the Inbound queues
- Number of messages in the Outbound queues

Graph of Day's processed message totals

A graphical view of the above information in a PIE chart graph.

Scanner node status

The status of all the scanning nodes in this Baruwa cluster.

10.6.2 Scanner node status

Provides the status of a specific scanning node, and allows you to pull additional information via select commands.

The following status information is provided.

- Day's stats for the specific node
- Node Hardware status (CPU, Memory, Disk, Network)
- System Network stats
- System software status (Scanners, MTA, Anti Virus engine)

10.6.3 Mail Queues

The status of both the inbound and outbound mail queues is provided. The following actions can be performed on messages that are in the queues:

- Delivery
- Bounce
- Hold
- Delete
- Preview

Details on how to carry out the above actions can be found in the user guide's *Processing queued messages* section.

10.6.4 Audit logs

Audit logs are provided for the interactions that users have with the system. The following information is recorded.

- Date and Time
- Username
- Interaction information
- Baruwa Node hostname or IP address
- Users IP address
- Category

Interactions are classified under the following categories

- Read
- Create
- Auth
- Update

The Audit logs can be exported in both PDF and CSV formats for offline usage.

The Audit logs are searchable, all full text search options are supported. Tips on searching are available on the [Baruwa Search Tips and Tricks](#) page.

10.7 Command line Reference

Custom paster commands are provided to enable scripting of house keeping tasks such as quarantine management and Database maintenance.

Note: This information is provided simply for reference and documentation purposes scheduled tasks are installed by default to perform these house keeping tasks for you, you do not have to create new cronjobs. For information on cronjobs that use these commands refer to [Scheduled commands](#)

10.7.1 Command options and help

These commands may take options to get details on the supported options run:

```
paster baruwa
paster COMMAND_NAME -h or paster help COMMAND_NAME
```

The paster command now has auto completions support meaning you can press tab to get the available options:

```
paster
camqadm          create           points           routes
celerybeat       create-admin-user post             send-pdf-reports
celeryd          exe             prune-database  send-pdf-reports-1
celeryev         help           prune-quarantine send-quarantine-1
change-user-password make-config     request         send-quarantine-1
```

10.7.2 Quarantine management

```
paster prune-quarantine /etc/baruwa/production.ini
```

Deletes quarantined files older than `ms.quarantine.days_to_keep`. This is set in the `/etc/baruwa/production.ini` file

10.7.3 Quarantine reports

```
paster send-quarantine-reports-ng /etc/baruwa/production.ini
```

Generates an email report of the quarantined messages. This command allows you to specify the number of days the report should cover as well as the maximum number of messages to return. The following switches allow you to specify periods.

- `-o NUM_DAYS, --newer-than=NUM_DAYS` Report on messages this number of days back
- `-m MAX_MSGS, --max-records=MAX_MSGS` Maximum number of messages to return
- `-i ORG_ID, --org-id=ORG_ID` Process only this organization's accounts
- `-e EXCLUDE_ORG, --excluded-org=EXCLUDE_ORG` Exclude this organization's accounts
- `-f, --force` Force sending of reports even if hour is not in user or domain set timezone

10.7.4 Database maintenance

```
paster prune-database /etc/baruwa/production.ini
```

Deletes records older than 30 days from the messages table of the database, and archives them to the archive table. It deletes records older than 90 days from the archives table. These defaults can be configured in the configuration file as the following options:

- `baruwa.messages.keep.days`
- `baruwa.archive.keep.days`

The following options allow you to specify the periods of the records that need to be processed.

- `-d --days` records older than this number are deleted from messages
- `-a --adays` records older than this number are deleted from archives

10.7.5 Spamassassin rule description updates

```
paster update-sa-rules /etc/baruwa/production.ini
```

Updates the Spamassassin rule descriptions in the database.

10.7.6 PDF reports

```
paster send-pdf-reports-ng /etc/baruwa/production.ini
```

Sends PDF reports by email. This command allows you to specify the report type [domain, user], report period [daily, weekly, monthly] and the number of days to report on. The following switches allow you to specify the options.

- `-t REPORT_TYPE, --report-type=REPORT_TYPE` Report type [user, domain]
- `-p REPORT_PERIOD, --report-period=REPORT_PERIOD` Report period [daily, weekly, monthly]
- `-d NUMBER_OF_DAYS, --number-of-days=NUMBER_OF_DAYS` Restrict to number of days
- `-i ORG_ID, --org-id=ORG_ID` Process only this organization's accounts
- `-e EXCLUDE_ORG, --excluded-org=EXCLUDE_ORG` Exclude this organization's accounts
- `-f, --force` Force sending of reports even if hour is not in user or domain set timezone

10.7.7 Mail queue Stats updates

```
paster update-queue-stats /etc/baruwa/production.ini
```

Query the inbound and outbound queues and write stats to the database.

10.7.8 Delta search index updates

```
paster update-delta-index --index messages --realtime /etc/baruwa/production.ini
paster update-delta-index --index archive /etc/baruwa/production.ini
```

The `messages` and `archive` index have deltas to ensure that indexing is efficient the above commands merge the delta index with the main index and remove id's from the realtime index that have been indexed to disk indexes.

The `messages` index has a real time index while `archive` does not.

10.7.9 Create an administrator account

```
paster create-admin-user -u USERNAME -p PASSWORD -e EMAIL -t TIMEZONE /etc/baruwa/production.ini
```

Create an administrator account

10.7.10 Change user password

```
paster change-user-password --username USERNAME [/etc/baruwa/production.ini]
```

Changes an accounts password, This is the only way to change an administrator account's password as it cannot be changed via the web interface.

10.7.11 Generate list of top spammers

```
paster send-top-spammer-list -e EMAIL [-m -s SPAMSCORE -p REPORT_PERIOD -d] [/etc/baruwa/production.ini]
```

Generates a list of top spammers and emails or displays it.

- `-e EMAIL, --email=EMAIL` Email address to send data to
- `-m, --include-message-count` Include the number messages received
- `-d, --dry-run` Print to stdout do not send email
- `-n NUM, --messages-sent=NUM` Return senders with message counts equal to or greater than

- `-s SPAMSCORE, --spam-score-threshold=SPAMSCORE` Count messages with spam scores equal to or greater than
- `-p REPORT_PERIOD, --report-period=REPORT_PERIOD` Report period [daily, weekly, monthly]

10.7.12 Generate list of clean senders

```
paster send-whitelist-data -e EMAIL [-m -s SPAMSCORE -p REPORT_PERIOD -d] [/etc/baruwa/production.ini]
```

Generates a list of top ham senders for whitelisting.

- `-e EMAIL, --email=EMAIL` Email address to send data to
- `-m, --include-message-count` Include the number messages received
- `-d, --dry-run` Print to stdout do not send email
- `-n NUM, --messages-sent=NUM` Return senders with message counts equal to or greater than
- `-s SPAMSCORE, --spam-score-threshold=SPAMSCORE` Count messages with spam scores equal to or greater than
- `-p REPORT_PERIOD, --report-period=REPORT_PERIOD` Report period [daily, weekly, monthly]

10.7.13 Create Scanner rulesets

```
paster update-rulesets [/etc/baruwa/production.ini]
```

This will create or update the necessary Scanner rulesets.

10.7.14 Create MTA lookup files

```
paster update-mta-lookup [/etc/baruwa/production.ini]
```

This will create or update the MTA CDB lookup files.

10.7.15 Dump MTA lookup file

```
paster dump-mta-lookup-file [/etc/baruwa/production.ini] -f /var/lib/baruwa/data/db/routedata.cdb
```

This will display the contents of a CDB lookup file.

- `-f FILENAME, --filename=FILENAME` Lookup file to dump

10.8 Scheduled commands

Scheduled commands are configured as cronjobs to carry out house keeping and maintenance tasks on the system by default.

The following scheduled paster commands are installed and enabled by default.

10.8.1 /etc/cron.d/baruwa

This contains several commands which are run at different intervals.

Interval	Command	Description
3 Minutes	paster update-queue-stats /etc/baruwa/production.ini	Updates the mail queue statistics
@ 00H00	paster update-sa-rules /etc/baruwa/production.ini	Updates the Spam rules descriptions for the web interface
Hourly	paster send-quarantine-reports /etc/baruwa/production.ini	Sends out the quarantine reports in the users timezone
@ 01H00	paster prune-database /etc/baruwa/production.ini	Archives old records to the archive table and prunes old records from the archive table
@ 02H00	paster prune-quarantine /etc/baruwa/production.ini	Deletes old quarantined messages from disk
@ 10 mins every hour on the 1st	paster send-pdf-reports /etc/baruwa/production.ini	Sends out the PDF reports in the users timezone
@ 20 mins every hour every day	paster send-pdf-reports -t domain -p daily -d 1 /etc/baruwa/production.ini	Sends out the daily PDF reports in users timezone
@ 30 mins every hour on Monday	paster send-pdf-reports -t domain -p weekly -d 7 /etc/baruwa/production.ini	Sends out the weekly PDF reports in users

10.8.2 Other scheduled commands

You will find all the other schedules system commands in the cron directories in `/etc/cron.d` `/etc/cron.hourly` `/etc/cron.daily` `/etc/cron.weekly`

10.9 Baruwa Backups

10.9.1 Etckeeper

The configurations in the `/etc` directory are backed up using `etckeeper` into a git repository located in `/etc/.git`. You should be able to recover and restore any configuration files you change or delete.

10.9.2 Backup Ninja

Baruwa Enterprise Edition ships with and configures `backupninja` to backup the database, system configurations as well as the mail quarantine.

Database backups

A SQL dump of the database is created daily and is stored in the `/var/lib/pgsql/backups` directory.

Filesystem backups

These backups are created in the `rdiff format` and contain both the Database and Etckeeper backups.

The backups are stored under `/var/backups/hostname`.

Note: The default configuration stores filesystem backups for 10 days, if your server does not have sufficient space

you need to change the `keep` option to a lower value in `/etc/backup.d/20-server-fs.rdiff`

Offsite Backups

You can setup your own offsite backups by placing a file in the `/etc/backups.d` directory. The supported remote backup formats are:

- `Rsync`
- `Rdiff`
- `Duplicity`
- `Wget`

10.9.3 Frequency

The backups are created once a day.

10.9.4 Disabling Backups

Backups can be disabled by unchecking the `Enable Backups` checkbox on the `Management Other Settings` screen of the `baruwa-setup` utility.

10.10 Monitoring

10.10.1 NRPE

It is possible to monitor Baruwa Enterprise Edition systems using the NRPE protocol from Nagios. To enable monitoring check the `Enable Monitoring` checkbox on the `System Settings` screen of the `baruwa-setup` utility.

Monitoring points

Depending on the system profile, the following points are available via NRPE.

- Disk space
- Uwsgi process
- Database process
- Database proxy process
- Indexer process
- Cache process
- Message Queue process
- Baruwa celery process
- Baruwa Logging process
- Mail Scanning process

- Anti Virus Engine process
- Message queue status
- System Load
- Security Updates

Adding your own monitoring points

You can add your own NRPE monitoring points by placing a `.cfg` file in `/etc/nrpe.d` then reload the `nrpe` service to activate the monitoring points.

Monitoring services

You can monitor the services by connecting to the actual port, most monitoring systems are able to do this.

Firewall

The firewall port 5666 inbound is open to all, you need to restrict this by allowing access only from your monitoring IP addresses.

10.10.2 SNMP

With BaruwaOS $\geq 6.7.4$ it is possible to monitor Baruwa Enterprise Edition systems using the SNMP protocol. To enable SNMP monitoring check the `Enable SNMP Agent` checkbox on the `Management Other Settings` screen of the `baruwa-setup` utility.

Authentication

BaruwaOS only exposes an `SNMPv3` interface. The username is `baruwa`, the password is autogenerated when the system is setup.

To obtain the password run the following command, (you need to provide the passphrase):

```
baruwa-setup -e|grep snmp_password
```

Monitoring points

The monitoring points available are the same as the ones exposed via NRPE. The OIDs to walk are `UCD-SNMP-MIB::dskTable`, `UCD-SNMP-MIB::prTable` and `UCD-SNMP-MIB::extTable`

Firewall

The firewall port 161 inbound is open to all, you need to restrict this by allowing access only from your monitoring IP addresses.

10.11 Baruwa log files

Below are Baruwa Enterprise Edition log file locations, which may be useful for troubleshooting. The `baruwa-logs` command is also available and allows you to tail the necessary logs in colour. It will display the logs specific to the system profile.

To use the `baruwa-logs` command simply run:

```
baruwa-logs
```

10.11.1 Nginx

- `/var/log/nginx/[hostname].log`

10.11.2 Uwsgi

- `/var/log/uwsgi/uwsgi-baruwa.log`

10.11.3 Baruwa

- `/var/log/baruwa/celeryd.log`
- `/var/log/baruwa/what-who.log`

10.11.4 MailScanner

- `/var/log/maillog`

10.11.5 Exim

- `/var/log/exim/main.log`
- `/var/log/exim/reject.log`

10.11.6 RabbitMQ

- `/var/log/rabbitmq/[hostname].log`
- `/var/log/rabbitmq/shutdown_err`
- `/var/log/rabbitmq/shutdown_log`
- `/var/log/rabbitmq/startup_err`
- `/var/log/rabbitmq/startup_log`

10.11.7 ClamAV

- /var/log/clamav/clamd.log
- /var/log/clamav/freshclam.log
- /var/log/clamav-unofficial-sigs/clamav-unofficial-sigs.log

10.11.8 Sphinx

- /var/log/sphinx/query.log
- /var/log/sphinx/searchd.log

10.11.9 Pgbouncer

- /var/log/pgbouncer/pgbouncer.log

10.11.10 PostgreSQL

- /var/lib/pgsql/data/pg_log/postgresql-[day].log

10.11.11 BackupNinja

- /var/log/backupninja.log

10.11.12 Syncthing

- /var/log/syncthing/syncthing.log

10.12 Languages supported

The following languages are currently supported. Adding a new language is a simple task which can be done using the online translation service: [Transifex](#) which is used to manage our translations.

- English
- French
- German
- Greek
- Catalan
- Chinese
- Dutch
- Bulgarian
- Czech
- Danish

- Hindi
- Indonesian
- Italian
- Norwegian
- Polish
- Portuguese
- Russian
- Spanish
- Swedish
- Thai
- Turkish
- Japanese
- Romanian
- Arabic
- Hebrew
- Finnish
- Korean
- Latvian
- Ukrainian
- Urdu
- Vietnamese
- Persian
- Afrikaans
- Burmese
- Hungarian
- Slovak
- Swahili

10.13 YAML Import File format

10.13.1 Organizations import

A sample of the YAML Organizations import format is provided below.

```
organizations:
- admins:
  - account_type: 2
    active: true
    addresses: []
    created_on: 2016-04-26 11:33:30.251905
```

```

email: !!python/unicode 'tony@home.topdog-software.com'
firstname: !!python/unicode ''
high_score: 0.0
last_login: 2016-04-26 11:33:30.251905
lastname: !!python/unicode ''
lists: []
local: true
low_score: 0.0
password1: !!python/unicode ''
password2: !!python/unicode ''
send_report: true
signatures: []
spam_checks: true
timezone: !!python/unicode 'Africa/Johannesburg'
username: !!python/unicode 'topdog'
domains:
- aliases:
  - name: !!python/unicode 'mojo.com'
    status: true
  - name: !!python/unicode 'mojo2.com'
    status: true
authservers:
- address: !!python/unicode '192.168.1.150'
  enabled: true
  ldapsettings: []
  port: 993
  protocol: 2
  radiussettings: []
  split_address: true
  user_map_template: !!python/unicode ''
- address: !!python/unicode '192.168.1.150'
  enabled: true
  ldapsettings:
  - basedn: !!python/unicode 'cn=users,dc=topdog-software,dc=com'
    binddn: !!python/unicode 'uid=andrew,cn=users,dc=topdog-software,dc=com'
    bindpw: !!python/unicode ''
    emailattribute: !!python/unicode 'mail'
    emailsearch_scope: !!python/unicode 'subtree'
    emailsearchfilter: !!python/unicode 'mail=%u@topdog-software,dc=com'
    nameattribute: !!python/unicode 'uid'
    search_scope: !!python/unicode 'subtree'
    searchfilter: !!python/unicode ''
    usesearch: false
    usetls: true
  port: 389
  protocol: 5
  radiussettings: []
  split_address: true
  user_map_template: !!python/unicode ''
delivery_mode: 1
dkimkeys: []
high_score: 0.0
highspam_actions: 2
language: !!python/unicode 'en'
ldap_callout: true
low_score: 0.0
message_size: !!python/unicode '0'
name: !!python/unicode 'home.topdog-software.com'

```

```

report_every: 3
servers:
- address: !!python/unicode 'build2.home.topdog-software.com'
  enabled: true
  port: 25
  protocol: 1
signatures: []
site_url: !!python/unicode 'https://standalone.home.topdog-software.com'
smtp_callout: true
spam_actions: 2
spam_checks: true
status: true
timezone: !!python/unicode 'Africa/Johannesburg'
users:
- account_type: 3
  active: true
  addresses:
  - address: !!python/unicode 'angel+*@home.topdog-software.com'
    enabled: true
    username: !!python/unicode 'angel@home.topdog-software.com'
  created_on: 2016-04-26 11:33:28.927721
  email: !!python/unicode 'angel@home.topdog-software.com'
  firstname: null
  high_score: 0.0
  last_login: 2016-04-26 11:33:28.927721
  lastname: null
  lists: []
  local: false
  low_score: 0.0
  password1: !!python/unicode ''
  password2: !!python/unicode ''
  send_report: true
  signatures: []
  spam_checks: true
  timezone: !!python/unicode 'Africa/Johannesburg'
  username: !!python/unicode 'angel@home.topdog-software.com'
virus_actions: 2
virus_checks: true
virus_checks_at_smtp: true
name: !!python/unicode 'Asante'
relaysettings:
- address: !!python/unicode '192.168.3.0/24'
  description: !!python/unicode 'hosted network'
  enabled: true
  high_score: 0.0
  highspam_actions: 2
  low_score: 0.0
  password1: !!python/unicode ''
  password2: !!python/unicode ''
  ratelimit: 250
  spam_actions: 2
  username: !!python/unicode ''
- admins: []
domains:
- aliases: []
  authservers:
  - address: !!python/unicode 'mail.tdss.co.za'
    enabled: true

```

```

ldapsettings: []
port: 110
protocol: 1
radiussettings: []
split_address: true
user_map_template: !!python/unicode ''
delivery_mode: 1
dkimkeys:
- enabled: false
  pri_key: !!python/unicode '-----BEGIN RSA PRIVATE KEY-----
MIIEpQIBAAKCAQEAA4yQ2oy+5XoDdO2zQtaY0m7wTVAh2GsYwOo9yrUksMLfj33bH
Uri6JI3Z8kPaFIeP/H+a0diFWWgtfKVzhl50vqYVXtAA9Gdykbhj0lzU697Tqg6Z
7/StEsJ5r5GRxwxCeEydfigmVzG+dbYangpHy2QkBQwSqOvFX3a3VZyUpUNTq+n7V
jo/PZ2hWxL/tPiV82g0rqj4VPB95vBicENIA6g9+pEOZLnG2QcdP6hWED/Dd5nQr
GDKKjAdX0SyXDrfgcfSoVOCIO4jWxdv2Nq/Q49DsV30PTB4hmLN4VyAdZNJJB5m0
Y91IcJ66F2ftYClVoPCObF2KPNEeOufOQ7DAfwIDAQBAoIBAQDdbSAWVR/QEK+a
jqmnaY894kq1UMpRr4K0k8KnSv3ZQGrUHWaSLaLin8AnfB3MhZrH+11h1EGqtVQg
3umPw+TrNdZ/YKaNm4sEo0uYSYcHqWGOFK3arhtKfmtBzBbghAMIYyflB1MRyH0f
mHUTxF0JYE3q1lGbxEpzwFKZCpEMSa26Ho602kkEHe22rdfLkDOHtS9AERcwl1Gt
GTHrEt1UoV1WL2fOnox7T+qL5LffVXZGip1lSzpf1L0RK5uo7bsmOvOUF7x6yxY
z8pM8hN1HW0MKyKei3oG0fWNg/FxXKxk7ursQOtBucjeSaVu76WfEf5vLWbncfql
7kzrAGWBAoGBAPdh3aIrhBM+zm6lcHsFTw+Pc7vYIG5jZcId03r7j3itBdWYacne
su2dpS5gFY5gkOn4OVkzIA0LMasE2Jd1POfGOeiLp6KZxwHp4f8cuLlBmNDP16n
q2+F3hf5dPGMDVHo4yvWvpe74D2d6jM8bBFWuQxpNH5mXR1yF1kx09QdAoGBAOsN
13fov3M0j/ZFy6M669gSFOOWGv57MhxjkFY3CNBG7qlFwdcDTFE8Ncw2vZTfDebM
9+oV4GurukTF3HsSph/bEL1mOXT/oO9c9ksbaiCddy5S2zqMdBWoAk95Iy0uwc0ud
CGe+wmb9jhAoH2c1SSQswkGz/5r7Fvfg62kT/UxLAoGBAIImtBkBSisRXQNIQLk3
Kffn2DVUzDoC1bW7nvNgjkYvQ2wucB5k1d6vxK69YjC2F8hej04wAI23vwt/Ckge
wSAkrquVIySSAu4+72OpnoTNPgQARxoadQ/fFcOoB7wY8XVIFrUpGRVKODHqy86y
SHidpRFLtrUcTcOmKWsRjOC1AoGAH4BAYyqHFdpyfK/H5b1MxC1QLVv9jCNYiONz
AYronHkVHQxjOPyRKsXl89NWPvBRvZ+0jeOWqvddxD+8F6ZdKyHBsZBUnPBxUgLk
YxZud6aCwXt3o9sQy67+IikhTah9GyIVcUoZcMPWez2oG9MuRNiiUm1NND3uAcp
n3B1XtcCgYEA8gzfmLw4Zv6DwcJeXYlx6J65ns9BnPeIC3+tgbtksavV4zuce/f+
GMcfUtt+zOtvDwqQd2AgpweaHCZX2goD7+3AvzMn8gQn113jHTSF1bCUhvfmcCBO
WxrSXE4RHaMTDlce6e6J1h8j8esdjPDdaK6wuv6s+AnibEaY8xZCiRA=
-----END RSA PRIVATE KEY-----
'

  pub_key: !!python/unicode '-----BEGIN PUBLIC KEY-----
MIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAA4yQ2oy+5XoDdO2zQtaY0
m7wTVAh2GsYwOo9yrUksMLfj33bHUri6JI3Z8kPaFIeP/H+a0diFWWgtfKVzhl50
vqYVXtAA9Gdykbhj0lzU697Tqg6Z7/StEsJ5r5GRxwxCeEydfigmVzG+dbYangpHy
2QkBQwSqOvFX3a3VZyUpUNTq+n7Vjo/PZ2hWxL/tPiV82g0rqj4VPB95vBicENIA
6g9+pEOZLnG2QcdP6hWED/Dd5nQrGDKKjAdX0SyXDrfgcfSoVOCIO4jWxdv2Nq/Q
49DsV30PTB4hmLN4VyAdZNJJB5m0Y91IcJ66F2ftYClVoPCObF2KPNEeOufOQ7DA
fwIDAQAB
-----END PUBLIC KEY-----
'

high_score: 0.0
highspam_actions: 2
language: !!python/unicode 'en'
ldap_callout: true
low_score: 0.0
message_size: !!python/unicode '0'
name: !!python/unicode 'baruwa.com'
report_every: 3
servers:
- address: !!python/unicode '192.168.1.150'
  enabled: true

```

```

port: 25
protocol: 1
signatures: []
site_url: !!python/unicode 'https://standalone.home.topdog-software.com'
smtp_callout: true
spam_actions: 2
spam_checks: true
status: true
timezone: !!python/unicode 'Africa/Abidjan'
users: []
virus_actions: 2
virus_checks: true
virus_checks_at_smtp: true
name: !!python/unicode 'Baruwa'
relaysettings: []

```

10.13.2 Domains import

A sample of the YAML Domains import format is provided below.

```

domains:
- aliases:
  - name: !!python/unicode 'mojo.com'
    status: true
  - name: !!python/unicode 'mojo2.com'
    status: true
  authservers:
  - address: !!python/unicode '192.168.1.150'
    enabled: true
    ldapsettings: []
    port: 993
    protocol: 2
    radiussettings: []
    split_address: true
    user_map_template: !!python/unicode ''
  - address: !!python/unicode '192.168.1.150'
    enabled: true
    ldapsettings:
    - basedn: !!python/unicode 'cn=users,dc=topdog-software,dc=com'
      binddn: !!python/unicode 'uid=andrew,cn=users,dc=topdog-software,dc=com'
      bindpw: !!python/unicode ''
      emailattribute: !!python/unicode 'mail'
      emailsearch_scope: !!python/unicode 'subtree'
      emailsearchfilter: !!python/unicode 'mail=%u@topdog-software,dc=com'
      nameattribute: !!python/unicode 'uid'
      search_scope: !!python/unicode 'subtree'
      searchfilter: !!python/unicode ''
      usesearch: false
      usetls: true
    port: 389
    protocol: 5
    radiussettings: []
    split_address: true
    user_map_template: !!python/unicode ''
  delivery_mode: 1
  dkimkeys: []
  high_score: 0.0

```



```

highspam_actions: 2
language: !!python/unicode 'en'
ldap_callout: false
low_score: 0.0
message_size: !!python/unicode '0'
name: !!python/unicode 'home.topdog-software.com'
report_every: 3
servers:
- address: !!python/unicode 'build2.home.topdog-software.com'
  enabled: true
  port: 25
  protocol: 1
signatures: []
site_url: !!python/unicode 'https://standalone.home.topdog-software.com'
smtp_callout: true
spam_actions: 2
spam_checks: true
status: true
timezone: !!python/unicode 'Africa/Johannesburg'
users:
- account_type: 3
  active: true
  addresses:
  - address: !!python/unicode 'angel+*@home.topdog-software.com'
    enabled: true
    username: !!python/unicode 'angel@home.topdog-software.com'
  created_on: 2016-04-29 16:49:33.315026
  email: !!python/unicode 'angel@home.topdog-software.com'
  firstname: null
  high_score: 0.0
  last_login: 2016-04-29 17:18:45.828066
  lastname: null
  lists: []
  local: false
  low_score: 0.0
  password1: !!python/unicode ''
  password2: !!python/unicode ''
  send_report: true
  signatures: []
  spam_checks: true
  timezone: !!python/unicode 'Africa/Johannesburg'
  username: !!python/unicode 'angel@home.topdog-software.com'
virus_actions: 2
virus_checks: true
virus_checks_at_smtp: true
- aliases: []
authservers:
- address: !!python/unicode 'mail.tdss.co.za'
  enabled: true
  ldapsettings: []
  port: 110
  protocol: 1
  radiussettings: []
  split_address: true
  user_map_template: !!python/unicode ''
delivery_mode: 1
dkimkeys: []
high_score: 0.0

```

```

highspam_actions: 2
language: !!python/unicode 'en'
ldap_callout: false
low_score: 0.0
message_size: !!python/unicode '0'
name: !!python/unicode 'baruwa.com'
report_every: 3
servers:
- address: !!python/unicode '192.168.1.150'
  enabled: true
  port: 25
  protocol: 1
signatures: []
site_url: !!python/unicode 'https://standalone.home.topdog-software.com'
smtp_callout: true
spam_actions: 2
spam_checks: true
status: true
timezone: !!python/unicode 'Africa/Abidjan'
users: []
virus_actions: 2
virus_checks: false
virus_checks_at_smtp: true

```

10.13.3 Accounts import

A sample of the YAML Accounts import format is provided below.

```

accounts:
- account_type: 1
  active: true
  addresses: []
  created_on: 2016-04-29 15:09:02.621265
  email: !!python/unicode 'andrew@home.topdog-software.com'
  firstname: null
  high_score: 0.0
  last_login: 2016-04-29 19:19:18.352069
  lastname: null
  lists: []
  local: true
  low_score: 0.0
  password1: !!python/unicode ''
  password2: !!python/unicode ''
  send_report: true
  signatures: []
  spam_checks: true
  timezone: !!python/unicode 'Africa/Johannesburg'
  username: !!python/unicode 'andrew'
- account_type: 3
  active: true
  addresses:
  - address: !!python/unicode 'angel+*@home.topdog-software.com'
    enabled: true
    username: !!python/unicode 'angel@home.topdog-software.com'
  created_on: 2016-04-29 16:49:33.315026
  email: !!python/unicode 'angel@home.topdog-software.com'
  firstname: null

```

```

high_score: 0.0
last_login: 2016-04-29 17:18:45.828066
lastname: null
lists: []
local: false
low_score: 0.0
password1: !!python/unicode ''
password2: !!python/unicode ''
send_report: true
signatures: []
spam_checks: true
timezone: !!python/unicode 'Africa/Johannesburg'
username: !!python/unicode 'angel@home.topdog-software.com'
- account_type: 2
  active: true
  addresses: []
  created_on: 2016-04-29 16:49:37.133774
  email: !!python/unicode 'tony@home.topdog-software.com'
  firstname: !!python/unicode ''
  high_score: 0.0
  last_login: 2016-04-29 17:17:37.023041
  lastname: !!python/unicode ''
  lists: []
  local: true
  low_score: 0.0
  password1: !!python/unicode ''
  password2: !!python/unicode ''
  send_report: true
  signatures: []
  spam_checks: true
  timezone: !!python/unicode 'Africa/Johannesburg'
  username: !!python/unicode 'topdog'

```

10.14 Frequently Asked Questions

10.14.1 General Faqs

Answers to many common general questions.

What is a Front End server ?

A front end server is one that is installed using any of the following profiles

- *Standalone System*
- *Web and Mail System*
- *Mail System*
- *Web Interface System*

What is a Back End server ?

A back end server is one that is installed using any of the following profiles

- *Backend System*
- *Search Index System*
- *Database System*
- *Message Queue System*
- *Cache System*

Do i need a PAID subscription for back end servers ?

Answer: Yes

From BaruwaOS version 6.7.4 subscriptions for back end systems are now paid subscriptions, Free subscriptions are no longer available.

Can a user have multiple email addresses on a single account ?

Answer: Yes

You can add alias addresses to a users account. Domains using Active Directory authentication will have these auto populated from the groups and addresses in active directory.

Alias domain addresses are also auto created the first time a user logs in.

Can users use their current mail password to login to Baruwa ?

Answer: Yes

Setup external authentication with either POP3, IMAP, SMTP, LDAP and RADIUS / RSA SecurID.

Are there any restrictions on username format ?

Answer: No

However users that authenticate to external systems will have their email address automatically configured as their username locally.

How do the Baruwa Enterprise Edition subscriptions work ?

In order to run Baruwa Enterprise Edition you have to purchase a subscription. This gives you access to the BaruwaOS, Baruwa Network, Baruwa Datafeeds and Email Support.

You get access to any new upgrades and updates are available via the Baruwa Network.

If you cancel you **MUST** uninstall and stop using the software.

Should you choose to return on to support, you will have to pay for the period when your system did not have support before you can be returned on to support.

Are there limitations on the number of users or domains ?

Answer: No

Unlike our competitors we do not restrict the number of users or domains you can configure on your systems.

Do you support other payment methods apart from PayPal ?

Answer: No

Our order processing system is integrated with the PayPal IPN system we cannot process out of band orders.

Why do you require a PayPal account for the 30 day Trial ?

The requirement of a PayPal account is simply to prevent abuse as users just keep resigning for trials to keep their install working without purchasing a subscription.

The subscription system is automated and linked to the PayPal IPN system so we are unable to provide out of band trials requests.

I would like to resale Baruwa Enterprise Edition subscriptions

Please contact us to request access to our reseller program.

10.14.2 Technical Faqs

Answers to many common technical questions.

How do i request a new feature ?

Answer: Use the [issue tracker](#)

Open a feature request on the [issue tracker](#)

How do i report a non security bug ?

Answer: Use the [issue tracker](#)

Open a bug report on the [issue tracker](#)

How do i report a security bug ?

Answer: Email security@baruwa.com

If you think you've found a security vulnerability with Baruwa, please send a message to security@baruwa.com. Do NOT post a bug report to our issue tracking system or disclose the issue on our mailing lists.

How do i tailor Baruwa Enterprise Edition to my specific needs ?

Refer to the [Customization](#) section.

Can i manage Baruwa Enterprise Edition servers without using baruwa-setup ?

Answer: Yes

Yes you can, you can choose to do the configuration manually or using a configuration management tool. SaltStack can be used easily as we provide salt states which are used by baruwa-setup in the background. You could also convert this states to a different configuration management tool.

How do i rebrand Baruwa Enterprise Edition servers ?

Refer to the *Themes* section, note that if you would like to remove the powered by notices you need to purchase a branding license.

What happens if i remove/hide/obscure the copyright notices without a license ?

That is a violation of the terms and we will revoke your subscription without a refund of any sums paid.

Why can i download rpm or deb packages to install on my system ?

We no longer provide packages, the solution is now packaged as a custom OS.

What are the settings i should use to configure LDAP/AD ?

The short answer is if you are asking, you probably should not be using LDAP/AD as you could inadvertently open yourself up to security holes.

The long answer is all LDAP directories are not setup in the same way, so there is no one size fits all configuration we can provide.

It is advisable you create an account with very limited privileges in the directory to use for the LDAP operations and bind as that account.

The following are common configurations that you could attempt.

Setting	Description	Active Directory	OpenLDAP
Base DN	The location within the directory to start searching	dc=domain,dc=com	dc=domain,dc=com
Username Attribute	The directory attribute in which the username is stored	samAccountName, userPrincipalName	uid
Email attribute	The directory attribute in which the email address is stored	mail	mail
Bind DN	The DN to bind as to perform operations	cn=Administrator,cn=users,dc=domain,dc=com, Administrator@domain.com	cn=root,dc=domain,dc=com
Bind password	The password for the Bind DN		
Use TLS	Use the STARTTLS option		
Search for userDN	Search for the userDN to bind to	Yes in most cases	No in most cases
Email Search Filter	The filter used to locate email addresses in an entry	((proxyAddresses=SMTP:%u@%d) (proxyAddress=smtp:%u@%d)(mail=%u@%d))	mail=%u@%d

Which MTA does Baruwa Enterprise use ?

Answer: Exim

Baruwa Enterprise uses a customized version of the Exim MTA

SMTP AUTH on port 25 no longer works, why ?

SMTP AUTH is no longer offered on port 25 starting with BaruwaOS 6.7.4. The reason for this is documented in the release notes at *SMTP Authentication*

10.15 Release Notes

10.15.1 6.7.4

New Features

Backend Systems subscriptions

Beginning with BaruwaOS 6.7.4 backend systems will require a PAID subscription. Existing systems installed prior to 6.7.4 being released are exempt from this requirement.

Simplified Configuration

The configuration on `Standalone` profiles has been simplified, there are fewer screens and most of the credentials are now generated automatically.

This will reduce the human factor errors and improve security as strong credentials are now generated automatically.

The `baruwa-setup` utility now includes an option to refresh the system credentials that are automatically generated. To regenerate credentials run `baruwa-setup` with the `-g` option.

Built in Cache

A new built in caching mechanism has been added that allows for replacement of the current memcached solution.

The built in cache is the default cache on new `Standalone` installations and can also be used on the `Web and Mail System` and the `Web Interface System` profiles.

In a clustered setup port 11211 needs to be allowed inbound to the system, this port is used by the nodes in a cluster to replicate cache data.

The memcached cache can still be used, the `Enable Memcache` option on the `Management Other Settings` screen of the `baruwa-setup` utility can be used to enable or disable memcached.

This option is important for environments where memcached errors are frequent.

Cluster Master

A loose cluster master system has been introduced, nodes in a cluster can now elect a leader node.

The leader node is the node that performs tasks that must only be carried out by one system within the cluster at a time like sending of reports or cleaning up the quarantine.

The cluster traffic used to elect the leader node is sent on port 3542, this port needs to be allowed on firewalls between the nodes in both directions.

The cluster leader elections only take place on `Web and Mail System` nodes.

The other systems use a distributed locking system to ensure that tasks are executed by only one server in a cluster.

YAML Imports

The data import system has been overhauled. The previous system was unable to import all the data required to setup fully functional systems.

The new system uses the YAML format to import organizations, relay settings, domain administrators, domains, domain aliases, delivery servers, authentication servers and user accounts.

It is also possible to import just domains or accounts into an existing organization or domain respectively.

The old system that used CSV files has been removed.

YAML Exports

The data export system has been overhauled. The previous system was unable to export all the setup data.

The new system exports data in the YAML format and includes almost all the configuration data on the system.

Organizations can be exported and will include all the data within the organization which includes relay settings, domain administrators, domains, domain aliases, delivery servers, authentication servers, lists, signatures, dkim settings and user accounts.

It is also possible to export domains and accounts with the data contained in those containers.

Passwords are not part of the data export. The password entries will be blank in any export.

The old system that exported data to CSV files has been removed.

Cron System

On `Standalone` and `Web and Mail System` profiles, scheduled tasks are now run using the uWSGI system not the traditional cron system.

This integrates with the *Cluster Master* system to ensure that tasks are run by only one node in a cluster.

Baruwa Service

On `Standalone` and `Web and Mail System` profiles backend tasks are now run using the uWSGI system, the standalone Baruwa service is no longer required or installed.

On `Mail System` profiles which do not run the uWSGI system a baruwa-service package is installed this provides the standalone Baruwa service.

Backend Traffic Encryption

It is now possible to encrypt all traffic between backend and front end nodes and between the backend nodes themselves.

The `Encrypt all backend traffic` option works by installing a TLS tunneling service which will encrypt connections from the source and decrypt them at the destination for the specific application streams.

The `Encrypt all backend traffic` option can also be used on LAN to thwart capturing of data by sniffing of packets on a LAN.

Authentication The authentication of certificates takes place using [certificate pinning](#), this means you have to copy the servers certificate to the client.

On the client side the certificates need to be stored in `/etc/pki/baruwa/certs/_IPADDRESS_.pem` where `_IPADDRESS_` is the IP address of the server configured in the `baruwa-setup` utility

The `Encrypt all backend traffic` option must be configured on all systems in the cluster both front end and backend for the cluster to function correctly.

SMTP TLS Ciphers

Previously only strong ciphers were allowed on all SMTP connections, to allow for increased interoperability with other systems this has been changed to [normal ciphers](#) on port 25.

Please refer to [SMTP Authentication](#) for the impact of this change.

Additional Anti Virus Engines

This release supports more additional Anti Virus Engines in addition to the built in ClamAV engine. The supported engines are documented in the [Additional Anti Virus Engines](#) section.

SNMP Monitoring

SNMP monitoring is now supported. It is documented in the [SNMP](#) section.

HTTP Proxy Protocol Support

The HTTP service now supports the [Proxy Protocol](#), meaning Baruwa web services can now be placed behind load balancers that support the Proxy Protocol such as [HAProxy](#) and [Amazon ELB](#). The proxy protocol makes the actual client IP address visible to the Baruwa service instead of having all requests appear like they came from the load balancer.

The SMTP service already supports the Proxy Protocol.

HTTP Log to Syslog

The HTTP service now supports the option to log to syslog. Using syslog the logs can be aggregated and processed.

The SMTP service already supports logging to syslog.

API

Added support for get domain by name

Network Ports

The following additional ports are now used.

PORT	PROTOCOL	DIRECTION	DESCRIPTION
11211	UDP	BETWEEN NODES	CACHE SYNC TRAFFIC
3542	UDP	BETWEEN NODES	CLUSTER TRAFFIC
161	UDP	INBOUND	SNMP

Depreciations

SMTP Authentication

SMTP Authentication on port 25 is no longer supported due to the *SMTP TLS Ciphers* change. SMTP AUTH is now only offered on ports 465 and 587 which still require strong ciphers.

Relay settings configurations that use port 25 will need to be updated.

Puppet

The Puppet configuration management system has been removed from BaruwaOS. The only supported configuration engine is now Salt.

It is still possible to import puppet manifests as part of the upgrade.

Memcached

On Standalone profiles memcached has been depreciated, the *Built in Cache* system is now the default.

DKIM

Messages that fail DKIM checks will no longer be blocked at SMTP time.

Imports

Importing of domains and accounts from CSV files is no longer supported. The CSV system has been replaced by the *YAML Imports* system.

Exports

Exporting of domains and accounts to CSV files is no longer supported. The CSV system has been replaced by the *YAML Exports* system.

Known Issues

ERROR: Pidfile (/var/run/baruwa/celeryd/celeryd.pid) already exists.

If you see the above error in you logs run the following command:

```
kill `cat /var/run/baruwa/celeryd/celeryd.pid`  
rm -vf /var/run/baruwa/celeryd/celeryd.pid
```

Service clamd is already enabled, and is dead

If you get the above error when running `baruwa-setup` then run the following command before running `baruwa-setup` again:

```
freshclam
```

failed to open DB file /var/spool/exim.in/db/retry: Permission denied (euid=93 egid=93)

If you see the above error in you logs run the following command:

```
chown exim.exim /var/spool/exim.in/db/retry
```

10.16 Upgrading

10.16.1 2.1.2

- Enhancement
- Bug fix

Backward compatibility

New dependencies

None

Template changes

The following template files have been changed.

- `static/500.html`
- `accounts/exportstatus.html`
- `accounts/importstatus.html`
- `domains/exportstatus.html`
- `organizations/exportstatus.html`
- `organizations/importorgs.html`
- `organizations/importorgsstatus.html`
- `organizations/index.html`
- `organizations/exportstatus.html`
- `organizations/importorgs.html`
- `organizations/importorgsstatus.html`

Upgrading

Review the release notes for BaruwaOS [6.7.4](#) and changelog for version [2.1.2](#) and read the updated documentation before you proceed with the upgrade.

If you are on versions < 2.0.7, perform *Run OS Upgrade* first.

Change Management

Ensure you follow your organization change management policy and schedule downtime as well as plan how to revert.

Backup your entire system before you proceed.

Upgrade the baruwa-setup tool

To ensure you have the latest baruwa-setup tool run the following command:

```
yum upgrade baruwa-setup -y
```

Run setup utility

To perform the upgrade you run the baruwa-setup command as follows:

```
baruwa-setup
```

Monitor logs for issues

You can monitor the relevant logs using the baruwa-logs utility:

```
baruwa-logs
```

If you run into any issues please contact [Support](#)

Thats it.

10.16.2 2.1.1

- Enhancement
- Bug fix

Backward compatibility

New dependencies

None

New configuration options

- `baruwa.system_type` - Sets the system type

Template changes

Upgrading

Review the changelog for version *2.1.1* and read the updated documentation before you proceed with the upgrade. If you are on versions < 2.0.7, perform *Run OS Upgrade* first.

Change Management

Ensure you follow your organization change management policy and schedule downtime as well as plan how to revert. Backup your entire system before you proceed.

Upgrade the baruwa-setup tool

To ensure you have the latest baruwa-setup tool run the following command:

```
yum upgrade baruwa-setup -y
```

Run setup utility

To perform the upgrade you run the baruwa-setup command as follows:

```
baruwa-setup
```

Monitor logs for issues

You can monitor the relevant logs using the baruwa-logs utility:

```
baruwa-logs
```

If you run into any issues please contact *Support*.
That's it.

10.16.3 2.1.0

- Enhancement
- Bug fix

Backward compatibility

New dependencies

- pysynthing
- python-spamc

New configuration options

- `baruwa.ipaddress` - Sets the hosts ip address.
- `baruwa.sync.apikey` - Sets the sync API key, only used in clusters which shared quarantine

Template changes

The following template files have been changed.

- `status/serverstatus.html`
- `settings/addserver.html`
- `settings/editserver.html`
- `settings/localscores.html`
- `settings/localscores_searchresults.html`

Upgrading

Review the changelog for version *2.1.0* and read the updated documentation before you proceed with the upgrade.

If you are on versions < 2.0.7, perform *Run OS Upgrade* first.

Change Management

Ensure you follow your organization change management policy and schedule downtime as well as plan how to revert.

Backup your entire system before you proceed.

Upgrade the baruwa-setup tool

To ensure you have the latest baruwa-setup tool run the following command:

```
yum upgrade baruwa-setup -y
```

Run setup utility

To perform the upgrade you run the baruwa-setup command as follows:

```
baruwa-setup
```

Monitor logs for issues

You can monitor the relevant logs using the baruwa-logs utility:

```
baruwa-logs
```

If you run into any issues please contact *Support*

Thats it.

10.16.4 2.0.10

- Enhancement
- Bug fix

Backward compatibility

New dependencies

- python-ipaddr
- python-maxminddb
- libmaxminddb

New configuration options

None

Template changes

None

Upgrading

Review the changelog for version *2.0.10* and read the updated documentation before you proceed with the upgrade. If you are on versions < 2.0.7, perform *Run OS Upgrade* first.

Change Management

Ensure you follow your organization change management policy and schedule downtime as well as plan how to revert. Backup your entire system before you proceed.

Run setup utility

To perform the upgrade you run the `baruwa-setup` command as follows:

```
baruwa-setup
```

Monitor logs for issues

You can monitor the relevant logs using the `baruwa-logs` utility:

```
baruwa-logs
```

If you run into any issues please contact *Support*.
Thats it.

10.16.5 2.0.9

- Enhancement
- Bug fix

Backward compatibility

New dependencies

None

New configuration options

None

Template changes

The following template files have been changed.

- base.html
- accounts/login.html
- info/smtp-codes.html
- general/error.html
- messages/quarantine.html

Upgrading

Review the changelog for version *2.0.9* and read the updated documentation before you proceed with the upgrade.

If you are on versions < 2.0.7, perform *Run OS Upgrade* first.

Change Management

Ensure you follow your organization change management policy and schedule downtime as well as plan how to revert.

Backup your entire system before you proceed.

Run setup utility

To perform the upgrade you run the `baruwa-setup` command as follows:

```
baruwa-setup
```


Monitor logs for issues

You can monitor the relevant logs using the `baruwa-logs` utility:

```
baruwa-logs
```

If you run into any issues please contact *Support*

Thats it.

10.16.6 2.0.8

- Enhancement
- Bug fix

Backward compatibility

New dependencies

None

New configuration options

None

Template changes

The following template files have been changed.

- `settings/mta.html`
- `messages/detail.html`

Upgrading

Review the changelog for version *2.0.8* and read the updated documentation before you proceed with the upgrade.

If you are on versions < 2.0.7, perform *Run OS Upgrade* first.

Change Management

Ensure you follow your organization change management policy and schedule downtime as well as plan how to revert.

Backup your entire system before you proceed.

Run setup utility

To perform the upgrade you run the `baruwa-setup` command as follows:

```
baruwa-setup
paster update-mta-lookup
```

Monitor logs for issues

You can monitor the relevant logs using the `baruwa-logs` utility:

```
baruwa-logs
```

If you run into any issues please contact *Support*

Thats it.

10.16.7 2.0.7

Upgrade Type

- Enhancement
- Bug fix

Backward compatibility

This release introduces backwards incompatible database schema changes.

The `relaysettings` table has been modified to support the relay settings `ratelimit` option.

The `messages` and `archive` table have been updated to include a `msgfiles` column which stores the message on disk location.

New dependencies

- arrow
- python-cdb

New configuration options

- `baruwa.send.reports.at` - Sets the hour at which reports are sent out, this is translated to a users specific timezone.

Upgrading

Review the changelog for version *2.0.7* and read the updated documentation before you proceed with the upgrade.

Note: Please note that Baruwa Enterprise Edition 2.0.7 uses a custom OS known as BaruwaOS this is based on CentOS so it will upgrade in place on any RHEL clone.

Change Management

Ensure you follow your organization change management policy and schedule downtime as well as plan how to revert.

Backup your entire system before you proceed.

Activation Key

Make sure you have your activation key, before you proceed. If you have misplaced your key please contact *Support*.

Known issues

Passwords file

If the script detects that you are using weak database passwords it will automatically generate new passwords. If you are running in a cluster and require these new passwords they will be stored in `/root/.cluster-pws.txt`. The passwords are only stored if the configuration being upgraded is a clustered configuration. In standalone mode the passwords will be stored only in the encrypted database.

After you have finished the upgrade it is important that you delete this file.

baruwa-setup fails with sa-compile error

If you get the following error when running `baruwa-setup`:

```
Salt Engine reported error(s),
Processing state:
Cmd.run(spamassassin-initial-sa-compile)
failed => command "sa-compile" run
```

Run the following command:

```
mv -vf /etc/MailScanner/spam.assassin.prefs.conf.rpmnew /etc/MailScanner/spam.assassin.prefs.conf
```

Then run `baruwa-setup` again:

```
baruwa-setup -p /usr/local/src/${hostname}.pp
```

Run OS Upgrade

Download the OS upgrade script from the Baruwa Enterprise Edition website:

```
cd /usr/local/src
curl -O https://www.baruwa.com/downloads/upgradeos.py
```

Run the upgrade script to convert your OS to BaruwaOS:

```
chmod +x upgradeos.py
./upgradeos.py
```

The script will execute and convert your system to BaruwaOS

Run setup utility

Baruwa Enterprise Edition \geq 2.0.7 uses an automated wizard based utility called `baruwa-setup` to configure the system. This utility collects configuration information from the user, performs any required software updates and then configures the system based on the profile selected and the configuration data collected. This simplifies the whole setup process in that the user does not have to edit any files.

The `baruwa-setup` utility is a wizard that asks a series of questions and then configures the system based on the answers provided.

A pass phrase is required to secure the authentication information that is collected.

Make sure you choose a strong pass phrase which is easy for you to remember but difficult to guess for others, a long sentence describing a personal experience is a good pass phrase.

Warning: The `baruwa-setup` utility will automatically detect your existing certificates based on the hostname, if this is successful it will set the `I have a CA issued certificate to checked`. Do NOT uncheck this if you intend on creating a self signed certificate with the same details. If you do a certificate with the same serial number will be generated and it will be rejected by your client machines.

The `baruwa-setup` utility will import settings from your existing puppet manifest and prompt you for any new configuration settings. It will then upgrade your system.:

```
baruwa-setup -p /usr/local/src/${hostname}.pp
```

Monitor logs for issues

You can monitor the relevant logs using the `baruwa-logs` utility:

```
baruwa-logs
```

If you run into any issues please contact [Support](#)

Thats it.

10.16.8 Old Versions

2.0.6

Upgrade Type

- Enhancement
- Bug fix

Backward compatibility

This release introduces backwards incompatible database schema changes.

New dependencies

- `tinycss`
- `oauthlib`

New configuration options

- `baruwa.languages` - Sets the languages that should be enabled and available. This limits the languages available to only the configured languages.
- `baruwa.default.language` - Sets the default system language.

Updated configuration options

- `challenge_decider` - Has been changed to a Baruwa function, the old one was a repoze function. The new option is `baruwa.lib.auth.middleware:baruwa_challenge_decider`
- `celery.queues` - The fanout queue is not named just `fanout` without the FQDN

Upgrading

Review the changelog for version *2.0.6* and read the updated documentation before you proceed with the upgrade.

Backup your current system:

```
tar cjvf /usr/local/src/baruwa-configs.tar.bz2 /etc/baruwa
```

Automated installs Download and install the updated puppet toaster:

```
curl -O https://www.baruwa.com/downloads/puppet-toaster-latest.tar.bz2
tar xjvf puppet-toaster-latest.tar.bz2 -C /etc/puppet/
```

Perform the upgrade:

```
yum upgrade -y
yum install rpmconf
rpmconf -a -c
export CCFG=/etc/puppet/manifests/toasters/baruwa/${hostname}.pp
export BCFG=/etc/puppet/manifests/toasters/baruwa/${hostname}.pp.orig
export NCFG=/etc/puppet/manifests/toasters/baruwa/init.pp
cp ${CCFG} ${BCFG}
/etc/puppet/bin/update-puppet-config.pl -oldconfig ${BCFG} -newconfig ${NCFG} > ${CCFG}
puppet apply ${CCFG}
rm -rf /var/lib/baruwa/data/templates/*
service mailscanner restart
service uwsgi restart
service baruwa restart
```

Manual installs Update the database schema:

```
psql -Ubaruwa baruwa
baruwa=> ALTER TABLE maildomains ADD column virus_actions smallint;
baruwa=> ALTER TABLE maildomains ADD column virus_checks_at_smtp boolean;
baruwa=> UPDATE maildomains SET virus_actions=2 WHERE virus_actions IS NULL;
baruwa=> UPDATE maildomains SET virus_checks_at_smtp='t' WHERE virus_checks_at_smtp IS NULL;
baruwa=> ALTER TABLE relaysettings ADD COLUMN low_score double precision;
baruwa=> ALTER TABLE relaysettings ADD COLUMN high_score double precision;
baruwa=> ALTER TABLE relaysettings ADD COLUMN spam_actions smallint;
baruwa=> ALTER TABLE relaysettings ADD COLUMN highspam_actions smallint;
baruwa=> UPDATE relaysettings SET low_score=0.0 WHERE low_score IS NULL;
baruwa=> UPDATE relaysettings SET high_score=0.0 WHERE high_score IS NULL;
baruwa=> UPDATE relaysettings SET spam_actions=2 WHERE spam_actions IS NULL;
baruwa=> UPDATE relaysettings SET highspam_actions=2 WHERE highspam_actions IS NULL;
```

Update the configuration files by referring to the configuration file section. The following files will require updating.

- `/etc/exim/exim.conf`
- `/etc/exim/macros.conf`

- `/etc/MailScanner/MailScanner.conf`

You can generate a new Baruwa configuration by running:

```
paster make-config baruwa /etc/baruwa/production.ini
```

Create additional database tables:

```
paster setup-app /etc/baruwa/production.ini
```

Generate the required MailScanner rulesets:

```
paster update-rulesets /etc/baruwa/production.ini
```

Clean up and restart the required services:

```
yum install rpmconf -y
rpmconf -a -c
rm -rf /var/lib/baruwa/data/templates/*
service mailscanner restart
service uwsgi restart
service baruwa restart
```

2.0.5

Upgrade Type

- Enhancement
- Bug fix

Backward compatibility

This release introduces a backwards incompatible database schema change. The `relaysettings` table has been modified to support the relay settings description.

New dependencies

None

New configuration options

- `baruwa.memcached.host` - Sets the address of the memcached server, this used for the distributed locking in a cluster.

Upgrading

Review the changelog for version *2.0.5* and read the updated documentation before you proceed with the upgrade.

Backup your current system:

```
tar cjvf /usr/local/src/baruwa-configs.tar.bz2 /etc/baruwa
```

Modify the relaysettings table, you will need to supply the Baruwa PostgreSQL password:

```
psql -Ubaruwa baruwa
baruwa=> ALTER TABLE relaysettings ADD column description varchar(255);
```

Download and install the updated puppet toaster:

```
curl -O https://www.baruwa.com/downloads/puppet-toaster-latest.tar.bz2
tar xjvf puppet-toaster-latest.tar.bz2 -C /etc/puppet/
```

Perform the upgrade:

```
yum upgrade -y
cp /etc/puppet/manifests/toasters/baruwa/${hostname}.pp /etc/puppet/manifests/toasters/baruwa/${hostname}
/etc/puppet/bin/update-puppet-config.pl -oldconfig /etc/puppet/manifests/toasters/baruwa/${hostname}
-newconfig /etc/puppet/manifests/toasters/baruwa/init.pp > /etc/puppet/manifests/toasters/baruwa/${hostname}
puppet -v /etc/puppet/manifests/toasters/baruwa/${hostname}.pp
service mailscanner restart
service uwsgi restart
service baruwa restart
```

2.0.4

Upgrade Type

- Enhancement
- Bug fix

Backward compatibility

This release introduces a backwards incompatible database schema change. The quickpeek database view has been modified to better order the options returned.

New dependencies

None

New configuration options

None

Upgrading

Review the changelog for version *2.0.4* and read the updated documentation before you proceed with the upgrade.

Backup your current system:

```
tar cjvf /usr/local/src/baruwa-configs.tar.bz2 /etc/baruwa
```

Download and install the updated puppet toaster:

```
curl -O https://www.baruwa.com/downloads/puppet-toaster-latest.tar.bz2
tar xjvf puppet-toaster-latest.tar.bz2 -C /etc/puppet/
```

Perform the upgrade:

```
yum upgrade -y
paster setup-app /etc/baruwa/production.ini
puppet -v /etc/puppet/manifests/toasters/baruwa/$(hostname).pp
service mailscanner restart
service uwsgi restart
service baruwa restart
```

2.0.3

Upgrade Type

- Enhancement
- Bug fix

Backward compatibility

This release does not introduce any backwards incompatible changes.

New dependencies

None

New configuration options

- `baruwa.dkim.selector` - Sets the DKIM selector name default: `baruwa`

Upgrading

Review the changelog for version [2.0.3](#) and read the updated documentation before you proceed with the upgrade.

Backup your current system:

```
tar cjvf /usr/local/src/baruwa-configs.tar.bz2 /etc/baruwa
```

Download and install the updated puppet toaster:

```
curl -O https://www.baruwa.com/downloads/puppet-toaster-latest.tar.bz2
tar xjvf puppet-toaster-latest.tar.bz2 -C /etc/puppet/
```

Perform the upgrade:

```
yum upgrade -y
rm -rf /var/lib/baruwa/data/cache/*
rm -rf /var/lib/baruwa/data/sessions/*
rm -rf /var/lib/baruwa/data/templates/*
service uwsgi restart
```



```
service baruwa restart
puppet -v /etc/puppet/manifests/toasters/baruwa/${hostname}.pp
```

2.0.2

Upgrade Type

- Enhancement
- Bug fix

Backward compatibility

This release introduces a backwards incompatible database schema change. The `UNIQUE INDEX` on the `message-id` field has been dropped to allow for duplicate `message-id`'s to be supported. Duplicate `message-id`'s may occur in high volume environments.

The template variables for the `messages/preview.html` and the `status/preview.html` templates have changed. The changes allow for the support of alternative message format display as well as displaying correctly formatted HTML messages. If you have customized your templates, you will need to review the new variable format and update your customized templates.

New dependencies

- `cssutils`
- `pyzmail`

New configuration options

None.

Upgrading

Review the changelog for version [2.0.2](#) and read the updated documentation before you proceed with the upgrade.

Backup your current system:

```
tar cjvf /usr/local/src/baruwa-configs.tar.bz2 /etc/baruwa
```

Download and install the updated puppet toaster:

```
curl -O https://www.baruwa.com/downloads/puppet-toaster-latest.tar.bz2
tar xjvf puppet-toaster-latest.tar.bz2 -C /etc/puppet/
```

Modify the message-id index, you will need to supply the Baruwa PostgreSQL password:

```
psql -Ubaruwa baruwa
baruwa=> DROP INDEX ix_messages_messageid;
baruwa=> CREATE INDEX ix_messages_messageid ON messages (messageid);
```

Perform the upgrade:

```
yum upgrade -y
rm -rf /var/lib/baruwa/data/cache/*
rm -rf /var/lib/baruwa/data/sessions/*
rm -rf /var/lib/baruwa/data/templates/*
service uwsgi restart
service baruwa restart
puppet -v /etc/puppet/manifests/toasters/baruwa/$(hostname) .pp
```

If you had customized your interface, then update the changed templates to use the new variables.

2.0.1

Upgrade Type

- Security [Severity: Medium]
- Bug fix
- Enhancement

Backward compatibility

This release does not introduce any backwards incompatible changes.

New dependencies

- sqlparse

New configuration options

- `ms.quarantine.shared` - Enables and disables shared quarantine features default: `disabled`
- `baruwa.themes.base` - Sets the directory containing themes default: `/usr/share/baruwa/themes`
- `baruwa.custom.name` - Sets the custom product name for rebranding default: `Baruwa Hosted`
- `baruwa.custom.url` - Sets the url for the product default: `http://www.baruwa.net/`

Upgrading

Baruwa Enterprise Edition has switched from using the certificate authenticated repository to a Spacewalk managed entitlement system. In order to access the new system you need to install the Spacewalk client tools and obtain an activation key for your server entitlement.

Review the changelog for version *2.0.1* and read the updated documentation before you proceed with the upgrade.

Backup your current system:

```
tar cjvf /usr/local/src/baruwa-configs.tar.bz2 /etc/baruwa
tar cjvf /usr/local/src/baruwa-software.tar.bz2 /usr/lib/python2.6/site-packages/baruwa
```

When ready to perform the upgrade, have your activation key handy then run the following commands, replace `<activation-key>` with your actual activation key:

```
rpm -Uvh https://www.baruwa.com/downloads/baruwa-enterprise-release-6-2.noarch.rpm
rpm -Uvh http://yum.spacewalkproject.org/1.9/RHEL/6/x86_64/spacewalk-client-repo-1.9-1.el6.noarch.rpm
yum install rhn-client-tools rhn-check rhn-setup rhnsd m2crypto yum-rhn-plugin -y
rhnreg_ks --serverUrl=http://bn.baruwa.com/XMLRPC --activationkey=<activation-key>
```

Download and install the updated puppet toaster:

```
curl -O https://www.baruwa.com/downloads/puppet-toaster-latest.tar.bz2
tar xjvf puppet-toaster-latest.tar.bz2 -C /etc/puppet/
```

Review the new options available to the puppet manifest and add to your previous manifest, then run:

```
yum upgrade -y
rm -rf /var/lib/baruwa/data/cache/*
rm -rf /var/lib/baruwa/data/sessions/*
rm -rf /var/lib/baruwa/data/templates/*
service uwsgi restart
service baruwa restart
puppet -v /etc/puppet/manifests/toasters/baruwa/${hostname}.pp
```

If you had customized your interface, then follow the theming guidelines to create a theme that will not be overridden by your next update.

10.17 Changelog

10.17.1 2.1.2

- Improved templating performance
- Updated DNSBLs on the info page
- Added SNMP monitoring support
- Added support for the Sophos AV
- Added support for disabling backups
- Added support for the new synching address format
- Reimplemented the import and export system to use YAML
- Added support for TLS encryption of all backend traffic
- Added support for get domain by name to API, Fixes #72
- Added support for additional scanner POST SMTP scanning
- Added support for builtin high speed cache as a replacement for Memcached
- Updated Documentation
- FIX: Hostname custom themes not working
- FIX: Could not delete Relay Setting. Form returned “Password is WAY too short” error
- FIX: Generate AV settings when changed in interface
- FIX: CDB files not being updated. This occurred when an organization was deleted along with all its domains.
- FIX: Rare key exception in relayed via template
- FIX: Incorrect link in local scores search results

- FIX: Exception generated when duplicate mta settings are added
- FIX: Exception generated when logged user changes username
- FIX: Branding issue in info page
- FIX: Correctly route the update serial task
- FIX: get_lang function exceptions caused by browsers that do not send cookies

10.17.2 2.1.1

- Added system_type config option
- Made sync functionality optional
- Updated init script to work with salt
- Support shared flag on web system types
- Relocated the baruwa service pid directory
- Renamed delivery methods to avoid confusion
- Ensure init script sets correct log file perms
- Updated Documentation
- Remove Banned Senders from appearing in Quarantine Report, Fixes #67
- FIX: Fixed local scores edit link
- FIX: Wrong link to edit SA score rule
- FIX: Catch exception in policy methods task
- FIX: Fixed message operations in distributed clusters
- FIX: DKIM not being added for alias domains Fixes: #66
- FIX: HTML editor not loading when editing a domain signature
- FIX: Wrong text in helpbox in the webinterface fixes issue #64
- FIX: Deleting organization leaves orphan Relaysettings, fixes issue #65

10.17.3 2.1.0

- Implemented builtin cluster quarantine synchronization. A detailed description is available at [Shared quarantine](#)
- Implemented search functionality for local scores
- Reimplemented the Spam learning system to make it faster and use less Memory.
- Reimplemented authentication system to use server side sessions as opposed to client side encrypted cookies
- FIX: Improved the IP address and IP range validations
- FIX: Improved the status generation functionality, replacing calls to unix utilities with built in code.

10.17.4 2.0.10

- Implemented support for CIDRs and network ranges in exemption lists closes #61
- Improved IP address validation in WEB and MTA
- Improved Geo lookups by switching to the faster Maxmind DB
- Updated documentation
- FIX: Catch encoding error in cdb file generator
- FIX: Catch indexerror in queuestats command
- FIX: Catch invalid IP range in lists
- FIX: Allow addition of email addresses in domain aliases domains
- FIX: Update routedata on domain aliases updates
- FIX: Some templates not rendering correctly on non branded servers

10.17.5 2.0.9

- Implemented local scanner settings cache to allow the scanner to continue scanning mail while the backend or database server is not available
- Added dynamically generated trusted_networks spamassassin configuration built from the relays added under organizations. This will ensure relayed messages are not checked on DNSBL's. Improving outbound functionality.
- Made improvements to yum plugin to run only when managed packages are changed
- Implemented filesystem based data loss prevention
- Spec and module updated to ensure proper permissions on restoredb directory
- Added functionality to prevent duplicates being restored from backup db
- Implemented user friendly error logging for perl modules
- Added timeout lock release function
- Modified baruwa-backup2db.pl run as root user
- Use timeout locks release instead of sleep
- Made local settings updates cluster aware
- Improved default policy extraction
- Added the version and copyright to templates
- Improved authentication backend robustness
- Disabled the ability for domain admins to add lists to all
- FIX: Quarantine reports not sent on clustered setup due to missing logo
- FIX: Syntax error in quarantine reports cmd
- FIX: Catch indexerror exception in bulk operations
- FIX: Regression in the lists module display
- FIX: Authentication settings typos

- FIX: Rendering of release page without javascript
- FIX: Regression causing message processing to fail
- FIX: Removed duplication of preferences in sa-lint
- FIX: SQLAlchemy non unicode param warning
- FIX: Only send one block notification on blocking an abusive client
- FIX: Error generated when delta index is run prior to full indexing.
- FIX: paster prune-database was not honouring config options
- FIX: Typo in upgrade documentation

10.17.6 2.0.8

- Implemented the SPF Checks Exemptions list to allow for exemptions of domains from SPF checks.
- Added perl functions to block abusive clients
- Updated the yum plugin to run baruwa-setup -c
- Updated documentation
- Updated Spamassassin rules location
- Silence output from updateddelta.pl
- Disconnect from PostgreSQL and Sphinx after indexing
- Disabled paster delta index updates
- FIX: Untaint ENV{PATH}
- FIX: Template bugs
- FIX: Exception in lists module
- FIX: WebApp Error Is a directory exception
- FIX: Display more accurate message status info
- FIX: Catch LXML Error: Document is empty in message preview
- FIX: Only show quarantined flag if message not delivered
- FIX: Remove preview and release buttons when message is deleted
- FIX: IOError on deleted message preview
- FIX: Ajax alert message box not being removed.
- FIX: Correct SMTP error codes information
- FIX: Exception when users attempt to release dangerous messages
- FIX: Ensured API created domains belong to correct org
- FIX: Restrict the domain creation scope to admin users
- FIX: Release SQL connections on commandline apps
- FIX: Generate initial indexes if missing
- FIX: Incorrect certificate location

10.17.7 2.0.7

- Implemented the `baruwa-setup` utility that automates the configuration of Baruwa Enterprise Edition systems including clustered setups.
- Implemented Content Protection functionality within the interface. This allows admins to manage File name and Mime Type block policies from within the interface. The policies can be set globally and on a per domain basis.
- Implemented MTA settings functionality within the interface. This allows admins to manage various MTA exemption lists from within the web interface.
- Implemented functionality to support [Email Address tagging](#). It is now possible to add addresses using a regex such as `username-*@domain.com` or `username+*@domain.com`. The supported delimiters are `-` and `+`. This closes issue [#55](#)
- Implemented the theme licensing checks. Templates that do not follow the [guidelines](#) will not render.
- Implemented the `list to all domains` option for domain admins, when used the listing will be functional at SMTP time just as it is with when created by a server admin.
- Implemented SMTP Error information page. This provides a more in depth error message than provided at SMTP time. SMTP server will display links to this page for the detailed error message.
- Implemented timezone awareness for Baruwa reports, reports now sent to the user at the configured time in their own timezone not the server timezone. By default reports are sent at 07H00, users in New York or Sydney will each get the report at 07H00 their own localtime.
- Implemented the `baruwa.send.reports.at` to allow configuration of the hour at which reports are sent out.
- Implemented [CDB](#) based lookup files for Exim to improve performance and to ensure mail processing continues when the DB is inaccessible.
- Implemented Site signatures which allow you to add a site signature to all mail sent out through the server regardless of the status of user or domain signatures. Can be used to add `scanned by xxx` messages
- Implemented outbound relay rate limit settings, you can use this to control the sending speed of clients to prevent DNSBL listing during spam outbreaks.
- Implemented checks to prevent DOS and Memory exhaustion attacks via large datasets in the bulk operations module such as bayesian learn of 100 messages on a system with insufficient memory. Baruwa will now check if the memory is sufficient to perform the tasks before executing them, it polls to check if memory has been released and times out after 10 checks.
- Implemented online local scores management, this allows admins to set local spam rule scores. The local scores override the default system scores.
- Added the `msgfiles` database column to store the location of a message, this speeds up message operations as the location does not have to be dynamically looked up each time. Dynamic lookups are still available to ensure that messages logged in the old format are still accessible.
- Added tooltips to icon based links to assist screen readers.
- Improved the Backup DB table creation process, the creation will only be attempted if the table does not exist. For existing tables the schema is checked and upgraded if it should be.
- Implemented progress bar for Messages bulk processing
- FIX: Quarantined files were not being cleaned up.
- FIX: celery `restore_group` is not supported by this backend is now fixed
- FIX: Select all checkbox for domains and accounts search results pages

- FIX: The change report options url in quarantine reports resulted in a 403 access denied error for non admin users.
- FIX: XML formatted email messages were incorrectly handling, thus failed to display in preview.
- FIX: Quarantine email logo was not displaying due to incorrect encoding of the attachment data.
- FIX: AJAX generated dates used to show the browser timezone not the timezone configured by the user. This has been updated to ensure that the dates are generated in the users configured timezone.
- FIX: prune-database was not honouring command line options
- FIX: Added missing newlines at the end of files.
- FIX: Virus checks ruleset generation task was duplicated.
- FIX: Message totals were not being updated via AJAX.
- FIX: It is now possible to download attached email .eml messages
- FIX: Improved bulk message operations by updating code to use the new celery API with group and GroupResult
- FIX: Ensure command line tools use the correct user and group id to ensure that files are created with the correct ownership.
- FIX: It was not possible to delete multi select settings.
- FIX: Incorrect defaults were being used in settings.
- FIX: It was not possible to add multiple non SMTP-AUTH IP based relays
- FIX: Branding not being done by the JS scripts
- FIX: Encoding detection of mail records
- FIX: DOM_RE regex incorrectly matched IP addr
- FIX: Incorrect rules being generated.

10.17.8 2.0.6

- Added a REST based OAUTH authenticated API
- Moved MailScanner rulesets to file based rulesets, SQL rulesets were not scaling well for very large installations.
- Added support for After SMTP Anti-Virus Checks, This per domain setting allows AV checks to be ran after accepting the message to allow for actions to be applied such as delete,deliver, quarantine.
- Implemented support for setting default language and setting the languages available for translation. This allows users to limit languages to only those they can support.
- Added support for setting spam and high spam scores and actions on outbound relays. This setting only works on outbound relays that have an IP address specified.
- Added support for Virus infected actions allowing for deliver, delete and quarantine of Virus infected messages.
- Added cache control support
- Implemented the cleanup of the AWL database table
- FIX: Prevent normal users from previewing messages that are dangerous.
- FIX: Support new domain names such as .system.
- FIX: Improve email and domain name validation.
- FIX: Improve the previewing of messages with lots of embedded CSS.

- FIX: Possible XSS in Message Preview
- FIX: Unicode decoding errors in Message Preview
- FIX: Active Directory LDAP lookups failing when there are referrals
- FIX: Incorrect MS SQL configuration options being loaded
- FIX: Domain actions were not displayed in domain search results
- FIX: Disable weekly, daily reports for users in cron as they are not supported
- FIX: Fixed the Fanout router naming
- FIX: Ensure indexer is installed for updatedelta
- FIX: Bug #49 Confirmation text longer than field
- FIX: Fixed issue with corrupt PDF reports
- FIX: Destination server connection tests caused an exception instead of returning an error when the hostname can not be resolved.
- Improved the documentation especially the manual configuration
- Added the API documentation
- Updated translations

10.17.9 2.0.5

- Implemented distributed locking to enable only one cluster member to execute commands within the cluster.
- Implemented standalone search index update script for use within clusters.
- Fixed issues with LDAP attributes not being updated.
- Fixed the prune database command
- Added support for domain aliases in rulesets
- Improvements to the caching system
- Added support for the Esets and F-Secure AV engines
- Improved the display formatting of DKIM keys
- Added a description to relay settings
- Prevent normal users from downloading prohibited or infected attachments
- Various fixes and minor improvements
- Point data feeds to datafeeds.baruwa.com
- Updated documentation

10.17.10 2.0.4

- Moved the sphinx configuration options to MailScanner.conf, Sphinx configuration options moved from the BS.pm module into the MailScanner.conf file to simplify updating the module.
- Improved the ConfigSQL view with better ordering.
- Implemented deletion of default settings from ConfigSQL, Make sure that options are deleted from the ConfigSQL database when updated to the default value. Previously the values were left in the database.

- Implemented validation of MailScanner ConfigSQL options
- Implemented online help for Scanner settings
- Updated the forms to display online help
- Updated CSS to display help popups

10.17.11 2.0.3

- Fixed unicode encode error in spamassassin rules update command.
- Implemented locking to update delta command to ensure only one instance runs.
- Fixed quarantine clean command date format exception.
- Replaced old commands with their new generation versions.
- Fixed issue with fake charsets causing exceptions.
- Prevented cron.d file from being overwritten during update.
- Made improvements to authentication and authorization subsystems.
- Fixed prune quarantine command issue where customized cleanup days options were not being honored for the messages and archive tables.
- Fixed display of bayesian auto learn status, Bayes auto learn status was displayed incorrectly on the message detail page when bayes learning was disabled by the engine.
- Fixed sphinx indexing cronjobs.
- Fixed issue with incorrect attachments being downloaded when messages contain an embedded image.
- Fixed Spam rules display, preventing the “required score” from displaying as a rule.
- Fixed MailScanner config spamactions option which was not being picked up correctly.
- Fixed delivery status information, which incorrectly displayed as quarantined messages that had been deleted.
- Implemented Default theme support, which allows for global overriding of built-in appearance.
- Fixed branding issue where the logo was not being replaced with the theme version. Closes issue #19
- Implemented a configurable DKIM selector. Closes issue #17. A new option `baruwa.dkim.selector` introduced to allow configuration of the DKIM selector.
- Fixed Error when adding address to approved/banned senders using an alias domain. Closes issue #20
- Made default settings match supplied mailscanner configuration file. Closes issue #17.
- Fixed Information Header Value not applying. Closes issue #13
- Implemented the Blue lagoon theme as base template, this is built using responsive design which scales to display on all device sizes.
- Updated the translations.
- Updated the documentation.

10.17.12 2.0.2

- Fixed taskid session checks, which caused an exception when the session attribute did not exist.
- Fixed issue with headers which can not be decoded leading to exceptions

- Fixed issue with empty values breaking quarantine messages due to attempt to concat strings with None values.
- Added checks to prevent the creation of duplicate user accounts from external authentication mechanisms due to the case being different.
- Fixed the deletion of relay settings, which was causing an exception.
- Fixed accounts navigation issue, when paging using AJAX.
- Added support for custom logos in PDF reports, fixes issue #14.
- Fixed incorrect memory usage percentages in the status page.
- Improve daily totals calculation, it now supports users timezone settings.
- Fixed an exception with the Psutil backend which was not being caught.
- Added organization filters to the quarantine and pdf reports commands.
- Improvements to lost password handing, restrict requests to local users and fix the reset url.
- Added a top spammers generation command which can be used to export data to external or internal blacklists.
- Added a top clean senders generation command which can be used to export data to external or internal whitelists.
- Improvements to display all dates and times in users own timezone.
- Implemented JSON data exports to support JSON driven charts and graphs.
- Improvements to the search functions error handling.
- Improvements to the external authentication modules.
- Improvements to the message preview functionality, now able to display both the text and HTML alternatives of an email. HTML messages formatted correctly using embedded CSS styles which are sanitized.
- Added support for duplicate message id's which are generated on high mail volume installations.
- Various minor code cleanups and fixes.
- Updates to the documentation.

10.17.13 2.0.1

- Fixed domains information leak when logged in as domain admin. Domain admins were able to see domains belonging to other users in the drop down menu under edit or delete accounts.
- Added support for theming and customization. Included are support for Interface, email, reports customization as well as productization with a custom name.
- Added support for shared quarantines on shared storage which allows messages to be accessed even when the node that processed them is offline.
- Implemented full cluster functionality for all components
- Improvements to Active Directory / LDAP including support for address verification of alias domain accounts, import of aliases from LDAP servers that use the mail attribute such as OpenLDAP, fix case sensitivity issue with Active Directory servers.
- Fixed MailScanner SQL config keyword issue.
- Fixed duplicates of account listings when user belonged to more than one domain
- Fixed various issues that caused quarantine reports not to be sent to some user accounts.
- Fixed auto user logout when they delete their account.

- Improve the predicate matching system for authorization of actions.
- Fixed previewing of embedded images in emails.
- Fixed the searching of archives when did not display the actual messages found.
- Fixed signature processing on the nodes after configuration in the interface.
- Added experimental PDF reporting command with theme support
- Added experimental Quarantine reporting command with theme support
- Fix to various cronjobs like the ones pruning database tables.
- Disabled NJABL
- Updated translations

10.17.14 2.0.0

- Initial release

11.1 Signing In and Signing Out

11.1.1 Signing In

To sign in to Baruwa, you enter your username and password and select the language to use if the auto detected language is not the one you prefer to use.

If you are signing in using external authentication such as your AD/LDAP or IMAP credentials then you need to provide the full username with the domain part included.

Your session will automatically timeout after 8 hours and you will have to login again.

11.1.2 Signing Out

To sign out click the Logout link on the top right corner of your screen.

Your session will automatically timeout after 8 hours and you will have to login again.

11.2 Changing Your Password

You can change your password if your account is setup to use local (internal) authentication.

If your account uses external authentication then use the system hosting your account credentials to change them.

11.2.1 Change a Known Password

While logged in.

1. Go to the Account page.
2. Click Change Password.
3. Enter your new password twice then your old password.
4. Click the Change Password button.

11.2.2 Reset a Forgotten Password

At the login page.

1. Click `Forgotten password ?`
2. Enter your email address, Click the `Reset my password Button`
3. Check your email, follow the instructions in the email

11.3 Personalizing Your Account

You can personalize various settings of your account using the account page.

11.3.1 Account names

You can change the First and Last name used to address you in any correspondence from Baruwa.

1. Go to the `Account page`
2. Click `Update Account`
3. Enter `First name and Last name`
4. Click the `Update account button`

11.3.2 Change Your Default Time Zone

By default your account uses the time zone setup for your domain by your domain administrator.

This option allows you change the time zone, All times in the Baruwa interface will be displayed in this time zone.

1. Go to the `Account page`
2. Click `Update Account`
3. In the `Timezone drop-down menu` select the time zone you want to use.
4. Click the `Update account button`

11.3.3 Enable or Disable reports

You can enable or disable reports using this option. Reports include your `daily quarantine report` and a `monthly usage report`.

1. Go to the `Account page`
2. Click `Update Account`
3. In the `Send reports checkbox`, select to enable, deselect to disable
4. Click the `Update account button`

11.3.4 Enable or Disable Spam Checks

You can choose to enable or disable Spam checks on messages destined to your account.

1. Go to the `Account` page
2. Click `Update Account`
3. In the `Enable spam checks` checkbox, select to enable, deselect to disable
4. Click the `Update account` button

11.3.5 Customize Spam scores

You can customize the scores at which messages are determined to be either Spam or definite Spam.

Note:

- The `Spam High score` must be higher than the `Spam low score`
 - Setting `0.0` makes Baruwa use the Domain or system defaults.
-

1. Go to the `Account` page
2. Click `Update Account`
3. In the `Spam low score` or `Spam high score` input, enter the score
4. Click the `Update account` button

11.3.6 Add Email signatures/Disclaimers

Baruwa can manage email signatures / disclaimers that are added to messages that are sent outbound through it. Both HTML and Text signatures are supported. HTML signatures support a single embedded image.

A WYSIWG Editor is used to setup the HTML signatures and it allows you to upload images that you can embed in your HTML signature.

1. Go to the `Account` page
2. Click `Add signature`
3. Select `Signature type` from the drop down
4. Enter signature content
5. Ensure the `Enabled` checkbox is checked
6. Click the `Add signature` button

11.4 Messages

11.4.1 Most Recent Messages

When you login the default view you see is the most recent messages for your account. By default the latest 50 messages are shown.

If you want to change the number of recent messages displayed you can use the drop down select `Show: items per page` to do that.

The selected number will be displayed during your current session, when you logout the number will reset to 50.

11.4.2 Full message listing

If you want to see more then the most recent messages you should,

1. Mouse over `Messages`
2. Click `Full message list`
3. Use the pagination links to see more messages.

11.4.3 Quarantine

If you want to see only quarantined messages,

1. Mouse over `Messages`
2. Click `Quarantine`
3. Use the pagination links to see more messages.

You can carry out message operations on several messages from within this view. Refer to *Bulk Message Operations* for details.

11.4.4 Archived messages

If you want to see older archived messages,

1. Mouse over `Messages`
2. Click `Archive`
3. Use the pagination links to see more messages.

11.4.5 Message Details

If you want to see the details of any specific message click the link to the message.

The following information is available.

- Message ID
- From Address
- To Address
- Subject
- Received date and time (Displayed in your timezone)
- Received by server (The server that received the message)
- Received from (The server that sent the message)
- Received via (Servers that processed this message, includes country information)
- Size
- Message headers

- Quarantined
- Virus infected
- Prohibited file
- Other infection
- Spam checks information (Spam check results and rules used to make determination)
- Delivery information (Status of mail delivery to final destination)

If the message is quarantined you are able to preview, release, learn or delete the message. Refer to *Message operations* on how to do this.

You are also able to add the sender to an authorized or banned sender list from with this view using email address, domain name or IP address. Refer to *To add the sender to a list* on how to do this.

11.4.6 Message operations

The Baruwa interface allows you to preview, release, learn or delete quarantined messages and authorize or ban senders of messages using email address, domain name or IP address.

Previewing a quarantined message

To preview a quarantined message,

1. Click the message link
2. Click Preview message
3. Click Attachments to download any attachments
4. Click Display images to display any remote images (This is not advisable)

Releasing a quarantined message

To release a quarantined message,

Note: Released messages are not removed from the quarantine, if you want to remove a message from the quarantine, you need to delete it. Messages are automatically deleted from the quarantine at an interval that is set by the system administrator. The default interval is 30 days.

1. Click the message link
2. Click Release message
3. Check Release checkbox
4. Enter Alt recipients if you want to send the message to another email address
5. Click the Submit Button

Bayesian learning a message

You can update the Bayes system by teaching it if a message is Spam or Not Spam.

1. Click the message link

2. Go to the bottom of the page
3. Check `Bayesian Learn` checkbox
4. Select `Spam` or `Clean` from the drop down
5. Click the `Submit Button`

Deleting a quarantined message

You can delete a message from the quarantine.

1. Click the message link
2. Go to the bottom of the page
3. Check `Delete` checkbox
4. Click the `Submit Button`

11.4.7 To add the sender to a list

1. Click `Add sender to list`
2. Select the type of list you want to add them to using the `List` type drop down
3. Check `Add to aliases` as well if you want it to apply to your aliases as well
4. Check `Use IP address to use the IP address`
5. Check `Use Domain to list the whole domain`
6. Click the `Add to list` button

11.4.8 Bulk Message Operations

It is possible to carry out message operations (release, learn or delete) on multiple messages at ago.

To do this.

1. Select the messages using the check box
2. Select the operations (release, learn or delete) at the top
3. Click the `Process` button
4. View the operations results

11.4.9 Filters

Message filters are available on the *Full message listing*, *Quarantine* and *Archived messages* pages.

Refer to *Manage Filters* on how to manage these filters.

11.5 Approved and Banned Sender Lists

Baruwa supports the use of Approved and Banned sender lists.

Addresses on your approved sender list will skip all spam checks allowing their emails to always get delivered to you.

Addresses on your banned sender list will have their messages to you rejected.

11.5.1 Adding addresses to lists

1. Mouse over `Lists`
2. Click `Add to List`
3. Enter the address can be an `Email Address`, `Domain Name` or `IP address`
4. Select the list type from the `List type` drop down menu
5. Check `Add to aliases` as well if you want it added to your aliases
6. Click the `Add to list` button

11.5.2 Deleting addresses from lists

1. Mouse over `Lists`
2. Click either `Approved senders` or `Banned senders`
3. Find the address
4. Click the red `x` under the action column

11.6 Reports

The reports view allows you to run a set of predefined reports. The following reports are available.

11.6.1 Available reports

- Top Senders by Quantity
- Top Senders by Volume
- Top Sender Domains by Quantity
- Top Sender Domains by Volume
- Spam Score Distribution
- Top Mail hosts
- Top Recipients by Quantity
- Top Recipients by Volume
- Message Totals

You can use `filters` to filter the results available in your report. These `filters` can be saved for later reuse. Refer to *Manage Filters* for details.

Reports are exportable, and can be exported as PDF or CSV. Refer to *Export report* for details on how to export a report.

11.6.2 Export report

Export report to PDF

1. Click report link
2. Click `Download PDF`

Export report to CSV

1. Click report link
2. Click `Download CSV`

11.6.3 Manage Filters

A filter rule consists of one message property and one condition. If the message matches the property and condition it is selected.

Filter properties

The following properties are available to filter messages on.

- Message ID
- Message size
- From Address
- From Domain
- To Address
- To Domain
- Subject
- Received from
- Was scanned
- Is Spam
- Is Definite spam
- Is RBL listed
- Is approved sender
- Is banned sender
- Spam score
- Spam report

- Is virus infected
- Is name infected
- Is other infected
- Date
- Time
- Headers
- Is quarantined
- Processed by host

Filter conditions

Different properties support different conditions. The conditions supported by a specific property will automatically be selected when you select the property.

The following conditions are available.

- is equal to
- is not equal to
- is greater than
- is less than
- contains
- does not contain
- matches regex
- does not match regex
- is null
- is not null
- is true
- is false

Setting Up Filter Rules

1. Go to the `Reports` page Or within the *Full message listing*, *Quarantine* and *Archived messages* pages.
2. Select the property from the first drop down menu
3. Select the condition
4. Enter condition text if the condition requires one
5. Click `Add filter`

Saving Filter Rules

1. Go to the `Reports` page
2. Select the filter rule under `Active Filter(s)`
3. Click `Save`

Deleting a saved Filter Rule

1. Go to the `Reports` page
2. Select the filter rule under `Saved Filter(s)`
3. Click `Delete`

11.7 Mail queues

Messages that are yet to be processed are kept in the `inbound` queue, messages that have been processed but are yet to be delivered are kept in the `outbound` queue.

The status of both the `inbound` and `outbound` mail queues is provided. The following actions can be performed on messages that are in the queues:

- `Delivery`
- `Bounce`
- `Hold`
- `Delete`
- `Preview`

You can access these mail queues by clicking the numbers next to `In :` and `Out :` at the top of your screen

11.7.1 Processing queued messages

Deliver a message in the outbound queue

Delivery only applies to messages that have already been processed by Baruwa, that is why only messages in the `outbound` queue can be delivered.

To deliver a message:

1. Click the number next to `Out :` at the top of your screen
2. Select the message
3. Scroll to the bottom of the screen
4. Select `Deliver`
5. Click the `Process` button

Note: Delivery is only possible if the destination server is up and accepting mail.

Delete a queued message

1. Click the number next to `In :` or `Out :` at the top of your screen
2. Select the message
3. Scroll to the bottom of the screen
4. Select `Delete`
5. Click the `Process` button

Bounce a queued message

1. Click the number next to `In :` or `Out :` at the top of your screen
2. Select the message
3. Scroll to the bottom of the screen
4. Select `Bounce`
5. Click the `Process` button

Hold a queued message

1. Click the number next to `Out :` at the top of your screen
2. Select the message
3. Scroll to the bottom of the screen
4. Select `Hold`
5. Click the `Process` button

Preview a queued message

1. Click the number next to `In :` or `Out :` at the top of your screen
2. Select the message
3. Click `Preview message`

11.8 Baruwa Search Tips and Tricks

Baruwa supports many of the search tricks you use in popular web search engines.

11.8.1 Search with an exact phrase

To search for an exact phrase enclose the phrase in quotes `"Blocked message"`

11.8.2 Search for one or other

Use the pipe character `|` to separate the phrases `"Barrack Obama" | "Mike Tyson"`

11.8.3 Search using a wildcard

Use the star character * For example `boy*` will match `boy`, `boyfriend`

11.8.4 Search using the negate operator

`shaken !stirred` or `shaken -stirred` will match phrases with `shaken` but not `shaken stirred`

11.8.5 Search using grouping

`(red | green | blue) car` will match `red car`, `green car` or `blue car`

11.8.6 Search Specific fields

Note: It is also possible to limit your search to specific fields, the field operators will be provided later.

12.1 Free support

Email only support is available 8x5 UTC+2 via the Enterprise edition support email address `enterprise-support (AT) baruwa.com`.

A mailing [list](#) also exists where you can discuss Enterprise edition related issues as well as ask for help and advise from fellow subscribers. The developers subscribe to and actively monitor this list.

12.2 Paid for support

Paid for support and consultancy services are available. All hands on or On device support which includes troubleshooting, investigation and resolution is only provided under paid for support.

Prepayment of an initial support fee is required before any hands on support tasks are carried out.

To request for paid support or to obtain our rate card, please email `enterprise (AT) baruwa.com`.

PREVIOUS DOCUMENTATION

The documentation for previous versions is available using at the following locations

- 2.1.1
- 2.1.0
- 2.0.10
- 2.0.9
- 2.0.8
- 2.0.7
- 2.0.6
- 2.0.5
- 2.0.4